



No. 1 (continued)

1936, January.

**RIVERVIEW COLLEGE OBSERVATORY,**

SYDNEY, N.S.W.

**SEISMOLOGICAL BULLETIN.**

No.	Date.	Phase	Time (Greenwich)			Per s.	Amplitude.			Δ km.	Remarks.
			h.	m.	s.		A <sub>N</sub> mm	A <sub>E</sub> mm	A <sub>Z</sub> mm		
8	1936 Jan. 14	iPNEZ	17	45	56	3	+2.5	+3.1	-0.2	2445 (22°0)	
		iZ		45	58	3			+2.4		
		ME		46	20	5		5.4			
		ME		46	28	5		5.9			
		iSN		50	00	7	-8.4				
		iSE		50	02	8		+12.9			
		mN		50	06	8	16.5				
		mZ		50	11	7			1.1		
		eL		51	.6	17					
		ME		53	25	13		10.2			
		MN		54	04	13	11.5				
		MZ		56	31	12			0.2		
		F		19	35						
9	" 15	eN	10	09	.8						
		eL		15	.8	16					
		ME		17	45	16		0.1			
		MN		17	54	14	0.2				
		F		10	30						
10	" 15	PNEZ	14	48	12				2365 (21°3)	P in minute mark.	
		iNE		48	15	7	-2.5	-5.0			
		mN		48	55	7	3.0				
		ME		49	00	7		2.8			
		iSNE		52	07	7?	-2.0	-3.0			
		mN		52	15	8	2.2				
		<del>MN</del>		<del>52</del>	<del>02</del>	<del>8</del>	<del>2.3</del>				
		MEZ		52	20	8		7.5			0.4
		mN		53	02	8	2.3				
		eL		53	.5	21					
		MNZ		55	30	15	3.3				0.1
ME		55	32	16		3.1					
F		16	20								
11	" 15	ePNE	16	43	00	6	0.2	0.5	2380 (21°4)		
		eSE		46	56	5		0.9			
		eSN		46	59	5	0.6				
		eL		49	.2	14					
		MN		50	30	14	0.5				
		ME		50	51	14		0.2			
F		17	25								
12	" 16	eN	02	31	.4					A few small waves.	
13	" 16	eN	05	03	.4					" " " "	
14	" 16	iPE	07	14	51	3		-1.0	2465 (22°2)		
		iSE		18	54	4		-1.5			
		eLN		21	.2	16					
		MN		22	33	11	0.2				
		F		07	40						
15	" 16	eN	12	44	.8					Small shallow waves	
16	" 19	e(S)	22	49	57	8					
		eL		54	.5	19					
		ME		56	45	13		0.3			
		MN		58	14	14	0.2				
		F		23	20						

(Continued on next sheet)

# RIVERVIEW COLLEGE OBSERVATORY.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

No.	Date	Phase	Time <i>Greenwich</i>			Per	Amplitude.			Δ km.	Remarks.
							A <sub>N</sub> mm	A <sub>E</sub> mm	A <sub>Z</sub> mm		
17	1936 Jan. 20	ePz	17	04	38				4965 (44°7')		
		iNE		04	51	5	+1.0	-1.0			
		iZ		04	56	3				-0.5	
		SNE		11	21	10	2.0	1.5			
		iE		11	43	10		+4.5			
		MN		11	48	12	2.5				
		iE		14	43	10		+5.7			
		MN		15	06	13	3.0				
		ME		15	14	11		7.2			
		eL		21	.2	24					
		ME		23	56	21		3.0			
		MN		24	47	21	2.0				
18	" 21	F	18	35							
		eN	01	39.3							
19	" 22	MN		43	41	10	0.2				
		F	01	50							
20	" 23	e	00	48.3							
		eL		50.2	16						
		MN		51	36	10	0.3				
21	" 23	F	01	10							
		eE	00	13.3							
		e(L)		14.6	10						
21	" 23	MN		16	22	9	0.4				
		F	00	30							
		e?	10	10.7							
		eL		16.4	15						
		ME		17	42	10		0.4			
MN		19	05	7	0.8						
F	10	45									
-----000-----											
1936, Jan. 31.											

WM. O'LEARY, S.J.  
Director.

# Riverview College Observatory.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

$\Phi = 33^{\circ} 49' 49''$  S.       $\lambda = 151^{\circ} 9' 30''$  E.       $h = 41.9$  m.      Foundation : Triassic sandstone.

### INSTRUMENTS :

1. Wiechert Astatic Pendulum Seismometer (1000 kilo.) (NS, EW.)
2. Wiechert Vertical Seismometer (80 kilo.)
3. Mainka Conical Pendulum Seismometer (450 kilo.) NS, EW)
4. Galitzin Aperiodic Seismometer, with galvanometer registration (NS, EW, Vert.)

	V	$T_0$	$\epsilon:1$	$\frac{r}{T_0^2}$
$A^N$ (1)	219	7.6	4.0	0.019
(3)	85	11.9	4.9	0.014
$A^E$ (1)	204	8.8	3.8	0.015
(3)	94	12.5	2.6	0.022
$A^Z$ (2)	60	5.2	4.1	0.037

No.	Date	Phase	Time (Greenwich)	Per s.	Amplitude.			$\Delta$ km.	Remarks.
					$A_N$ mm.	$A_E$ mm.	$A_Z$ mm.		
22	1936 Febry. 3	e <sub>E</sub>	03 47.6						
		e <sub>L</sub> N	54.3	18					
		MN	56 24	11	0.2				
		F	04 15						
23	" 5	ME	07 14 18	?					Obscured by heavy microseisms.
		F	07 30						
24	" 6	e	04 33.3						
		MN	36 55	11	0.3				
25	" 7	F	04 45						
		e <sub>E</sub>	00 56 19	6					
		m <sub>E</sub>	56 37	6		1.0			
		e <sub>L</sub>	01 05.5	23					
26	" 7	ME	07 04	18		0.5			
		MN	07 24	14	0.4				
		F	01 45						
		e <sub>E</sub>	09 10.8						
27	" 8	e <sub>NE</sub>	19.1	8					
		e <sub>L</sub>	36.3	24					
		ME	46 31	20		0.4			
		MN	49 41	20	0.5				
28	" 10	F	10 50						
		e <sub>PNZ</sub>	12 17 08	4				3400 (30'6)	
		SN	22 18	10	1.1				
		m <sub>N</sub>	23 07	9	2.6				
29	" 12	e <sub>L</sub>	25.9	16					
		MN	28 22	16	3.7				
		ME	29 07	11		5.8			
		F	13 35						
30	" 12	i <sub>PEZ</sub>	18 11 16	3		-1.3	-0.3		Deep focus.
		i <sub>NE</sub>	15 52	6	+1.2	+2.0			
		i <sub>NE</sub>	20 53	5	-1.8	+3.6			
		i <sub>NE</sub>	24 41	5	-1.4	+2.0			
29	" 12	F	19 00						
		e	05 01.5						
		MN	09 00	13	0.2				
		ME	09 07	14		0.2			Masked by micro- seisms.
30	" 12	F	05 20						
		i <sub>N</sub>	09 47 26	4	-0.5				
		i <sub>E</sub>	47 27	4		-1.4			
		i <sub>N</sub>	50 39	4	+1.2				
30	" 12	m <sub>E</sub>	50 57	7		0.7			
		MN	57 33	5	0.5				
		F	10 10						

(Continued on next sheet)

No. 2 (cont.)

1936, February.

## RIVERVIEW COLLEGE OBSERVATORY.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

No.	Date	Phase	Time (Greenwich)			Per s.	Amplitude.			$\Delta$ km.	Remarks.
			h.	m.	s.		A <sub>N</sub> mm.	A <sub>E</sub> mm.	A <sub>Z</sub> mm.		
31	1936 Feb. 14	e	23	21.4							
		eL		25.6	13						
		MN		27 00	11	0.4					
		ME		28 20	10		0.5				
		F	23	40							
32	" 15	iP <sub>NE</sub>	12	53 38	4	+2.2	-1.7		3620	Vertical driving clock stopped.	
		iSE		59 02	8		+3.7				
		mNE		59 10	10	4.8	4.1				
		eL	13	01.8	49						
		ME <sub>1</sub>		06 42	16		34.0				
		ME <sub>2</sub>		07 59	14		44.0				
		MN <sub>1</sub>		10 02	16	39.5					
		ME <sub>3</sub>		12 35	16		54.0				
		MN <sub>2</sub>		14 16	14	44.5					
		F	15	55							
33	" 16	iPZ	14	21 40	3			+0.5		Deep focus.	
		iP <sub>NE</sub>		21 43	4	-1.2	-2.0				
		i <sub>NE</sub>		22 25	3	-1.3	-1.8				
		iE		22 51	4		-3.0				
		i <sub>N</sub>		25 31	3	-2.2					
		i <sub>SN</sub>		25 35	7	+6.1					
		iE		25 41	7		-5.5				
		ME		26 26	7		4.6				
		MN		29 35	14	0.5					
		F	15	00							
34	" 21	ePNZ	17	03 24	3	0.7			3465 (31°2)		
		i <sub>SN</sub>		08 38	8	-1.7					
		eL		12.2	36						
		ME		14 45	17		7.7				
		MN		16 41	14	6.0					
		MZ		16 46	15			0.4			
		F	18	35							
35	" 22	e	12	08.2	3						Small irregular waves.
		F	12	15							
36	" 22	ePNZ	15	36 14	3	1.0		0.1	2000		Deep focus?  EW. readings from Mainka. Wiechert EW. out of commiss ion.
		iEZ		36 17	3		+0.5	-0.7	(18°0)		
		i <sub>N</sub>		36 18	3	-4.0					
		iE		36 20	3		+1.5				
		i <sub>N</sub>		36 24	5	+28.3					
		mZ		36 25	4			1.8			
		iE		36 26	7		-8.5				
		mZ		36 33	5			2.6			
		i <sub>SN</sub>		39 38	14	+11.0					
		iSE		39 41	14		+14.4				
		ME		39 55	16		31.8				
		eLZ		40.9	25						
		MN <sub>1</sub>		41 14	12	34.5					
		MEZ		41 49	12		27.3	1.7			
		MN <sub>2</sub>		42 43	12	36.6					
		F	19	20							
37	" 22	ePN	19	27 03	7				2055 (18°5)	Replica of No. 36  EW. from Mainka.	
		ePZ		27 06							
		iP <sub>NE</sub>		27 07	7	+5.0	-0.7				
		e <sub>SN</sub>		30 34	12						
		iSE		30 35	12		-8.4				
		eLZ		31.2	13						
		mN		31 26	13	10.7					
		ME		31 33	12		14.7				
		MZ		33 17	10			0.5			

(Continued on next sheet)

F lost in No. 39

No. 2 (continued)

1936, February.

## RIVERVIEW COLLEGE OBSERVATORY.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

No.	Date	Phase	Time <i>Greenwich</i>			Per s.	Amplitude.			$\Delta$ km.	Remarks.
			h.	m.	s.		$A_N$ mm	$A_E$ mm	$A_Z$ mm		
38	1936 Feb. 22	ez	19	34.5							
39	" 22	e(P)N	21	19	20	4					A few small short period waves superimposed on No.37.
		eEZ	19	22		4					
		e(S)E	22	55		?					
		e(S)N	22	58		?					
		mN	23	26		11	0.6				
40	" 27	F	22	00							
		iPZ	10	10	42	4			+0.6	3445	Depth of focus 400 km. H = 10 04 20
		iPNE	10	43		4	-1.5	+1.6		(31°0)	
		iNE	11	56		4	+1.9	-2.2			
		iE	15	54		4		-4.0			
		iN	15	57		4	-5.7				Short periods throughout. No long waves.
		iE	18	28		5		+7.1			
		mE	18	32		6		13.0			
		mZ	18	35		6			1.2		
		MN	18	38		6	9.5				
		MNZ	22	21		5	26.2		3.5		
		ME	22	x42		6		25.0			
		F	11	40							
41	" 28	eNE	16	30.6		6					Masked by micro- seisms.
		iN	33	52		6	+1.3				
		eL	39.1			23					
		ME	44	10		10		0.7			
		MN	45	06		12	0.6				
		F	17	10							
-----000-----											

 WM. O'LEARY, S.J.  
 Director.  
 1936, March 14.

No. 3

1936, March.

# Riverview College Observatory.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

 $\Phi = 33^{\circ} 49' 49''$  S.     $\lambda = 151^{\circ} 9' 30''$  E.     $h = 41.9$  m.    Foundation : Triassic sandstone.

**INSTRUMENTS :**

1. Wiechert Astatic Pendulum Seismometer (1000 kilo.) (NS, EW.)
2. Wiechert Vertical Seismometer (80 kilo.)
3. Mainka Conical Pendulum Seismometer (450 kilo.) NS, EW)
4. Galitzin Aperiodic Seismometer, with galvanometer registration (NS, EW, Vert.)

	V	$T_0$	$\epsilon:1$	$\frac{r}{T_0^2}$
$A^N(1)$	209	8.0	3.8	0.019
$A^N(3)$	89	12.0	3.2	0.013
$A^E(1)$	232	8.6	4.0	0.015
$A^E(3)$	94	12.9	2.6	0.022
$A^Z(2)$	61	5.2	3.9	0.033

No.	Date	Phase	Time (Greenwich)			Per	Amplitude.			$\Delta$ km.	Remarks.
							$A_N$ rftm	$A_E$ nftm	$A_Z$ mftm		
42	1936 March 1	eP <sub>E</sub>	10	35	23	4				4790 (43°1)	iS in minute mark.
		e <sub>N</sub>		35	30	4					
		e <sub>Z</sub>		35	34	3					
		iS <sub>E</sub>		41	56	?					
		m <sub>N</sub>		42	06	11	0.8				
		m <sub>E</sub>		42	10	11		3.0			
		eL <sub>E</sub>		48.4		29					
		eL <sub>Z</sub>		49.4		22					
		M <sub>N</sub>		51	28	7	6.2				
		M <sub>Z</sub>		52	42	7			0.5		
		M <sub>E</sub>		53	25	7		6.4			
		F	12	35							
		43	" 2	e? <sub>N</sub>	03	31.4					
e <sub>E</sub>				39.5	6						
e <sub>N</sub>				40.6	5						
eL <sub>E</sub>				50.2	24						
M <sub>N</sub>				59	17	24	0.3				
M <sub>E</sub>				59	37	23		0.2			
F	05			10							
44	" 4	e <sub>N</sub>	06	42.6	3				Small short period waves.		
		e <sub>E</sub>		45.2	3						
		e <sub>Z</sub>		45.3	3						
45	" 6	F	07	00							
		e <sub>N</sub>	09	28.2							
46	" 6	eL <sub>N</sub>		35.2							
		F	09	45							
		e <sub>N</sub>	14	38.2							
		eL		43.0	20						
47	" 8	M <sub>N</sub>		44	43	15	0.5		0.5		
		M <sub>E</sub>		44	52	16					
		F	15	20							
		e? <sub>E</sub>	15	38.4							
		e <sub>N</sub>		43.5							
		M <sub>N</sub>		45	06	13	0.3				
48	" 11	M <sub>E</sub>		49	27	13?		0.2			
		F	16	00							
		e <sub>E</sub>	17	01.1							
		e <sub>N</sub>		05.9							
		eL		08.9	10						
		M <sub>E</sub>		11	27	15		0.2			
		M <sub>N</sub>		12	08	16	0.3				
F	17	30									

(Continued on next sheet)

No. 3 (continued)

1936 March.

## RIVERVIEW COLLEGE OBSERVATORY.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

No.	Date	Phase	Time <i>Greenwich</i> )			Per s.	Amplitude.			$\Delta$ km.	Remarks.
			h.	m.	s.		$A_N$ mm	$A_E$ mm	$A_Z$ mm		
49	1936 March 14	eE	09	08.3		4					
		eN		08.5		4					
		eL		18.2		14					
		MN		20	47		13	0.2			
		ME		21	14		14		0.2		
50	" 17	F	09	50							
		iE	11	15	26	4		+1.6			
		iN		15	32	4	-0.5				
		iN		17	06	5	+1.2				
		iE		17	07	5		+1.3			
51	" 18	iE		18	08	5		-0.8			
		F	11	25							
		ePZ	11	53	52					2780 (25°0)	
		eNE		53	55						
		iNE		54	05	5	-0.7	-1.2			
		mN		55	11	5	0.9				
		iSE		58	19	6		-1.3			
		iSN		58	24	6	-1.5				
		mN		58	49	7	1.3				
		iE		59	32	6		-2.0			
52	" 18	eL	12	01.6							
		MN		05	49	8	0.5				
		F	12	45							
		eE	13	54	30						
		iE		57	16	5		-1.7			
		iN		57	46	4	+0.8				
53	" 22	iE	14	01	27	5		+2.0			
		iN		02	18	5	-1.8				
		iE		02	24	5		-2.0			
		F	14	20							
		ePNE	12	21	35	3?				2800 (25°2)	
		eZ		21	43	3					
		iN		21	44	5	+3.1				
54	" 25	iNE		22	17	5	+2.0	-2.3			
		iSN		26	04	7	+3.5				
		iE		26	07	7		-3.8			
		iN		26	12	7	-5.0				
		ME		26	18	12		6.5			
		eL		28.2		20					
		ME1		32	13	13		11.5			
		MN		31	27	10	5.8				
		MZ		32	30	10			0.2		
		ME2		33	09	10		16.8			
54	" 25	F	13	30							
		eN	02	13.7							
		eL		15.9		18					
		MN		18	21	13	0.4				Masked by micro-seisms.
		ME		18	39	13		0.4			
F	02	35									

 WM. O'LEARY, S. J.  
 Director.  
 1936, April 1.

# Riverview College Observatory.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

$\Phi = 33^\circ 49' 49''$  S.     $\lambda = 151^\circ 9' 30''$  E.     $h = 41.9$  m.    Foundation : Triassic sandstone.

INSTRUMENTS :

1. Wiechert Astatic Pendulum Seismometer (1000 kilo.) (NS, EW.)
2. Wiechert Vertical Seismometer (80 kilo.)
3. Mainka Conical Pendulum Seismometer (450 kilo.) NS, EW)
4. Galitzin Aperiodic Seismometer, with galvanometer registration (NS, EW, Vert.)

	V	T <sub>0</sub>	$\epsilon:1$	$\frac{r}{T_0^2}$
A <sup>N</sup> (1)	218	7.9	3.8	0.016
A <sup>N</sup> (3)	95	11.6	2.5	0.018
A <sup>E</sup> (1)	227	8.4	3.7	0.018
A <sup>E</sup> (3)	82	12.1	3.6	0.025
A <sup>Z</sup> (2)	63	5.1	3.7	0.050

No.	Date	Phase	Time (Greenwich)			Per	Amplitude.			$\Delta$ km.	Remarks.	
			h.	m.	s.		A <sub>N</sub> mm	A <sub>E</sub> mm	A <sub>Z</sub> mm			
55	1936 April 1	ePZ	02	17	30	3				4855 (43.7)		
		ePNE		17	33	3						
		iPZ		17	36	4			-1.0			
		iPNE		17	38	4	+2.4	-1.6				
		mNE		17	58	11	4.8	4.3				
		iSNE		24	07	10	-26.5	+46.2				
		iE		27	20	10		+29.6				
		iN		27	28	10	+34.7					
		mE		27	40	11		42.9				
		eLZ		32	.3	29						
		LN		32	.7	24						
		ME		35	48	23		33.0				
		MZ <sub>1</sub>		36	01	23			2.2			
		MN		37	09	20	46.0					
		MZ <sub>2</sub>		37	53	22			4.2			
		eW <sub>2</sub>		04	50.8	20?						
		56	" 1	ME	05	05	24	24	0.2			
MN	06			06	08	25	0.3					
F	06			00								
e	20			07.2	7							
eL				12.0	21							
57	" 1	MN		13	55	15	0.5					
		ME		15	15	12		2.2				
		F	Lost in No. 57									
		iPNE	20	19	05	3	+1.3	-1.2		4735 (42.6)		
		iPZ		19	06	3			-0.5			
		iSN		25	35	7	-1.1					
		iSE		25	40	7		-3.1				
		iE		28	50	6		-3.3				
		mN		29	05	7	2.1					
		eL		37	.1	24						
58	" 2	ME		41	10	13		1.3				
		MN		41	48	12	1.2					
		F	23	00								
		e(P) <sub>N</sub>	06	23	06	5					Preliminaries obscured by micro-seisms.	
		iN		24	05	5	-1.0					
		iSN		28	12	10	-3.8					
		iSE		28	14	7		-2.0				
		iE		29	49	9						
		iE		30	50	9						
		mE		31	20	10		9.0				
		eLE		32	.3	24						
		eLN		33	.2	21						
MZ		34	08	21			0.4					
MN		35	20	14	8.2							
ME		36	28	12		19.3						

(Continued on next sheet)

No. 4 (continued)

1936, April.

## RIVERVIEW COLLEGE OBSERVATORY.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

No.	Date	Phase	Time <i>Greenwich</i>			Per s.	Amplitude.			$\Delta$ km.	Remarks.
			h.	m.	s.		$A_N$ mm	$A_E$ mm	$A_Z$ mm		
59	1936 April 7	e <sub>E</sub>	01	45.3	5						
		e <sub>L</sub>		51.2	19						
		MN		52 50	14	0.8					
		ME		53 03	16		0.3				
60	" 9	F	02	15							
		e <sub>N</sub>	07	23.0	4						
		e <sub>L</sub>		28.3	16						
		ME		29 44	16		0.3				
61	" 9	MN		30 07	13	0.5					
		F	07	50							
		e(P) <sub>N</sub>	16	07 36	4						
		e <sub>Z</sub>		07 40	4						
62	" 12	i <sub>SE</sub>		12 13	7			-1.6			
		i <sub>SN</sub>		12 17	7	+3.0					
		m <sub>N</sub>		12 34	8	2.8					
		m <sub>E</sub>		12 39	7			3.6			
		m <sub>E</sub>		13 42	7			2.6			
		m <sub>N</sub>		14 00	8	2.5					
		i <sub>E</sub>		16 31	7			+2.3			
		i <sub>N</sub>		17 03	7	-4.1					
		e <sub>L<sub>N</sub></sub>		18.2	24						
		m <sub>N</sub>		18 51	8	4.3					
		ME		19 52	11			3.0			
		MN		21 31	10	2.8					
		F	17	25							
		e <sub>P<sub>N</sub></sub>	20	59 10	4					4800	
		e <sub>PEZ</sub>		59 12	7					(43°2)	
		i <sub>P<sub>N</sub></sub>		59 13	5	+1.5					
e <sub>N</sub>	21	00 52	13								
i <sub>SN</sub>		05 44	13	+8.3							
i <sub>SE</sub>		05 46	13			-4.5					
e <sub>N</sub>		08 50	11								
i <sub>NE</sub>		09 07	8	-15.8		+5.0			Very striking group of waves.		
e <sub>L</sub>		13.9	28								
MN		19 03	14	9.0							
ME		19 40	13			9.8					
MZ		19 43	13				0.9				
F	22	45									
63	" 19	i <sub>P<sub>N</sub></sub>	05	12 55	7	+3.0				2735	
		i <sub>NEZ</sub>		13 03	7	-12.4	-1.5	+0.3		(24°6)	
		m <sub>NE</sub>		13 30	6	8.2		2.8			
		ME		13 42	6			3.9			
		m <sub>N</sub>		13 47	6	11.1					
		i <sub>SN</sub>		17 20	8	+22.2					
		i <sub>SE</sub>		17 22	8			+8.3			
		i <sub>NE</sub>		17 48	11	-75.5		-28.3			
		ME		18 30	8			31.3			
		i <sub>N</sub>		19 07	9	+56.4					
		i <sub>E</sub>		19 15	10			-47.0			
		i <sub>E</sub>		20 02	10			+54.6			
		i <sub>N</sub>		20 05	10	+40.5					
		i <sub>E</sub>		20 45	11			>-68.5			
		i <sub>E</sub>		21 59	11			+29.0			
		ME		22 09	11			44.3			
		i <sub>N</sub>		22 59	10	-33.2					
		ME		24 05	11			>50			
i <sub>N</sub>		24 48	11	-48.2							
MZ		25 03	12				1.0				
MN		25 34	11	57.5							
ME <sub>2</sub>		33 26	11			>67					
e <sub>W<sub>2</sub></sub> ?	08	03.6	27?								

F 08 35

No. 4 (continued)

1936, April.

## RIVERVIEW COLLEGE OBSERVATORY.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

No.	Date	Phase	Time (Greenwich)			Per l	Amplitude.			Δ km.	Remarks.
			h.	m.	s.		A <sub>N</sub> mm	A <sub>E</sub> mm	A <sub>Z</sub> mm		
64	1936 April 19	iN	09	24	35	8	+3.2			Obscured by micro-seisms.	
		eL		37.0		30					
		ME		47	25	22		1.2			
		MN		47	47	16	1.2				
65	" 24	F	10	15							
		eP <sub>NE</sub>	12	54	19	4					
		eN	13	00	37	6					
		mNE		01	39	6	2.0	1.1			
66	" 26	mN		02	30	6	2.2			2610 (23°5)	
		eL		05.0		16					
		F	13	25							
		iP <sub>N</sub>	08	49	52	5	+1.0				
67	" 27	iS <sub>N</sub>		54	07	6	-1.2			2735 (24°6)	
		iN <sub>E</sub>		54	26	6	-1.8	-2.1			
		eL		56.9		29					
		ME	09	00	49	13		2.7			
68	" 28	MZ		01	51	15			0.1		
		MN		02	07	15	2.5				
		F	09	40							
		eN	00	37.5							
69	" 28	MN		45	20	22	0.3				
		F	01	00							
		eP <sub>NE</sub>	05	44	32	4					
		eP <sub>Z</sub>		44	33	4					
70	" 29	iP <sub>NE</sub>		44	34	5	+1.5	+0.6		Phases very hard to identify. May be more than one shock.	
		iS <sub>NE</sub>		48	56	8	+3.0	-3.1			
		iN		49	06	9	-5.5				
		iE		49	23	7		-2.8			
53a	March 21	eL		51.0		17				2835 (25°5)	
		MN		53	31	14	5.5				
		ME		53	43	14		7.4			
		MZ	06	00	57	9			0.2		
53a	March 21	F	07	20							
		e?NEZ	13	42	14	2					
		eZ		42	52	2					
		eNE		43	02	2					
53a	March 21	iN		48	01	3	+0.5				
		eE		48	04	5					
		iE		49	55	5		-2.7			
		MN		53	11	7	6.6				
53a	March 21	MZ		53	36	4			1.3		
		ME		54	24	8		6.4			
		F	14	30							
		eP <sub>NE</sub>	08	19	22	4	0.5	0.2			
53a	March 21	iS <sub>N</sub>		23	53	5	+1.5				
		iN		24	10	6	+0.7				
		SR <sub>1</sub> ?E		24	37	10		0.7			
		eL		25.8		16					
53a	March 21	ME		26	13	12		0.6			
		MN		26	32	16	0.4				
		F	09	15							
		-----o00-----									
Addition to March Bulletin.											
53a	March 21	e?	00	06.2							
		eL		09.0		27					
		ME		13	19	17		0.5			
		MN		13	36	12	0.5				
53a	March 21	F	00	25							

 WM. O'LEARY, S. J.  
 Director.  
 1936, May 2nd.

No. 5

1936, May.

# Riverview College Observatory.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

 $\phi = 32^{\circ} 49' 49''$  S.

 $\lambda = 151^{\circ} 9' 30''$  E.

 $h = 41.9$  m.

Foundation : Triassic sandstone.

**INSTRUMENTS :**

1. Wiechert Astatic Pendulum Seismometer (1000 kilo.) (NS, EW.)
2. Wiechert Vertical Seismometer (80 kilo.)
3. Mainka Conical Pendulum Seismometer (450 kilo.) NS, EW)
4. Galitzin Aperiodic Seismometer, with galvanometer registration (NS, EW, Vert.)

	V	$T_0$	$\epsilon:1$	$\frac{r}{T_0^2}$
$A^N$ (1)	218	7.7	3.5	0.017
(3)	86	11.9	3.3	0.014
$A^E$ (1)	218	8.5	3.7	0.018
(3)	80	13.4	3.5	0.020
$A^Z$ (2)	85	5.2	3.7	0.043

No.	Date	Phase	Time (Greenwich)			Per s.	Amplitude.			$\Delta$ km.	Remarks.
			h.	m.	s.		$A_N$ mm	$A_E$ mm	$A_Z$ mm		
71	1936 May 1	eE	00	05	2	4					
		eN		10	2	8					
		eL		12	3	23					
		MN		14	19	15	0.5				
		ME		16	17	14		0.2			
72	" 5	F	00	40							
		e(P)N	19	50	29	7					
		eN		54	31	6	0.6				
		eE		58	18	7		0.8			
		eN		59	12	9	0.6				
		eLE	20	00	4	17					
		eLN		00	9	18					
		ME1		02	09	15		2.0			
		MN		05	31	12	2.0				
		ME2		05	55	10		3.3			
73	" 8	F	20	55							
		eN	05	56	0						
		ME	06	00	39	10		0.2			
74	" 8	MN		00	44	10	0.3				
		F	06	10							
75	" 9	iEZ	09	19	02	3		-0.5	-0.2		
		iNE		24	58	3	-0.7	-2.3			
		iN		27	50	4	-1.1				
		eE		28	23	6					
		iN		34	19	6	-1.7				
		iN		35	03	6	+1.9				
		mN		35	36	6	2.1				
76	" 10	F	10	00							
		eN	06	58	3						
		eL	07	00	4	16					
		MN		02	05	13	0.4				
77	" 11	ME		02	55	12		0.2			
		F	07	20							
		eL	20	59	2	15					
77	" 11	MN	21	00	27	12	0.3				
		F	21	10							
		ePN	17	33	22					3020	
		iPNZ		33	25	3	-0.8		+0.3	(279.2)	
		iSN		38	10	7	-3.4				
		iN		38	34	17	+8.0				
		eL		42	0	33					
		ME1		43	19	18		6.1			
		MN1		43	49	20	6.1				
		MZ1		44	13	19			0.5		
77	" 11	ME2	48	00	16		6.0				
		MN2, MZ2	48	48	15	5.0		0.4			
		F	19	20							

(Continued on next sheet)

5 (continued)

1936, May.

## RIVERVIEW COLLEGE OBSERVATORY.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

No.	Date	Phase	Time <i>Greenwich</i>			Per s.	Amplitude.			$\Delta$ km.	Remarks.
			h.	m.	s.		$A_N$ mm	$A_E$ mm	$A_Z$ mm		
78	1936 May 11	eN	20	31.0							
		eL		35.2	21						
		MN		41 00	21						
		ME		44 55	15			0.3			
79	" 14	F	21	10							
		e <sup>?</sup> E	05	04.2							
		eE		05.1	5						
		eN		10.7	8						
		eLN		11.8	20						
		ME		13 43	17			0.3			
80	" 16	F	05	35							
		eN	07	27 17							
		iN		27 26	7	+3.5					
		iE		27 31	5			-1.0			
		eN		36.0	11						
		eL		43.9	27						
		ME		49 14	22			0.3			
		MN		55 49	18		0.3				
81	" 18	F	08	20							
		eE	20	33.1	5						
		eN		34.1	5						
82	" 20	F	20	45							
		eL	02	56.1	15						
		MN	03	00 32	15		0.4				
		ME		01 02	14			0.5			
83	" 20	F	Lost in No. 83								
		iPNEZ	03	10 46	4					2710 (24°4)	iP in minute mark.
		iZ		10 48	4			+1.2			
		iNE		10 52	4		-4.2	-3.2			
		iE		11 01	4			-3.0			
		iNE		11 17	5		+4.0	+2.7			
		iNE		11 44	5		-7.0	-3.9			
		iSNE		15 09	7		-7.6	+7.0			
		iE		15 16	7			-9.2			
		iN		15 23	10		-40.5				
		ME		15 26	11			16.0			Most outstanding phase.
		mZ		15 30	14				0.6		
		iMN		18 13	13		+23.0				
		MN		19 49	14		46.5				
		ME		20 04	14			47+			
MZ		20 09	12				1.0				
84	" 21	F	06	45							
		e(S)N	03	00.9	14						
		eL		05.8	25						
		ME		06 00	20			0.9			Early phases mask- ed by microseisms.
85	" 22	MN		06 29	20		1.0				
		F	03	35							
		PNE	23	25 43						2355 (21°2)	P in minute mark.
		iNE		25 52	4		+1.4	+2.7			
		iSE		29 37	5			-3.6			
		iSN		29 40	7		+3.5				
		eL		31.4	23						
		ME		32 28	17			2.0			
86	" 23	MN		32 57	15		3.3				
		F	00	10							
		eN	15	38.8							
		mN		40 36	8		1.1			A few small waves	

(Continued on next sheet.)

5 (continued)

1936, May.

## RIVERVIEW COLLEGE OBSERVATORY.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

No.	Date	Phase	Time <i>(Greenwich)</i>			Per s.	Amplitude.			Δ km.	Remarks.
			h.	m.	s.		A <sub>N</sub> mm	A <sub>E</sub> mm	A <sub>Z</sub> mm		
87	1936 May 23	eE	19	24.0					Masked by micro-seisms.		
		eE		26.9							
		MN		27	53	10	0.4				
		ME		29	48	12		0.6			
88	" 25	F	19	40							
		(P) <sub>NE</sub>	03	14	00	5	-1.0	-0.7			
		e(S) <sub>E</sub>		17	48	10?					
		eL		19	3	20					
		ME		22	48	13		6.5			
		MN		25	18	12	3.6				
89	" 25	F	04	05							
		e	13	42.0							
		eL		46.2	18						
		MN		48	15	12	0.4				
90	" 26	ME		48	57	12		0.7			
		F	14	00							
		eE	12	56.0							
		eN	13	00.3	8						
91	" 27	MN		03	35	15	0.6				
		ME		05	00	15		0.2			
		F	13	15							
		eEZ	06	32.2							
		eN		35.8							
		eNE		42	39	5	0.4	0.7			
		iE		43	00	9		-4.8			
		iNE		44	03	7	+3.2	-3.1			
92	" 28	eL	07	01.0	32						
		ME <sub>1</sub>		08	53	30		0.5			
		MN		10	17	23	0.8				
		ME <sub>2</sub>		16	00	20		1.2			
		F	08	30							
		eNE	19	23.1							
		eE		23.5	13						
		eLN		33.7	33						
ADDITION.	May 19	eLE		38.8	32						
		MN		43	51	20	0.3				
		ME		46	46	18		0.6			
		F	20	45							
		-----000-----									
		eE	07	35	50	3	-0.8				
		eE		35	53	3		-1.4			
" 19	" 19	iE		36	00	3		+0.2	WM. O'LEARY, S.J. Director. 1936, June 3rd.		
		MN		39	12	5					
		F	08	00							
		ePNE <sub>2</sub>	20	56	58	2	+0.5	-0.7		-0.3	
		iNE <sub>2</sub>		58	19	3	+1.1	-1.4		-0.1	
		i(S) <sub>E</sub>	21	02	27	4		+1.7			
		eN		04	37	3	-2.1				
" 19	" 19	eE		04	56	3		+1.4			
		ME		07	28	3		0.5			
		MN		10	01	6	5.8				
		ME		11	30	7		5.1			
		ME		14	29	11		3.3			
		F	22	20							

# Riverview College Observatory.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

 $\phi = 33^{\circ} 46' 49''$  S.

 $\lambda = 151^{\circ} 9' 30''$  E.

 $h = 41.9$  m.

Foundation : Triassic sandstone.

**INSTRUMENTS :**

1. Wiechert Astatic Pendulum Seismometer (1000 kilo.) (NS, EW.)
2. Wiechert Vertical Seismometer (80 kilo.)
3. Mainska Conical Pendulum Seismometer (450 kilo.) NS, EW)
4. Galitzin Aperiodic Seismometer, with galvanometer registration (NS, EW, Vert.)

	V	$T_0$	$\epsilon:1$	$\frac{P}{T_0^2}$
A <sup>1</sup> (1)	211	7.8	3.5	0.014
(3)	95	11.7	5.8	0.012
A <sup>2</sup> (1)	224	8.3	3.9	0.016
(3)	80	13.1	3.3	0.020
A <sup>3</sup> (2)	66	5.0	3.6	0.052

No	Date	Phase	Time (Greenwich)			Per s.	Amplitude.			$\Delta$ km.	Remarks.
			h.	m.	s.		A <sub>N</sub> mm	A <sub>E</sub> mm	A <sub>Z</sub> mm		
33	1936 June 1	eE	11	30	.7				8055 (7295)	In minute mark.	
		eN		31	.3						
		iN		34	35	5	+0.7				
		iNE		36	45	7					
34	" 5	F	11	50					8055 (7295)		
		iPNE	14	45	14	3	+0.5	-0.3			
		iSNE		54	43	4	+1.3	-1.3			
		MN		59	39	8	1.3				
35	" 8	F	15	20							
		eNE	17	04	18						
		iN		08	00	3	-0.3				
		MN		08	31	7	0.5				
36	" 9	MN		08	33	6		0.6			
		F	17	15							
		eNE	16	54	.6	3					
		eN	17	05	.9	6					
37	" 10	eLE		11	.0	25			2890 (2690)		
		MN		15	00	18		0.2			
		F	17	35							
		iPNZ	08	29	05	3	-0.7				+0.3
		iN		29	44	5	+3.8				
		iNZ		30	04	5	10.8				-1.2
		iSE		33	39	6		+9.8			
		iSN		33	41	6	-10.0				
		iNE		34	13	7	-14.6	-7.7			
		iN		34	52	8	-9.6				
		iE		35	10	7		+9.5			
		ME		36	52	8		40.4			
38	" 11	MZ		37	12	7			2.3		
		MN		37	18	9	18.3				
		F	10	35							
		eN	13	04	.9	22					
39	" 13	eL		09	.2	13		0.3		Obscured by micro seisms.	
		ME		11	53	10	0.3				
		MN		12	55						
		F	13	35							
40	" 13	e?	09	06	.9						
		eNE		09	.8						
F	09	25									

(Continued on next sheet)

6 (continued)

1936, June.

## RIVERVIEW COLLEGE OBSERVATORY.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

No.	Date	Phase	Time (Greenwich)			Per s.	Amplitude.			$\Delta$ km.	Remarks.
			h.	m.	s.		A <sub>s</sub> mm	A <sub>E</sub> mm	A <sub>Z</sub> mm		
100	1936 June 16	eN	00	45.0						Earlier phases obscured by microseisms.	
		eL		48.7	17						
		MN		52 21	11	1.5					
		ME		55 18	17		0.8				
101	" 22	F	01	40							
		e	10	57 43							
		iN	11	00 39	8	+1.3					
		eL		03.8	13						
		MNE		05 12	12	0.3	0.2				
102	" 22	F	11	20							
		eNE	22	16 43	7						
		eL		19.8	17			0.3			
		ME		20 41	13						
		MN		21 15	12	0.3					
103	" 23	F	22	45							
		eNE	01	38.8	3						
104	" 28	F	01	50							
		eL	06	57.7	17						
104	" 28	MN		58 55	10	0.4					
		ME		59 49	10		0.5				
		F	07	10							
105	" 30		15	19 10	4			+0.7	9230 (83°0)		
		iPZ		19 17	5	-1.7	-1.0				
		iPNE		29 37	6	+1.6					
		iSN		30 10	7		+4.0				
		iE		41.5	50						
		eL		48 57	27	3.1					
		MN		52 00	18		2.1				
		ME		18 10							
F											

 WM. O'LEARY, S. J.  
 Director.  
 1936, July 3.

1936, July.

# Riverview College Observatory.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

 $\phi = 33^{\circ} 49' 49'' S$ 
 $\lambda = 151^{\circ} 9' 30'' E$ 
 $h = 41.9 m.$ 

Foundation : Triassic sandstone.

**INSTRUMENTS :**

1. Wiechert Astatic Pendulum Seismometer (1000 kilo.) (NS, EW)
2. Wiechert Vertical Seismometer (80 kilo.)
3. Manka Conical Pendulum Seismometer (450 kilo.) NS, EW)
4. Galitzin Aperiodic Seismometer, with galvanometer registration (NS, EW, Vert.)

	V	$T_a$	$e:l$	$\frac{r}{T_0^2}$
$A^N(1)$	210	7.8	3.5	0.016
$A^N(3)$	92	11.8	4.9	0.014
$A^E(1)$	232	8.3	3.4	0.019
$A^E(3)$	79	13.2	3.8	0.022
$A^Z(2)$	64	5.1	3.7	0.073

No	Date	Phase	Time (Greenwich)			Per	Amplitude.			$\Delta$ km.	Remarks		
			h.	m.	s.		$A_N$ mm	$A_E$ mm	$A_Z$ mm				
106	1936 July 2	eNE	19	53	24	3							
		eNE		53	55	3							
		eNE		57	26	4							
		eNE		58	06	4							
		MN		58	44	8	0.4						
		ME		58	48	5		0.3					
107	" 3	F	20	10									
		ePNE	03	04	10					2790 (25.91)			
		ePZ		04	11								
		iPNE		04	11	5	+1.8	+1.1					
		iSE		08	38	6		+1.8					
		iSN		08	39	6	-2.3						
		iN		08	49	6	+4.0						
		ME		09	04	7			3.2				
		iN		09	44	7	+3.5						
		eL		11	4	17							
		108	" 5	MN		12	54	17	2.3				
ME				14	10	17		2.4					
F	04			20									
e(P)NE	19			03	36	4				3620? (32.6?)	Heavy microseisms present.		
iNE				03	48	5	+1.6	-1.0					
iz				03	50	3			+0.3				
eSNE				10	12								
iN				10	38	8	-5.3						
iE				10	40	8		+6.0					
iNE				13	38	8	-4.1	+5.5					
iN				13	58	9	+7.9						
109	" 12	iE		14	08	11		-20.0			Very striking phase.		
		eLE		19	8	24							
		ME		22	52	23		5.0					
		MN		23	43	21	2.5						
		F	20	55									
		e?	02	50	8						Masked by micro-seisms.		
		eL		58	8	20							
		MN	03	02	28	12	0.6						
		F	03	30									
		110	" 13	eN	11	26	54						Destructive earthquake in Chile.
				eNE		31	15	7					
mNE				31	38	7	1.5	0.7					
eNE				37	23	11							
eNE				40	31	14							
iNE				41	20	9	-5.9	+3.5					
eNE				46	3	40							
ME				46	37	35			2.6				
MN				46	44	35	0.9						
mNE				47	13	32	2.3	3.3					

(Continued on next sheet)

## RIVERVIEW COLLEGE OBSERVATORY.

SYDNEY, N.S.W.

## SEISMOLOGICAL BULLETIN.

No.	Date	Phase	Time (Greenwich)			Per s.	Amplitude.			$\Delta$ km.	Remarks.
			h.	m.	s.		A <sub>x</sub> mm	A <sub>y</sub> mm	A <sub>z</sub> mm		
110 (cont)	1936 July 13	mNE	11	47	45	30	1.9	2.7			
		eLE		58.0		43					
		eLN		58.3		43					
		MZ1	12	03	51	23			0.2		
		MN1ME1		03	55	26	3.9	5.2			
		MN2		08	08	18	5.0				
		MZ2		08	24	20			0.5		
		ME2		08	31				9.0		
111	" 14	F	15	00							
		e	09	59.2							
		eL	10	04.8		15					
112	" 15	MNE		06.2		15	0.2	0.2			
		F	10	25							
		eN	11	20.7							
113	" 21	eE		25.8							
		eL		26.4		20					
		ME		29	50	8		0.7			
		MN		31	19	9	1.0				
		F	11	50							
		eNE	00	04	42	3					
114	" 22	eE		08	15	9		1.0			
		mN		08	25	9	1.1				
		ME		08	28	9		2.3			
		MN		12	00	15	0.4				
		F	00	20							
		e	06	34.2							
115	" 23	e		37.0		9					
		eL		38.5		17					
		MN		40	48	12	0.3				
		ME		41	18	15		0.2			
		F	06	55							
		eE	06	28	13	5					
116	" 26	eN		28	18	5					
		eE		32	03	7					
		eL		38.0		17					
		MN		39	25	13	0.2				
117	" 28	F	07	00							
		e?N	08	00.4							
		eE		02.4							
		eL		28.8		25					
118	" 28	F	09	05							
		e(P)N	05	24	46	5					
		e(S)N		30	48	11					
		eL		34.9		23					
		ME		36	38	17		8.2			
		MN		37	18	17	5.1				
119	" 30	F	06	55							
		e?N	07	59.0							
		eNE	08	04	04	6					
		eL		10.6		22					
119	" 30	MN		15	05	11	5.5				
		ME		15	19	12		6.9			
		F	09	25							
		e	14	15.9							
		eL		22.2		15					
119	" 30	ME		25	00	15		0.2			
		MN		27	22	13	0.2				
		F	15	05							

Obscured by micro-seisms.  
Shallow long waves  
till 09 05

WM. O'LEARY, S. J.  
Director.  
1936, August 3rd.























