

- F E V R I E R 1 9 6 7 -

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
1	iP	01 15 04,6	41	1,5	100,3	Zcp	/USCGS/ H = 01 07 19,2 26,7 N. 55,3 E. h = environ 19 kms Sud IRAN - Mag. 5,0 (CGS)
	ipP	01 15 15,1				-"-	
	isP	01 15 18,1				-"-	
	iPP	01 16 41,1				-"-	
	iPcP	01 17 05,1				-"-	
	iPPP	01 17 10,1				-"-	
	iS	01 21 22,1				Ncp	
	isS	01 21 28,6				-"-	
	iSS	01 24 13,1				Ecp	
	iSSS	01 24 47,6				-"-	
	iSSSS	01 25 09,1				-"-	
	LQ	01 27.				Ngp	
	M	01 30.			25m/m	-"-	
	Fin	02 35.				Egp	
1	i	08 23 05,5		1,5	41,3	Zcp	
	Fin	08 26.				-"-	
1	iP	11 37 01,1		0,8	8,0	Zcp	
	iS	11 39 01,2				-"-	
	LR	11 39 56,2				-"-	
	Fin	11 50.				-"-	
1	eS	13 08 49,1		1,0	3,3	Ecp	Proche.
	L	13 10 10,1				-"-	
	Fin	13 15.				-"-	
1	i	13 46 13,4		1,4	67,5	Zcp	
	Fin	13 52.				-"-	
1	iPkPBC	14 18 58,9	146	1,2	58,0	Zcp	/USCGS/ H = 13 59 20 11,5 S. 165,2 E. h = environ 33 kms Iles SANTA-CRUZ -Mag. 4,4 (CGS).
	ipPkP(BC)	14 19 09,1				-"-	
	isPkPBC	14 19 14,0				-"-	
	isPkPAB	14 19 15,9				-"-	
	iPP	14 22 39,6				-"-	
	Fin	14 25.				-"-	
1	iP	14 57 16,4	90	1,0	19,6	Zcp	/USCGS/ H = 14 44 07,7 16,7 S. 72,7 W. h = environ 41 kms Près de la Côte de PEROU ressenti à AREQUIPA - Mag. 4,9 (CGS).
	iPcP	14 57 19,2				-"-	
	ipPcP	14 57 24,0				-"-	
	ipP	14 57 27,0				-"-	
	isP	14 57 29,8				-"-	
	iPP	15 01 03,0				-"-	
	Fin	15 12.				-"-	
1	iP	15 32 30,8	87	1,7	61,6	Zcp	/USCGS/ H = 15 19 56,8 4,8 S. 103,2 E. h = environ 33 kms Sud SUMATRA -Mag. 5,3 (CGS).
	iPcP	15 32 33,8				-"-	
	ipPcP	15 32 39,8				-"-	
	isP	15 32 44,2				-"-	
	iPP	15 36 10,8				-"-	
	Fin	15 38.				-"-	
1	iPkPDEF	18 04 02,5	149	1,0	14,0	Zcp	/USCGS/ H = 17 44 41 28,8 S. 179,9 W. h = environ 274 kms Iles KERMADEC -Mag. 4,0 (CGS).
	iPkPAB	18 04 14,5				-"-	
	i	18 04 36,5				-"-	
	i	18 04 48,5				-"-	
	Fin	18 12.				-"-	

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
# 1	i Fin	18 21 40,5 18 26.		1,2	22,0	Zcp --"	
1	Traces	2036-2040				Zcp	Seismique.
1	e i Fin	22 07 43,2 22 13 22,2 22 22.		0,8	1,6	Ecp --" --"	
i	iP ipP isP iPP Fin	23 58 36,6 23 59 27,1 23 59 48,0 24 02 00,4 24 10.	85	1,0	81,2	Zcp --" --" --" --"	/USCGS/ H = 23 46 09,5 22,0 S. 66,7 W. h = environ 210 kms JUJUY, Province Argentin- tine -Mag.4,7 (CGS).
2	iP ipP isP iPcP ipPcP isPcP Fin	01 29 18,9 01 29 28,2 01 29 32,9 01 29 58,9 01 30 08,9 01 30 19,2 01 34.	62	1,2	12,0	Zcp --" --" --" --" --" --"	/USCGS/ H = 01 18 57 40,6 N. 75,3 E. h = environ 33 kms R - Région de frontiè- re SINKIANG-KIRGIZ -Mag.4,6 (CGS).
2	eP eS LR Fin	03 46 24,2 03 48 30,7 03 49 34,7 03 55.		0,7	3,0	Ecp --" --" --"	Proche.
2	iPkpDEF i ipPkPDEF isPkPDEF Fin	05 15 47,4 05 16 08,5 05 16 14,5 05 16 22,5 Pendant le changement des feuilles	141	1,2	24,0	Zcp --" --" --"	/USCGS/ H = 04 56 25,9 10,3 S. 161,5 E. h = environ 77 kms Iles SALOMON -Mag.4,4 (CGS), 2 au 3.2.67, enregis- trements non exploitables.
3	i Fin	13 43 04,3 13 47.		0,8	20,0	Zcp --"	
# 3	i Fin	14 00 21,2 14 20.		0,9	55,2	Zcp --"	
3	Traces	1728-1732				Zcp	Seismique.
3	Traces	1936-1942				Ncp	Seismique.
3	iP iPcP ipP ipPcP Fin	23 38 16,1 23 38 21,1 23 39 05,6 23 39 09,8 23 45.	85	1,0	19,6	Zcp --" --" --" --"	/USCGS/ H = 23 25 47,8 21,5 S. 67,1 W. h = environ 198 kms Région de frontière CHILI-BOLIVIE -Mag.5,6(BRK), 5,1 (CGS).
4	Traces	0105-0110				Ncp	Seismique.
4	eS L Fin	01 53 40,1 01 54 36,1 01 59.		0,8	4,0	Ncp --" --"	Proche.
4	eS L Fin	04 06 29,1 04 07 41,9 04 12.				Ecp --" --"	
4	e i Fin	12 43 31,0 12 47 02,0 13 10.		1,0	5,6	Zcp --" --"	Seismique ?
4	Traces	1331-1335				Zcp	Seismique.

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
4	Traces	1540-1547				Zcp	Seismique.
4	i	17 21 34,3		0,9	6,4	Ncp	
	Fin	17 28.				"	
4	ePkP(BC)	18 07 47,9	116	1,2	24,0	Zcp	/USCGS/ H = 17 49 02,4
	iPP	18 09 04,8				"	25,5 N. 142,7 E. h = environ
	Fin	18 12.				"	33 kms R - Région des Iles
							Volcano -Mag. 4,9 (CGS).
4	iP	19 11 39,0	36	1,4	35,0	Zcp	/USCGS/ H = 19 04 29
	ipP	19 11 49,0				"	12,9 S. 14,7 W. h = environ
	isP	19 11 53,0				"	33 kms Côte Sud Atlantique
	iPP	19 13 03,0				"	(Mag. 4,8 (CGS).
	Fin	19 21.				"	
4	iPkP(BC)	21 03 17,3	134	1,0	5,6	Zcp	/USCGS/ H = 20 54 20
	ipPkP(DEF)	21 03 25,3				"	54,3 S. 132,1 W. h = environ
	isPkP(DEF)	21 03 30,3				"	33 kms R - Cordillera Sud
	iPP	21 04 52,3				"	Pacifique -Mag. 4,9 (CGS).
	Fin	21 10.				"	
5	i	03 36 56,1		1,1	12,6	Ncp	
	Fin	03 46.				"	
5	Traces	0837-0841				Zcp	Seismique.
5	i	09 17 02,7		1,0	8,4	Zcp	
	Fin	09 22.				"	
5	eP	10 26 03,4		1,0	5,6	Zcp	
	iS	10 30 17,1				Ncp	
	Fin	10 36.				"	
5	e	10 38 55,3		0,8	4,8	Ncp	
	L	10 39 49,5				"	
	Fin	10 44.				"	
5	Traces	1502-1507				Ncp	Seismique ?
5	iP	19 02 05,5	30	1,0	33,6	Zcp	/USCGS/ H = 18 55 45,1
	ipP	19 02 15,5				"	5,4 S. 11,4 W. h = environ
	isP	19 02 20,2				"	19 kms Région des Iles Ascen
	iPP	19 03 02,7				"	-sion -Mag. 5,2 (CGS).
	iPPP	19 03 21,5				"	
	iPcP	19 05 04,7				"	
	iS	19 07 02,7				Ncp	
	Fin	19 30.				"	
5	Traces	2116-2119				Ncp	Seismique.
6	iPkPDEF	03 30 41,0	160	1,1	16,5	Zcp	/USCGS/ H = 03 10 33,4
	i	03 30 59,0				"	22,8 S. 176,1 W. h = environ
	i	03 31 15,0				"	90 kms R - Iles Sud de FIDJI
	Fin	03 39.				"	
6	Traces	0344-0350				Zcp	Seismique.
6	eS	09 19 16,6		1,8	18,2	Zcp	Proche.
	L	09 21 36,6				"	
	Fin	09 30.				"	
6	i	09 43 19,6		0,8	5,0	Zcp	Seismique ?
	Fin	09 54.				"	

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
6	iP iPcP Fin	10 31 07,3 10 31 11,3 10 36.	86	1,4	10,0	Zcp -" -"	/USCGS/ H = 10 18 52,3 23,0 S.66,9 W. h = environ 213 kms Jujuy Province Ar- gentine -Mag.4,3 (CGS).
✕ 6	i i i Fin	10 42 35,3 10 43 37,0 10 43 53,3 10 53.		1,0	5,6	Zcp -" -" -"	
6	eS L Fin	13 09 15,5 13 10 23,5 13 15.		0,6	3,6	Ncp -" -"	Proche.
6	i Fin	14 11 03,4 14 18.		1,4	30,0	Zcp -"	
✕ 6	i i Fin	14 35 05,2 14 39 16,2 14 50.		1,2	24,0	Zcp -" -"	
7	eS L Fin	02 20 16,8 02 21 23,5 02 27.				Ncp -" -"	Proche.
7	eS L Fin	02 42 43,8 02 43 59,8 02 53.		0,8	1,6	Ncp -" -"	Proche.
7	eS L Fin	04 04 34,2 04 05 42,2 04 13.		0,6	2,7	Ncp -" -"	Seismique.
7	eP eS L Fin	05 34 03,8 05 36 14,0 05 37 31,0 05 44.		0,8	3,2	Ncp -" -" -"	Proche.
7	iP iS LR Fin	06 23 20,0 06 25 37,0 06 26 57,0 06 44.		0,6	16,0	Zcp -" -" -"	Seisme proche.
7	iPkpDEF i iPP Fin	08 47 43,3 08 47 59,0 08 49 33,3 09 10.	124	1,2	148,0	Zcp -" -" -"	/USCGS/ H = 08 28 57,9 13,9 N.144,8 E. h = environ 138 kms Iles Mariannes, res- senti Guam -Mag.5,7(BRK), 5,4 (CGS).
7	iPkpBC iPkp(AB) iSPkpDEF Fin	12 09 17,4 12 09 23,0 12 09 26,0 12 15.	145	1,2	18,0	Zcp -" -" -"	/USCGS/ H = 11 49 30 15,7 S.167,1 E. h = environ 59 kms Iles Nouvelles Hébr- ides - Belin arrêté à 14H08.
✕ 8	i Fin	08 42 02,7 08 47.		1,0	18,2	Zcp -"	
8	Traces	0855-0858				Zcp	Seismique.
8	iPkpBC iPkpPBC i Fin	15 20 33,4 15 20 44,6 15 20 56,4 15 30.	146	1,4	135,0	Zcp -" -" -"	/USCGS/ H = 15 00 49 12, S.165,9 E. h = environ 26 kms Iles Sud Santa-Cruz Mag. 4,4 (CGS).

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
8	iP i i iPP LQ Fin	15 46 44,3 15 46 49,1 15 46 59,4 15 49 14,4 15 55. 17 28.	69	1,5	59,0	Zcp -- -- -- Egp --	/USCGS/ H = 15 35 43 58,3 S. 13,0 W. h = environ 33 kms R - Sud Ouest Océan Atlantique -Mag. 5,1 (CGS).
8	iP ipP isP iPP Fin	17 29 25,7 17 29 36,7 17 29 39,7 17 32 14,7 17 42.	76	1,4	44,0	Zcp -- -- -- --	/USCGS/ H = 17 17 45,7 23,2 N. 93,9 E. h = environ 33 kms R - Région de frontiè -re Inde Birmanie -Mag. 5,1 (CGS).
8	Traces	1903-1907				Zcp	Seismique.
9	Traces	1116-1122				Zcp	Seismique.
9	iP ipP isP iPP iPPP iPcP iS L M Fin	14 15 17,4 14 15 27,4 14 15 31,0 14 16 37,6 14 16 54,0 14 18 46,0 14 20 49,0 14 25. 14 28. 15 17.	35	1,2	96,0	Zcp -- -- -- -- -- Egp Ncp Egp --	/USCGS/ H = 14 08 18,7 40,0 N. 20,3 E. h = environ 3 kms Région de frontière Grèce-Albanie, peu de dégats Mag. 5,6 (CGS).
9	iP iPcP ipPcP ipP isP iPP iPPP iS Fin	15 37 59,0 15 38 00,0 15 38 06,0 15 38 09,0 15 38 13,0 15 41 40,0 15 43 31,0 15 49 35,0 19 58.	94	1,1	39,9	Ncp -- -- -- -- -- -- -- Egp	/USCGS/ H = 15 24 47,2 2,9 N. 74,9 W. h = environ 58 kms R - Colombie 100 morts plusieurs blessés dé- gats importants à Campoale, Guacamaya et Neiva - ressen- ti à Iquito/Equateur 6 3/4 (Pas), 7,3-7,5 (BRK), 7-7 1/4 (Pal), 6,3 (CGS).
9	i i Fin	19 58 51,3 19 59 50,3 19 10.		0,8	3,2	Ncp -- --	Replique
9	Traces	2030-2040				Ncp	Seismique.
9	iP ipP isP Fin	21 28 36,1 21 28 46,7 21 28 49,7 21 35.	94	0,8	3,2	Ncp -- -- --	/USCGS/ H = 21 15 25,7 2,8 N. 74,8 W. h = environ 59 kms Colombie -Mag. 4,4 (CGS), Replique.
9	i Fin	22 02 39,6 22 30.		0,6	2,7	Ncp --	
9	Traces	2314-2320				Ncp	Seismique.
9	Traces	2318-2322				Ncp	Seismique.
9	i Fin	23 41 54,3 23 45.		1,0	3,6	Ncp --	
10	Traces	0101-0104				Ncp	Seismique.
10	eS L Fin	02 07 30,4 02 08 37,4 02 14.		0,6	2,7	Ncp -- --	Proche.

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
10	Traces	0356-0402				Ncp	Seismique.
10	i	09 13 17,2		0,8	7,2	Ncp	
	Fin	09 21.				---	
10	Traces	2010-2017				Ncp	Seismique.
10	i	20 58 53,1		0,8	4,8	Ncp	
	Fin	21 12.				---	
11	iP	08 14 52,5	56	1,2	12,0	Zcp	/USCGS/ H = 08 05 08,0
	iPp	08 15 02,5				---	36,7 N. 71,1 E. h = environ
	iSp	08 15 06,5				---	58 kms Région de frontière
	iPP	08 17 08,5				---	URSS-AFGHANISTAN -Mag. 4,6
	Fin	08 20.				---	(CGS).
11	iP	09 40 07,5	84	1,2	28,0	Zcp	/USCGS/ H = 09 27 29,6
	iPcP	09 40 12,5				---	52,0 N. 106,2 E. h = environ
	iPp	09 40 17,5				---	5 kms Région du Lac BAIKAL
	iSp	09 40 22,9				---	ressenti à ULAN UDE 4,7(BRK
	iPP	09 43 17,7				---	5,4 (CGS).
	Fin	09 50.				---	
11	Traces	1343-1350				Ncp	Seismique.
11	iP	15 25 39,2	39	1,0	11,2	Zcp	/USCGS/ H = 15 18 06,3
	iPp	15 25 47,2				---	30,5 N. 50,7 E. h = environ
	iSp	15 25 52,2				---	42 kms IRAN-Mag. 5,0 (CGS).
	iPP	15 27 13,2				---	
	Fin	15 30.				---	
* 11	i	15 31 40,4		1,4	35,0	Ecp	
	Fin	15 35.				---	
11	i	15 39 18,2		1,0	8,4	Zcp	
	Fin	15 42.				---	
11	iP	15 43 09,2	76	1,2	40,0	Zcp	/USCGS/ H = 15 31 27,1
	iPp	15 43 19,2				---	79,6 N. 3,4 E. h = environ
	iSp	15 43 22,2				---	33 kms R - Mer GROELANDE -
	iPP	15 46 07,2				---	Mag. 4,9 (CGS).
	Fin	15 53.				---	
11	i	17 32 20,8		0,7	18,0	Zcp	
	i	17 32 40,8				---	
	i	17 32 45,0				---	
	Fin	17 34.				---	
* 11	i	23 00 48,9		0,7	23,4	Zcp	
	Fin	23 05.				---	
* 12	i	00 08 08,7		1,4	20,0	Zcp	Seismique.
	i	00 08 23,7				---	
	i	00 08 48,7				---	
	i	00 09 33,7				---	
	i	00 09 38,4				---	
	Fin	00 20.				---	
12	i	02 34 48,6		0,7	3,2	Ncp	
	Fin	02 37.				---	
12	e	03 00 8,3		1,4	15,0	Ecp	
	Fin	03 05.				---	
12	i	08 05 07,5		1,0	19,6	Zcp	
	Fin	08 11.				---	

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
12	iP	10 22 35,4	29	1,5	94,4	Zcp	/USCGS/ H = 10 16 13,5 2,1 S. 12,3 W. h = environ 33 kms R - Ile Nord d'Ascen- sion -Mag. 4,8 (CGS).
	ipP	10 22 44,4				-"	
	iPP	10 23 34,6				-"	
	iPPP	10 23 42,4				-"	
	iS	10 26 55,4				-"	
	iSS	10 27 46,4				-"	
	LR	10 30.				-"	
	M	10 32.				-"	
	Fin	11 20.				-"	
12	iP	12 02 29,6	75	1,6	52,8	Zcp	/USCGS/ H = 11 50 50 42,6 S. 83,8 E. h = environ 33 kms R - Milieu de la Côte Indienne -Mag. 5,4 (CGS).
	ipP	12 02 39,4				-"	
	isP	12 02 43,4				-"	
	ipPcP	12 02 50,4				-"	
	iPP	12 05 18,3				-"	
	iS	12 12 07,4				Egp	
	LQ	12 20.				-"	
	M	12 24.				-"	
	Fin	13 12.				-"	
12	iP	14 21 15,4	90	1,4	56,0	Zcp	/USCGS/ H = 14 08 12,5 21,7 S. 70,1 W. h = environ 18 kms Près de la Côte Nord du Chili -Mag. 5,5 (CGS).
	ipP	14 21 24,4				-"	
	isP	14 21 29,4				-"	
	iPP	14 24 47,4				-"	
	ipPP	14 24 58,6				-"	
	i	14 27 21,6				-"	
	iPPP	14 27 43,6				-"	
	iS	14 31 36,4				Egp	
	LQ	14 50.				Ngp	
12	Fin	15 30.				-"	
12	iP	16 16 28,4	56	1,4	60,0	Zcp	/USCGS/ H = 16 06 48 35,8 N. 71,0 E. h = environ 100 kms Région d'Hindou- Kouch -Mag. 5,2 (CGS).
	i	16 16 32,1				-"	
	ipP	16 16 50,4				-"	
	isP	16 17 05,9				-"	
	ipPcP	16 17 22,4				-"	
	Fin	16 27.				-"	
12	iP	16 53 32,8	39	1,7	50,1	Zcp	/USCGS/ H = 16 46 04 30,3 N. 50,3 E. h = environ 33 kms R - IRAN -Mag. 4,6 (CGS).
	ipP	16 53 42,7				-"	
	isP	16 53 46,4				-"	
	iPP	16 55 04,6				-"	
	Fin	16 59.				-"	
12	i	18 16 55,9		1,2	28,0	Zcp	
	i	18 17 43,4				-"	
	Fin	18 20.				-"	
12	Traces	2124-2130				Zcp	Seismique.
12	Traces	2234-2240				Zcp	Seismique.
13	Traces	0225-0230				Ncp	Seismique.
13	e	04 4 34,4		1,1	6,0	Ecp	
	Fin	04 42.				-"	

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
13	eP	13 52 49,1		0,7	3,75	Ecp	Proche.
	iS	13 54 58,1				"	
	LR	13 56 07,1				"	
	Fin	14 05.				"	
13	Traces	1527-1532				Ecp	Seismique.
13	iPkpBC	15 48 20,1	137	1,1	13,2	Zcp	/USCGS/ H = 15 29 05,1
	ipPkP(DEF)	15 48 31,1				"	5,1 S.153,1 E. h = environ
	isPkP(DEF)	15 48 34,1				"	57 kms Région de Nouvelle
	iPP	15 51 48,1				"	IRLANDE - Mag.5,0 (CGS).
	i	15 52 18,1				"	
	Fin	16 02.				"	
13	Traces	1621-1624				Zcp	Seismique.
* 13	i	21 10 39,3		0,9	7,0	Ecp	
	i	21 10 56,9				"	
	i	21 11 05,9				"	
	Fin	21 19.				"	
13	eP	21 47 24,9				Ecp	Proche.
	iS	21 50 21,9				"	
	Fin	21 58.				"	
13	iP	23 34 57,8	64	1,0	14,0	Zcp	/USCGS/ H = 23 14 19,6
	ipP	23 25 07,8				Ncp	52,7 N.34,1 W. h = environ
	isP	23 25 11,8				"	10 kms Nord Océan Atlantique
	iPcP	23 25 33,3				"	Mag.6 3/4(Pas), 6,5-6,9(BRK),
	ipPcP	23 25 40,8				"	6,3 (CGS), Surface vide.
	iPP	23 27 21,8				"	
	iPPP	23 28 55,8				"	
	iS	23 33 41,1				"	
	isS	23 33 52,0				"	
	iSS	23 37 05,2				Ecp	
	L	23 40.				"	
	Fin	24 59.				"	
14	iP	01 47 58,3	76	1,3	72,0	Ecp	/USCGS/ H = 01 36 04,7
	ipP	01 48 07,7				"	13,7 N.96,5 E. h = environ
	isP	01 48 11,7				"	27 kms Région des Iles An-
	iPcP	01 48 16,7				"	daman ressenti à Bangkok
	iPP	01 50 50,7				"	THAILAND -Mag.6,8(CGS), Sur-
	iS	01 57 48,7				Ncp	face vide.
	i	02 09 24,7				"	
	L	02 17.				Ecp	
	Fin	03 50.				"	
14	ePn	04 08 21,6		0,8	3,2	Ncp	Distance 580 kms environ.
	iPb	04 08 35,6				Ecp	
	eSn	04 09 23,6				"	
	LR	04 09 49,6				"	
	Fin	04 19.				"	
* 14	i	05 31 02,5		2,0	24,7	Ecp	
	Fin	05 41.				"	
14	eP	10 24 09,5		0,6	4,8	Ncp	Proche.
	iS	10 26 27,5				"	
	LR	10 27 35,5				"	
	Fin	10 50.				"	

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
14	e Fin	17 07 21,5 17 17.		0,8	4,8	Ncp "-	
14	eP eS LR M Fin	17 46 34,5 17 51 44,5 17 53 17,5 17 54 59,5 18 02.		0,9	3,0	Ecp "- "- "- "-	Seismique.
14	iPkP(DEF) iPkP(AB) iSKPDEF iPkSDF Fin	18 33 16,5 18 34 01,9 18 37 11,5 18 37 49,5 18 40.	162	1,2	16,0	Zcp "- "- "- "-	/USCGS/ H = 18 13 14 19,4 S. 172,8 W. h = environ 33 kms R - Région des Iles Tonga -Mag. 4,9 (CGS).
14	iP iS LR Fin	19 14 05,0 19 16 26,5 19 17 43,5 19 34.		0,6	3,2	Zcp Ncp "- "-	Proche.
14	Traces	23 21 2318				Ecp	Seismique.
14	eP eS LR Fin	23 22 24,4 23 24 29,4 23 25 39,6 23 37.		1,0	1,8	Ncp "- "- "-	Proche.
15	Traces	0048-0055				Ncp	Seismique.
15	e L Fin	01 17 05,4 01 18 27,4 01 22.		1,0	2,3	Ecp "- "-	
15	iP ipP iPP iPPP Fin	01 55 04,1 01 55 14,4 01 56 37,4 01 56 46,8 02 03.	39	1,6	89,0	Zcp "- "- "- "-	/USCGS/ H = 01 47 27,7 34,5 N. 47,6 E. h = environ 38 kms Ouest IRAN -Mag. 5,0 (CGS).
15	Traces	0235-0239				Ncp	Seismique.
15	e L Fin	02 55 53,4 02 57 09,4 03 02.		0,9	2,0	Ncp "- "-	Proche.
15	iP ipP iPP iS LR M	05 49 22,5 05 49 32,5 05 51 18,5 05 56 39,5 06 03. 06 08.	50	1,5	29,5	Zcp "- "- Egp "- "-	/USCGS/ H = 05 40 14 17,1 S. 66,6 E. h = environ 33 kms R - Région des Iles Mascareignes -Mag. 5,0 (CGS).
15	iP ipP iPcP isP ipPcP iPP iS isS L Fin	06 09 07,5 06 09 17,5 06 09 20,5 06 09 21,5 06 09 26,5 06 12 03,5 06 18 37,5 06 18 57,5 06 34. 07 27.	76	1,2	92,0	Zcp "- "- "- "- "- Ncp "- Egp "-	/USCGS/ H = 05 57 24,6 20,4 N. 94,1 E. h = environ 10 kms Birmanie -Mag. 5,5 (CGS) mélé du seisme des Iles Mascareignes.
15	iP iPcP ipP	16 23 16,5 16 23 17,5 16 24 48,5	89	0,5	5,0	Ncp "- "-	/USCGS/ H = 16 11 11,8 9,0 S. 71,3 W. h = environ suite.

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
(suite) 15	ipPcP iPP iS Fin	16 24 51,5 16 26 55,5 16 33 45,5 21 50.				Ngp -" -" Ecp	597 kms R - Région de fron- -tière Pérou -BRESIL -Mag. 6 3/4-7(Pas), 7,2-7,4(BRK), 6,2 (CGS). Arrêt enregistreur Belin.
16	iP iS LR Fin	09 57 36,4 09 59 44,6 10 00 52,7 10 21.		1,8	27,3	Zcp -" -" -"	Proche.
16	eS L Fin	10 22 10,6 10 23 22,4 10 30.		1,0	4,6	Ecp -" -"	Replique du Seisme proche.
16	iP ipP isP iPP Fin	12 03 26,3 12 03 36,3 12 03 40,3 12 05 05,3 12 10.	42	1,0	5,75	Ecp -" -" -" -"	/USCGS/ H = 11 55 19 35,8 N.51,9 E. h = environ 17 kms IRAN.
16	eS L Fin	14 00 25,2 14 01 53,2 14 07.		1,0	5,75	Ecp -" -"	Proche.
16	iP ipP isP Fin	15 17 42,2 15 17 52,2 15 17 56,2 15 24.	39	1,5	17,7	Ecp -" -" -"	/USCGS/ H = 15 10 03 33,8 N.47,9 E. h = environ 33 kms R - Ouest IRAN -Mag 4,4 (CGS).
16	eP eS L Fin	15 25 01,2 15 27 38,2 15 28 35,2 15 38.		0,7	3,0	Ecp -" -" -"	Proche.
16	Traces	1724-1728				Ncp	Seismique ?
16	Traces	2101-2110				Ecp	Seismique.
16	eS L Fin	23 12 24,7 23 13 25 7 23 20.		0,8	5,1	Ncp Ncp -"	Proche.
17	eP iPP iS LQ Fin	00 51 52,2 00 55 36,9 01 02 26,9 01 30. 02 10.	106	2,0	18,2	Zcp -" Ncp Ecp -"	/USCGS/ H = 00 37 42,5 4,4 N.125,6 E. h = environ 66 kms Iles Talaud -Mag. 5,5 (CGS).
17	eP iS LR Fin	03 49 58,5 03 52 07,4 03 53 13,0 03 59.		0,7	3,0	Ecp -" -" -"	Proche.
17	iP ipP isP iPcP isPcP iPP Fin	10 17 14,4 10 17 26,0 10 17 27,4 10 17 48,8 10 18 02,5 10 19 41,2 10 23.	64	0,9	21,6	Zcp -" -" -" -" -" -"	/USCGS/ H = 10 06 45 28,8 N.43,4 W. h = environ 33 kms R - Côte Nord Atlan- -tique -Mag.4,9 (CGS).

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
17	iPkP(DEF)	10 30 47,0	156	1,2	250,6	Zcp	/USCGS/ H = 10 10 51,5 23,7 S. 175,2 W. h = environ 19 kms Région des Iles Ton- ga. Mag. 6 1/2(Pas), 6,4(CGS).
	ipPkP(DEF)	10 30 57,0				Ncp	
	isPkP(DEF)	10 31 00,0				"	
	iPkP(AB)	10 31 16,2				"	
	iPP	10 34 54,7				"	
	i	10 35 38,2				"	
	iPPP	10 38 34,0				Ecp	
	iPkKPDF	10 39 14,0				Zcp	
	iPcPPkPBA	10 41 05,0				"	
	iSKKP	10 42 10,0				Ecp	
	iPkKSDF	10 42 43,0				"	
	iPcSPkPAC	10 45 23,0				Zcp	
	LQ	11 27.				cP	
	i	12 58 12,1				Zcp	
	Fin	15 12.				Egp	
17	iP	16 08 15,8	65	1,7	92,4	Zcp	/USCGS/ H = 15 57 47 28,9 N. 43,4 W. h = environ 33 kms R - Côte Nord Atlan- tique -Mag. 4,7 (CGS).
	ipP	16 08 23,6				"	
	iPcP	16 08 48,8				"	
	iPP	16 10 43,6				"	
	Fin	16 14.				"	
17	iPkPDEF	16 15 47,6	150	1,2	28,0	Zcp	/USCGS/ H = 15 56 26 16,7 S. 168,5 E. h = environ 222 kms Iles Nouvelles Hé- brides.
	iPkPBC	16 15 50,6				"	
	Fin	16 22.				"	
17	iP	19 38 30,8		1,2	6,0	Zcp	Seisme proche, Congo ?
	iS	20 00 39,4				Ecp	
	LR	20 01 51,4				"	
	Fin	20 15.				"	
17	Traces	2050-2058				Ecp	Seismique ?
17	iP	21 59 36,0	39	1,2	36,0	Zcp	/USCGS/ H = 21 52 13 0,3 S. 20,3 W. h = environ 33 kms R - milieu de la Côte Centrale Atlantique -Mag. 4,7 (CGS).
	ipP	21 59 46,3				"	
	isP	21 59 49,0				"	
	iPP	22 01 13,5				"	
	Fin	22 06.				"	
17	eP	22 09 21,7		0,9	4,0	Ecp	Replique du Seisme proche.
	eS	22 11 28,7				"	
	LR	22 12 41,2				"	
	Fin	22 19.				"	
17	e	23 21 52,1		0,8	3,2	Ecp	Seismique.
	Fin	23 26.				"	
18	iP	00 42 15,0	65	2,0	81,9	Zcp	/USCGS/ H = 00 31 48 28,9 N. 43,4 W. h = environ 33 kms R - Côte Nord Atlan- tique. Mag. 5,2 (CGS).
	ipP	00 42 25,0				"	
	isP	00 42 29,0				"	
	iPcP	00 42 48,2				"	
	ipPcP	00 42 54,0				"	
	iPP	00 44 50,0				"	
	eS	00 50 18,0				Egp	
	L	01 02.				"	
	M	01 10.				"	
	Fin	01 29.				"	

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
18	e Fin	02 22 53,9 02 28.		0,9	4,8	Zcp Ncp	
18	ipkPBC ipPkP(DEF) ipPkP(AB) iPP isPP isSKPBC Fin	02 58 19,8 02 58 29,8 02 58 35,8 03 01 08,8 03 01 32,8 03 02 09,3 05 13.	137	1,0	8,4	Zcp -" -" -" -" -" Ecp	/USCGS/ H = 02 39 19,4 5,9 S. 153,2 E. h = environ 41 kms Région de Nouvelle IRLANDE -Mag.5,4 (CGS).
18	ePkPDEF ipPkPDEF iPP iSKPDF Fin	07 01 16,8 07 02 32,8 07 02 40,8 07 05 04,8 07 12.	112	1,3	9,0	Zcp -" -" -" -"	/USCGS/ H = 06 43 31,2 6,4 S. 130,1 E. h = environ 159 kms Mer Banda -Mag.5,0 (CGS).
18	iP iPcP ipP Fin	10 23 01,9 10 23 07,9 10 23 11,9 10 30.	88	1,8	63,7	Zcp -" -" -"	/USCGS/ H = 10 10 54,8 59,7 N. 75,8 W. h = environ 33 kms R - Nord Québec -Mag 4,0 (CGS).
18	iP iS LR Fin	12 26 11,6 12 28 17,1 12 29 24,1 12 45.		0,8	8,0	Zcp Ncp -" Ecp	Seisme proche, Congo ?
18	iP ipP isP Fin	13 03 59,2 13 04 09,2 13 04 14,2 13 10.	83	1,0	7,0	Zcp -" -" -"	/USCGS/ H = 12 51 22,8 19,2 N. 67,9 W. h = environ 22 kms Mona-Passage Mag.4,2 (CGS).
18	ipkPDEF ipkPBC ipPkPDEF Fin	14 41 35,7 14 41 39,2 14 42 30,2 14 49.	145	1,0	8,4	Zcp -" -" -"	/USCGS/ H = 14 22 12 14,5 S. 167,4 E. h = environ 191 kms Iles Nouvelles Hé- brides -Mag.5,0 (CGS).
18	Traces	1544-1548.				Zcp	Seismique?
18	eP iS LR Fin	19 16 20,9 19 18 31,4 19 19 38,4 19 31.		0,8	3,2	Ecp -" -" -"	Seisme proche Congo ?
18	eP iS LR Fin	22 05 09,8 22 06 44,2 22 07 40,8 22 15.		1,0	6,6	Ecp Ncp -" -"	
18	eP eS LR Fin	22 55 44,8 22 57 48,8 22 58 59,8 23 10.		1,0	4,6	Ecp -" Ncp -"	Seisme proche.
* 19	i Fin	05 03 43,8 05 10.		1,2	32,0	Zcp -"	Seismique ?
19	Traces	0956-1002				Ncp	Seismique ?
19	e Fin	14 19 36,8 14 25.		1,2	9,9	Ecp -"	

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
19	ipkPDEF isPkP(DEF) Fin	14 42 11,0 14 42 25,0 14 46.	160	0,8	4,8	Ecp -" -"	/USCGS/ H = 14 21 53 21,7 S. 174,9 W. h = environ 33 kms R - Iles Tonga -Mag. 4,4 (CGS).
19	Traces	15 03-1506				Ecp	Seismique.
19	ipkPBC ipPkP(DEF) isPkPDEF Fin	18 13 31,9 18 13 41,9 18 13 46,1 18 22.	148	1,2	11,2	Zcp -" -" -"	/USCGS/ H = 17 53 50,6 21,7 S. 169,8 E. h = environ 33 kms R - Région des Iles Loyautés - Mag. 4,5 (CGS).
19	eP eS LR Fin	19 27 19,3 19 39 15,5 19 40 22,3 19 47.		1,5	11,8	Ecp -" -" -"	Seisme proche.
19	eP eS LR Fin	20 01 21,6 20 03 22,7 20 04 32,7 20 08.		0,9	4,0	Ecp -" -" -"	Proche.
19	iP ipP isP iPcP ipPcP iPP Fin	20 19 22,7 20 19 30,7 20 19 35,7 20 19 45,0 20 19 53,7 20 21 59,6 20 24.	69	1,3	58,5	Zcp -" -" -" -" -" -"	/USCGS/ H = 20 08 20,9 42,0 N. 83,5 E. h = environ 33 kms R - Nord Sinkiang, Pro- vince Chine -Mag. 5,1 (CGS).
19	eS LR Fin	20 24 51,7 20 26 00,7 20 28.		0,8	4,0	Ecp -" -"	Proche.
19	iS LR Fin	20 28 23,4 20 29 32,2 20 44.		1,0	18,0	Ecp Ncp -"	Proche.
19	iP iPcP ipPcP iPP Fin	21 20 37,1 21 20 39,1 21 22 11,5 21 22 48,1 21 28.	86	1,0	18,2	Zcp -" -" -" -"	/USCGS/ H = 21 09 01 24,7 S. 63,5 W. h = environ 566 kms SALTA Province Argen- tine -Mag. 4,0 (CGS), Faible.
19	iP iPcP ipP iPP iS isS iSP iPS iSS LR M	22 27 51,2 22 27 57,4 22 28 01,2 22 31 41,4 22 33 56,4 22 38 17,4 23 38 31,4 22 39 06,4 22 39 48,4 22 44 48,4 22 49. 22 59.	97	1,4	350,0	Zcp -" -" -" -" Ecp -" -" -" -" Zcp -"	/USCGS/ H = 22 14 35,3 9,2 S. 113,1 E. h = environ 80 kms Sud de Java - 51 morts plusieurs blessés, dégâts éten- -dus dans la propriété de Ca- mage à Malang. Java - 6 3/4 (Pas), 6,2 (CGS).
19	iP iPP ipPP	23 42 28,8 23 46 27,4 23 46 39,8	106	1,5	23,6	Zcp -" -"	/USCGS/ H = 23 28 28 0,0 S. 124,2 E. h = environ suite.)

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T Sec	Amp. 10-3		
suite) 19	iPPP	23 48 24,8				Zcp	101 kms Mer de Moluques -Mag. 5,7 (CGS), mélé du seisme de Java.
19	iPkPDEF	23 52 59,6	111	1,5	23,6	Zcp	/USCGS/ H = 00 35 22,9 41,1 N. 140,6 E. h = environ 161 kms Région d'HOKKAIDO- Japon - Mag.4,5 (CGS), mélé du seisme de Java et Moluques.
	i	23 53 12,8				Ncp	
	i	23 53 27,8				---	
	iPkP(DEF)	23 53 43,8				Ecp	
20	cP	00 21 15,7		0,8	3,2	Ecp	Seisme proche mélé des seismes de Java, Moluques et HOKKAIDO région du Japon.
	cS	00 23 12,2				---	
	LR	00 24 07,2				Ncp	
	Fin	02 21.				Ncp	
20	e	02 23 51,1		0,7	2,4	Ncp	Seismique.
	e	02 26 28,9				---	
	Fin	02 24.				---	
20	iP	09 17 51,8	34,0	1,0	11,2	Zcp	/USCGS/ H = 09 11 41 34,5 N. 25,1 E. h = environ 95 kms Grête.
	iP	09 18 10,8				---	
	iSP	09 18 21,8				---	
	iPP	09 19 10,2				---	
	Fin	09 25.				---	
20	iP	14 33 53,6	60	1,1	19,8	Zcp	/USCGS/ H = 14 23 48,2 33,7 N. 75,7 E. h = environ 33 kms R - Est Kashmir -Mag. 4,8 (CGS).
	iP	14 34 01,6				---	
	iPP	14 36 15,6				---	
	Fin	14 39.				---	
20	iP	15 28 45,7	60	1,1	148,3	Zcp	/USCGS/ H = 15 18 39,9 33,7 N. 75,3 E. h = environ 24 kms Est Kashmir, ressenti à Lahore Pakistan -Mag.5,7 (CGS).
	iP	15 28 56,1				---	
	iSP	15 29 00,1				---	
	iPcP	15 29 32,8				---	
	iPcP	15 29 42,8				---	
	iPP	15 30 56,7				---	
	iPPP	15 32 33,8				---	
	iS	15 36 53,6				Ecp	
	iSP	15 37 12,0				---	
	iSS	15 37 16,6				---	
	iPPS	15 37 25,6				---	
	iPPS	15 37 40,6				---	
	iSS	15 40 13,6				---	
	LQ	15 50.				Egp	
	N	15 56.				18mm	
	Fin	16 30.				---	
20	iP	16 42 48,5	52	0,8	10,0	Zcp	/USCGS/ H = 16 33 49,2 5,2 S. 68,7 E. h = environ 33 kms R - Région de Chagos- ARCHIPELAGO -Mag.4,8 (CGS).
	iP	16 42 57,5				---	
	iSP	16 43 01,0				---	
	iPcP	16 44 05,5				---	
	iPcP	16 44 12,5				---	
	iSPcP	16 44 18,5				---	
	iPP	16 44 50,5				---	
	Fin	16 54.				---	
20	e	17 10 51,5		0,7	1,6	Ncp	
	Fin	17 15.				---	

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T. Sec.	Amp. 10-3		
20	i Fin	17 35 46,7 17 40.		0,6	6,4	Zcp --	Seismique ?
20	ipkPDEF ipkP(AB) ipPkP(DEF) Fin	18 21 11,5 18 21 14,5 18 21 38,0 18 26.	145	0,7	8,0	Zcp -- -- --	/USCGS/ H = 18 01 33 15,1 S. 167,5 E. h = environ 78 kms Iles Nouvelles Hébrides ressenti à Luganville.
20	i Fin	18 57 44,5 19 02.		1,5	14,75	Zcp --	Panne Belin à 19H54 du 20.2. 67. jusqu'au 22.2.67.
22	e Fin	07 57 45,6 08 04.		0,8	4,0	Ncp --	
22	e Fin	10 43 30,8 10 51.		0,8	2,4	Ecp --	
22	ipkPDEF ipkPAB i ipPkPDEF Fin	14 14 08,8 14 14 11,8 14 14 26,0 14 14 37,0 14 40.	146	1,4	37,5	Zcp -- -- -- --	/USCGS/ H = 13 54 34,7 11,8 S. 166,4 E. h = environ 84 kms Iles SANTA-CRUZ -Mag. 4,8 (CGS).
22	ipkPDEF ipkPAB ipPkPDEF iSKSKP L Fin	18 46 19,2 18 46 22,2 18 46 43,2 19 08 46,2 19 26. 20 45.	148	1,7	253,4	Zcp -- -- Ngp Zgp --	/USCGS/ H = 18 26 46,7 19,5 S. 169,0 E. h = environ 87 kms R- Iles Nouvelles Hébrides -Mag.5,6 (CGS).
22	ip ipP isP ipcP ipPcP iPP L Fin	23 39 15,5 23 39 25,5 23 39 29,5 23 39 32,5 23 39 49,5 23 40 46,0 24 01. 24 25.	73	0,8	40,0	Zcp -- -- -- -- -- Zgp --	/USCGS/ H = 23 27 58 58,1S. 25,7W. h = environ 33 kms R- Région des Iles Sud Sandwich -Mag. 5,0 (CGS).
23	eP eS Fin	00 50 44,5 00 53 50,5 01 05.		0,8	1,6	Ecp Ncp --	Proche.
23	Traces	0310-0320				Ncp	Seismique.
23	i Fin	05 14 16,1 05 20.		0,8	5,6	Ecp --	
23	ipkP(DEF) ipPkP(DEF) isPkPDEF Fin	06 18 59,7 06 19 09,7 06 19 17 7 06 25.	160	0,9	7,2	Zcp -- -- Ncp	/USCGS/ H = 05 58 29 21,6S. 174,4W. h = environ 21 kms Iles Tonga -Mag.4,8 (CGS).
23	i Fin	07 10 32,6 07 20.		1,2	10,0	Zcp --	
23	eP iS LR Fin	09 11 35,9 09 13 52,9 09 15 02,9 09 28.		0,7	1,5	Ecp -- -- --	Seisme proche.
23	eP eS LR Fin	10 24 31,0 10 27 59,8 10 29 23,0 10 40.		0,8	4,0	Ecp Ncp Zcp --	Proche

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T. Sec.	Amp. 10-3		
23	e Fin	14 28 31,1 14 33.		1,0	5,6	Zcp "-	
23	Traces	1443-1448				Zcp	Seismique.
23	e Fin	16 46 09,2 16 52.		1,0	4,2	Zcp "-	
* 23	i i i i Fin	19 08 54,0 19 09 22,0 19 09 37,0 19 10 16,3 19 22.		1,5	70,8	Zcp "- "- "- "-	Seismique.
23	iP iPP ipPP Fin	20 53 28,9 20 56 35,3 20 57 13,3 21 05.	107	1,2	8,0	Zcp "- "- "-	/USCGS/ H = 20 38 56,3 26,1N. 128,5E. h = environ 30 kms Iles Riou-Kiou -Mag. 5,4 (CGS).
* 23	iP iPP i(S?) L N Fin	22 46 14,7 22 48 51,4 22 55 38,9 23 02. 23 07. 24 15.		1,2 1,0	8,0 26,0	Zcp "- Zcp Ngp "- "-	
24	i Fin	00 27 44,4 00 34.		0,6	11,2	Zcp "-	
24	eP eS LR Fin	00 50 35,0 00 53 36,4 00 54. 01 03.		1,4	10,0	Zcp "- Ecp "-	Seisme proche.
24	i Fin	01 03 49,4 01 12.		1,3	31,5	Zcp "-	
24	Traces	0140-0145				Zcp	Seismique ?.
24	eS L Fin	08 32 46,8 08 33 41,6 08 40.		0,7	3,6	Zcp Ecp "-	Proche.
24	eP eS LR Fin	10 08 22,0 10 10 13,0 10 11 20,0 10 18.		0,7	3,0	Ecp "- "- "-	Proche.
24	eP eS LR Fin	11 46 17,1 11 48 24,1 11 49 36,1 11 55.		0,7	2,25	Ecp "- "- "-	Proche.
24	iP iS LR Fin	12 16 02,6 12 18 11,1 12 19 24,1 12 30.		0,8	2,4	Ecp "- "- "-	Proche.
24	iP iS Fin	14 26 11,2 14 28 14,3 14 46.		0,6	15,0	Ecp "- "-	Seisme proche.
24	iP iS LR Fin	16 47 40,7 16 49 50,7 16 51 04,4 17 07.		0,7	5,4	Zcp "- "- Ecp	Seisme proche, Panne d'enre- gistrateur à 17H23.

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T. Sec.	Amp. 10-3		
25	iP	10 36 30,1		0,8	6,4	Ecp	Seisme proche.
	iS	10 38 41,8				"	
	LR	10 39 52,3				"	
	Fin	10 50.				Ncp	
25	iP	10 57 10,9		1,0	9,2	Ecp	Seisme proche.
	iS	10 59 22,1				Zcp	
	LR	11 00 29,8				"	
	Fin	11 10.				Ncp	
* 25	i	11 38 27,9		1,0	34,5	Ecp	Seismique.
	Fin	11 47.				"	
* 25	i	11 45 26,7		2,0	133,0	Ecp	Seismique.
	Fin	12 03.				"	
* 25	i	12 03 25,5		1,3	24,0	Ecp	Seismique.
	Fin	12 15.				"	
25	i	13 34 34,6		0,9	7,2	Zcp	Panne d'enregistreur à 14H20
	Fin	13 40.				"	
* 26	i	10 51 40,4		1,4	35,0	Ecp	
	Fin	10 56.				"	
26	ePkPDEF	12 16 45,0	153	1,7	19,2	Ecp	/USCGS/ H = 11 57 54,8 24,3S. 179,8E. h = environ 535 kms Iles Sud de Fidji - Mag. 4,4 (CGS).
	i	12 17 07,2				"	
	Fin	12 22.				"	
26	iPkPBC	13 53 23,8	146	0,9	10,0	Ecp	/USCGS/ H = 13 33 43 11,6S. 166,2E. h = environ 44 kms Iles SANTA-CRUZ -Mag. 4,6 (CGS).
	iPkP(AB)	13 53 28,7				"	
	iPkP(DEF)	13 53 32,7				"	
	Fin	14 02.				"	
26	i	15 33 40,6		1,0	5,75	Ecp	
	Fin	15 40.				"	
26	e	21 01 28,5		0,8	3,2	Ecp	
	e	21 05 48,8				"	
	i	21 06 40,4				"	
	i	21 13 43,0				"	
	Fin	21 23.				"	
27	Traces	0103-0309	94	0,8	3,2	Ecp	Seismique. /USCGS/ H = 02 06 42,5 2,9N. 74,8W. h = environ 69 kms Colombie, ressenti en POPAYAN, Bogota Medellin Zone Mag. 5,2 (CGS).
27	eP	02 19 47,4				Ecp	
	iPcP	02 20 02,0				"	
	iP	02 20 18,0				"	
	Fin	02 30.				"	
27	iP	02 42 58,9	96	1,2	12,0	Zcp	/USCGS/ H = 02 29 35 38,3S. 74,7W. h = environ 33 kms R- Sur la Côte Centrale du Chili -Mag.4,9 (CGS).
	iPcP	02 43 06,5				"	
	iP	02 43 09,3				"	
	iPP	02 46 53,2				"	
	Fin	02 52.				"	
* 27	i	20 46 30,8		1,2	48,0	Zcp	Seismique.
	i	20 46 37,8				"	
	Fin	20 58.				"	
* 27	i	21 08 21,7		1,0	64,4	Zcp	Seismique.
	i	21 08 31,7				"	
	i	21 08 35,7				"	
	i	21 08 44,1				"	
	Fin	21 20.				"	

DATE	PHASES	HEURES	Δ°	PHASE P		COMP.	REMARQUES EPICENTRES
				T. Sec.	Amp. 10-3		
28	Traces	0023-0028				Ncp	Seismique.
28	ePkP(BC)	09 55 08,3	114	0,9	2,0	Ecp	/USCGS/ H = 09 37 18,0
	iPP	09 56 46,3				Zcp	32,7N. 141,7E. h = environ
	i	09 57 04,5				"	23 kms Sud HONSHU-Japon -Mag.
	i	09 57 26,7				"	5 3/4-6 (Pas), 5,5 (CGS).
	Fin	10 10.				"	
28	e	11 29 38,2		0,8	3,2	Zcp	
	Fin	11 34.				"	
28	eP	14 21 31,4		0,6	6,0	Ecp	Seisme proche.
	iS	14 23 39,1				"	
	LR	14 24 44,4				"	
	Fin	14 38.				"	
28	eP	18 47 11,3		1,0	1,8	Ncp	Seisme proche.
	eS	18 49 23,3				"	
	LR	18 50 40,3				"	
	Fin	19 02.				"	
28	Traces	2300-2307.				Ncp	Seismique.