

Apparatus.—Milne-Shaw Seismograph (N.-S.) : Damping Ratio-20 : 1

International
Seismological
Centre

	V	T ₀	ε	$\frac{r}{T_0^2}$
An	250	12	2.6	

Date.	Phase.	Time G. M. T.	Period (Sec.)	Ampli- tude (μ) An.	Remarks.	Date.	Phase.	Time G. M. T.	Period (Sec.)	Ampli- tude (μ) An.	Remarks.
1926.		H. M. S.				1926—contd.		H. M. S.			
Jan. 5	P	10 7 17	..	..		Jan. 29	e	0 39 0	..	..	Tremors.
	S	10 10 30	..	..			f	1 47 0	..	..	
	L	10 11 56	..	..		" "	e	3 47 0	..	..	Tremors.
	M	10 17 4	13	8			f	5 14 0	..	..	
	F	11 25 0	..	..		Feb. 3	e	11 54 0	..	..	Tremors.
" 6	e	23 57 6	..	..	Tremors.		f	13 47 0	..	..	
" 7	f	0 44 0	..	..		" 4	e	7 3 0	..	..	Tremors.
" "	e	14 45 0	..	..	Tremors.		f	7 41 0	..	..	
	f	16 5 0	..	..		" 6	e	9 10 0	..	..	Tremors.
" 8	e	13 44 0	..	..	Tremors.		f	9 56 0	..	..	
	f	15 46 0	..	..		" 7	P	2 55 43	..	..	Slight Shock.
" 18	e	11 26 0	..	..	Tremors.		S	3 5 28	..	..	
	f	12 42 0	..	..			L	3 22 43	..	..	
" 18	e	17 12 0	..	..	Tremors.		F	4 7 0	..	..	
	f	18 7 0	..	..		" 8	e	23 5 19	..	..	Tremors.
" 18	P	21 13 1	..	..			f	23 59 0	..	..	
	S	21 17 34	..	..		" 8	P	15 37 21	..	..	
	L	21 21 49	..	..			Pr	15 41 16	..	..	
	M	21 22 39	20	202			S	15 50 41	..	..	
	F	Lines Mixed	Up	..			Sr	16 0 6	..	..	
" 22	e	19 15 0	..	..	Tremors.		L	16 26 41	..	..	
	f	19 36 0	..	..			M	16 35 39	30	110	
" "	e	22 29 0	..	..	Tremors.		F	18 38 0	..	..	
	f	22 57 0	..	..		" 9	e	0 40 0	..	..	Tremors.
" 23	e	0 30 26	..	..	Tremors.		f	2 12 0	..	..	
	f	1 31 0	..	..		" 13	e	9 30 0	..	..	Tremors.
" 23	e	3 21 0	..	..	Tremors.		f	11 46 0	..	..	
	f	4 7 0	..	..		" 15	P	3 19 13	..	..	
" 25	P	0 49 16	..	..			Pr	3 23 12	..	..	
	S	0 59 54	..	..			S	3 29 29	..	..	
	L	Lines Con- gested.	..	..			Sr	3 32 35	..	..	
	F	5 13 0	..	..			Le	3 50 42	..	..	
" 26	Pe	7 22 37	..	..	Slight Shock.		M	4 21 54	19	11	
	S	7 29 14	..	..		" 21	e	2 25 0	..	..	Tremors.
	L	7 37 37	..	..			f	2 53 0	..	..	
	M	8 7 17	20	16		" 26	e	22 34 0	..	..	Tremors.
	F	9 54 0	..	..			f	23 0 0	..	..	

Date.	Phase.	Time G. M. T.	Period (Sec.)	Ampli- tude (μ) An.	Remarks.	Date.	Phase.	Time G. M. T.	Period (Sec.)	Ampli- tude (μ) An.	Remarks.
1926—contd.		H. M. S.				1926—contd.		H. M. S.			
Mar. 1	P	20 9 38	..	..	Feeble shock.	Mar. 22	P	16 27 55	..	..	Feeble shock.
	S	20 19 26	..	..			F	16 59 0	..	..	
	F	21 7 0	..	..		" "	P	18 41 28	..	..	Feeble shock.
" 3	Pe	18 15 20	..	..	Feeble shock.		S	18 51 28	..	..	
	S	18 18 5	..	..			F	20 3 0	..	..	
	F	18 43 0	..	..		" 24	e	11 12 0	..	..	Tremors.
" 4	P	9 40 39	..	..			f	12 24 0	..	..	
	S	9 48 15	11	18		" 27	Pe	11 1 29	..	..	
	Sr	9 52 58	..	..			S	11 11 51	..	..	
	L	9 58 48	..	..			L	11 30 29	..	..	
	M	10 4 29	18	7			M	12 1 49	18	8	
	F	11 38 0	..	..			F	13 56 0	..	..	
" 7	e	20 53 7	..	..	Tremors.	" 29	P	16 3 43	..	..	Feeble shock.
	f	21 3 0	..	..			S	16 9 14	..	..	
" 8	P	20 32 31	..	..	Feeble shock.		F	16 31 0	..	..	
	F	21 33 0	..	..		April 1	P	16 13 16	..	..	Feeble shock.
" 9	e	9 47 0	..	..	Tremors.		S	16 20 49	..	..	
	f	10 15 0	..	..			F	17 5 0	..	..	
" 13	e	19 52 0	..	..	Tremors.	" 6	e	9 44 0	..	..	Tremors.
	f	20 14 0	..	..			f	10 45 0	..	..	
" 17	e	5 3 0	..	..	Tremors.	" "	e	20 6 0	..	..	Tremors.
	f	5 28 0	..	..			f	20 34 0	..	..	
" "	Pe	12 13 0	..	..	Feeble shock.	" 8	Pe	10 31 44	..	..	Feeble shock.
	F	14 34 0	..	..			S	10 42 21	..	..	
" 18	e	6 38 0	..	..	Feeble shock.		F	13 5 0	..	..	
	f	6 57 0	..	..		" 9	e	10 15 0	..	..	Tremors.
" "	P	14 13 56	..	..			f	11 25 0	..	..	
	Pr	14 15 56	..	..		" 11	Pe	6 30 56	..	..	Feeble shock.
	S	14 20 18	..	..			Se	6 34 45	..	..	
	Sr	14 23 24	..	..			F	6 59 0	..	..	
	L	14 27 18	..	..		" 12	P	8 51 18	..	..	From Colaba Seismograph No. 2 (An.)
	M	14 38 4	19	42			S	8 57 5	..	..	
	F	16 31 0	..	..			L	9 4 57	..	..	
" 19	Pe	19 13 35	..	..	Feeble shock.		M	9 20 1	..	..	
	S	19 21 42	..	..			F	10 44 0	..	..	
	F	19 59 0	..	..		" 15	e	5 55 0	..	..	Tremors.
" 21	P	12 15 27	..	..	Feeble shock.		f	6 38 0	..	..	
	S	12 23 5	..	..		" 20	e	12 44 0	..	..	Tremors.
	F	13 52 0	..	..			f	13 5 0	..	..	
" "	Pe	14 38 12	..	..		" 23	Pe	1 35 35	..	..	Feeble shock.
	S	14 44 24	..	..			S	1 38 57	..	..	
	Sr	14 47 49	..	..			Le	1 40 42	..	..	
	Le	14 53 35	..	..			F	2 12 0	..	..	
	M	15 5 42	30	22		" 26	Pe	5 30 43	..	..	Feeble shock.
	F	17 4 0	..	..			S	5 32 0	..	..	

Date.	Phase.	Time G. M. T.	Period (Sec.)	Ampli- tude (μ) An.	Remarks.	Date.	Phase.	Time G. M. T.	Period (Sec.)	Ampli- tude (μ) An.	Remarks.
1926—contd.		H. M. S.				1926—contd.		H. M. S.			
	F	5 41 0	..	..			F	7 58 0	..	..	
April 28	Pe	11 33 7	..	..	Feeble shock.	June 5	e	9 26 0	..	..	Tremors.
	Se	11 36 21	..	..			f	9 58 0	..	..	
	F	13 22 0	..	..		" 6	e	6 54 0	..	..	Tremors.
May 2	e	10 5 0	..	..	Tremors.		f	7 19 0	..	..	
	f	10 24 0	..	..		" 13	e	2 17 0	..	..	Tremors.
" 7	e	9 31 0	..	..	Tremors.		f	2 38 0	..	..	
	f	10 30 0	..	..		" 17	e	18 24 0	..	..	Tremors.
" 11	P	12 8 25	..	..			f	18 40 0	..	..	
	Pr	12 9 52	..	..		" 21	e	9 24 0	..	..	Tremors.
	S	12 13 55	..	..			f	9 48 0	..	..	
	Sr	12 16 48	..	..		" 24	e	21 33 0	..	..	Tremors.
	L	12 19 7	..	..			f	21 59 0	..	..	
	M1	12 20 28	18	7		" 26	P	19 54 37	..	..	
	M2	12 25 14	17	5			S	20 0 46	..	..	
	F	13 26 0	..	..			L	20 5 1	..	..	
" 20	Pe	7 11 38	..	..			M	20 5 16	18	123	
	S	7 18 52	..	..			F	22 29 0	..	..	
	Le	7 31 10	..	..		" 28	P	3 30 5	..	..	
	M	7 37 25	19	7			S	3 35 16	..	..	
	F	Lost in shifting time.					L	3 38 31	..	..	
" "	P	10 50 11	..	..	Feeble shock.		M	3 38 46	10	16	
	S	10 54 11	..	..			F	5 49 0	..	..	
	L	10 57 0	..	..		" "	P	6 22 20	..	..	
	F	11 20 0	..	..			S	6 27 23	..	..	
" 26	e	19 37 0	..	..	Tremors.		L	6 30 12	..	..	
	f	20 40 0	..	..			F	8 20 0	..	..	
" 29	Pe	22 41 52	..	..		" 29	P	14 35 54	..	..	From Colaba Seismograph No. 1 (AE).
	S	22 45 34	..	..			S	14 42 56	..	..	
	L	22 48 15	..	..			L	14 51 35	..	..	
	M	22 52 49	8	7			F	15 30 0	..	..	
	F	23 18 0	..	..		" 30	e	6 20 0	..	..	Tremors.
" 31	P	13 45 16	..	..			f	6 37 0	..	..	
	S	13 52 53	..	..		" "	P	22 56 23	..	..	Feeble shock.
	Sr	13 56 46	..	..			S	23 0 16	..	..	
	L	14 4 46	..	..			L	23 4 1	..	..	
	M	14 5 1	16	7			F	23 22 0	..	..	
	F	15 25 0	..	..		July 1	P	14 15 46	..	..	
June 3	Pe	5 2 44	..	..	Slight shock.		S	14 21 28	..	..	
	S	5 11 29	..	..			Sr	14 23 56	..	..	
	F	6 22 0	..	..			L	14 27 4	..	..	
" 4	P	6 55 49	..	..			M	14 29 41	20	56	
	S	6 59 50	..	..			F	16 22 0	..	..	
	L	7 2 49	..	..		" 10	P	11 0 59	..	..	
	M	7 4 49	9	29			S	11 8 14	..	..	



International
Seismological
Centre

Seismic Disturbances, 1926—contd.

129

International
Seismological
Centre

Date.	Phase.	Time G. M. T.	Period (Sec.).	Ampli- tude (μ) An.	Remarks.	Date.	Phase.	Time G. M. T.	Period (Sec.).	Ampli- tude (μ) An.	Remarks.
1926—contd.		H. M. S.				1926—contd.		H. M. S.			
	L	11 18 31	..	..		Aug. 9	Pe	4 0 49	..	..	From Colaba Seismograph No. 2 (AN.) Tremors.
	M	11 27 14	20	9			F	5 9 0	..	..	
	F	11 46 0	..	..		" "	e	14 31 0	..	..	
July 15	e	18 36 59	..	..	Tremors.		f	14 55 0	..	..	
	f	18 51 0	..	..		" 11	Pe	5 59 16	..	..	
" 16	e	2 26 22	..	..	Tremors.		S	6 1 41	..	..	
	f	2 34 0	..	..			L	6 2 51	..	..	
" 22	P	23 11 28	..	..	Slight shock.		M	6 4 6	12	5	
	Le	23 20 40	..	..			F	6 22 0	..	..	
	F	23 36 0	..	..		" 19	Pe	0 3 48	..	..	
" 27	P	7 26 49	..	..			S	0 7 21	..	..	
	S	7 29 14	..	..			L	0 9 11	..	..	
	L	7 30 31	..	..			M	0 10 41	10	5	
	M	7 31 1	5	20			F	0 39 0	..	..	
	F	8 7 0	..	..		" "	Pe	14 13 11	..	..	Feeble shock.
" 28	e	9 16 0	..	..	Tremors.		F	14 56 0	..	..	
	f	9 20 0	..	..		" 25	P	6 3 14	..	..	
Aug. 2	P	5 11 49	..	..			S	6 12 44	..	..	
	S	5 17 31	..	..			L	6 31 6	..	..	
	L	5 23 9	..	..			M	6 53 3	19	36	
	M	5 35 52	16	7			F	9 47 0	..	..	
	F	6 18 0	..	..		" 26	e	10 39 0	..	..	Tremors.
" 3	Pe	3 51 7	..	..			f	10 51 0	..	..	
	S	3 56 42	..	..		" 29	e	7 56 0	..	..	Tremors.
	Le	4 1 12	..	..			f	8 10 0	..	..	
	M	4 13 18	17	8		" "	e	11 5 0	..	..	Tremors.
	F	4 38 0	..	..			f	11 24 0	..	..	
" "	P	10 41 59	..	..	Slight shock.	" 30	P	11 46 33	..	..	
	S	10 49 34	..	..			S	11 53 18	..	..	
	Le	10 59 44	..	..			Le	11 56 48	..	..	
	F	11 35 0	..	..			M	11 57 23	10	22	
" "	Pe	19 50 39	..	..	Feeble shock.		F	12 30 0	..	..	
	S	19 54 43	..	..		Sep. 2	P	1 31 21	..	..	
	Le	19 57 43	..	..			S	1 39 4	..	..	
	F	20 52 0	..	..			Sr	1 42 41	..	..	
" 6	Pe	16 7 48	..	..	Feeble shock.		L	1 46 41	..	..	
	L	16 19 43	..	..			M	1 50 51	22	237	
	F	16 41 0	..	..			F	5 19 0	..	..	
" "	e	20 44 0	..	..	Tremors.	" 4	P	15 47 42	..	..	
	f	20 59 0	..	..			S	15 55 58	..	..	
" 27	P	22 49 57	..	..			Le	16 9 42	..	..	
	S	22 52 27	..	..			F	17 1 0	..	..	
	L	22 54 29	..	..		" 6	e	0 59 0	..	..	Tremors.
	M	22 56 42	10	33			f	2 57 0	..	..	
	F	23 29 0	..	..		" "	e	16 8 0	..	..	Tremors.

Date.	Phase.	Time G. M. T.	Pe- riod (Sec.).	Ampli- tude (μ) An.	Remarks.	Date.	Phase.	Time G. M. T.	Pe- riod (Sec.).	Ampli- tude (μ) An.	Remarks.
1926—contd.		H. M. S.				1926—contd.		H. M. S.			
Sep. 7	f	16 38 0	..	..		Sep. 27	e	1 39 0	..	..	Tremors.
	P	12 34 47	..	..			f	2 6 0	..	..	
	S	12 44 17	..	..		" 28	P	16 12 24	..	..	Slight shock.
	L	13 2 27	..	..			M	16 29 39	..	..	
	M	13 4 54	22	18			F	16 50 0	..	..	
	F	14 24 0	..	..		Oct. 1	e	22 27 0	..	..	Tremors.
" 8	P	15 59 43	..	..	Feeble shock.		f	23 58 0	..	..	
	M	16 5 18	15	6		" 3	P	8 45 38	..	..	
	F	16 23 0	..	..			M	9 7 3	..	..	
" 9	e	11 35 0	..	..	Tremors.		F	9 49 0	..	..	
	f	11 48 0	..	..		" "	P	19 52 11	..	..	
" "	e	19 17 0	..	..	Tremors.		S	20 3 6	..	..	
	f	19 58 0	..	..			L	20 26 36	..	..	
" 10	P	10 42 54	..	..			M	20 39 6	18	87	
	S	10 49 34	..	..			F	23 36 0	..	..	
	L	10 58 14	..	..		" 11	P	7 42 58	..	..	Feeble shock.
	M	11 0 34	24	231			F	8 24 0	..	..	
	F	15 8 0	..	..		" 12	P	2 5 44	..	..	Feeble shock.
" 11	P	12 35 59	..	..			F	3 39 0	..	..	
	S	12 42 44	..	..		" 13	P	6 15 1	..	..	
	Le	12 51 24	..	..			S	6 25 40	..	..	
	M	12 59 9	25	16			L	6 46 25	..	..	
	F	14 8 0	..	..			M	6 55 40	18	25	
" "	e	17 12 0	..	..	Tremors.		F	9 7 0	..	..	
	f	17 22 0	..	..		" "	P	14 30 25	..	..	
" 12	P	15 52 8	..	..			S	14 41 2	..	..	
	S	15 58 43	..	..			L	15 2 7	..	..	
	L	16 6 43	..	..			M	15 10 57	22	22	
	M	16 12 33	18	21			F	16 6 0	..	..	
	F	17 21 0	..	..		" "	P	19 21 0	..	..	
" 15	e	11 49 0	..	..	Tremors.		S	19 31 35	..	..	
	f	13 10 0	..	..			L	19 53 0	..	..	
" 16	P	18 12 17	..	..			M	19 59 40	19	54	
	S	18 22 37	..	..			F	22 38 0	..	..	
	L	18 43 32	..	..		" 22	P	20 6 11	..	..	Slight shock.
	M	18 44 27	20	28			Se	20 11 26	..	..	
	F	21 12 0	..	..			Le	20 17 16	..	..	
" 17	e	2 9 0	..	..	Tremors.		M	20 23 11	18	7	
	f	4 29 0	..	..			F	20 53 0	..	..	
" 19	e	1 13 0	..	..	Tremors.	" 23	P	14 38 30	..	..	Slight shock.
	f	1 57 0	..	..			S	14 40 5	..	..	
" 23	P	18 42 37	..	..	Slight shock.		L	14 40 40	..	..	
	M	18 47 29	22	12			F	15 4 0	..	..	
	F	9 55 0	..	..		" 24	e	13 1 4	..	..	Tremors.
							f	13 31 0	..	..	

Date.	Phase.	Time G. M. T.			Pe- riod (Sec.).	Ampli- tude (μ) An.	Remarks.	Date.	Phase.	Time G. M. T.			Pe- riod (Sec.).	Ampli- tude (μ) An.	Remarks.
1926—cont'd.		H.	M.	S.				1926—cont'd.		H.	M.	S.			
Oct. 26	P	3	55	43	..	..			F	18	31	0	..	..	
	S	4	4	31	..	..		Dec. 16	e	18	8	25	..	..	Tremors.
	L	4	20	3	..	..			i	18	44	0	..	..	
	M	4	24	50	30	148		" 17	e	11	56	8	..	..	Tremors.
	F	8	21	0	..	..			f	12	34	0	..	..	
" 27	e	5	10	0	..	..	Tremors.	" 19	Pe	11	9	32	..	..	
	f	6	21	0	..	..			L	11	10	52	..	..	
Nov. 1	e	2	34	0	..	..	Tremors.		F	11	18	0	..	..	
	f	2	56	0	..	..		" 24	P	7	9	2	..	..	
" 2	e	19	58	0	..	..	Tremors.		S	7	14	27	..	..	
	f	20	49	0	..	..			L	7	19	27	..	..	
" "	e	21	20	45	..	..	Tremors.		M	7	22	37	15	6	
	f	22	29	0	..	..			F	8	17	0	..	..	
" 5	P	8	14	56	..	..	Feeble shock.	" 25	P	6	55	2	..	..	
	F	10	20	0	..	..			S	7	4	17	..	..	
" 6	e	9	43	6	..	..	Tremors.		Le	7	20	17	..	..	
	f	11	18	0	..	..			F	8	29	0	..	..	
14-15	P	23	46	2	..	..		" "	Pe	15	52	1	..	..	
	S	23	47	10	..	..			M	16	2	49	15	5	
	L	23	47	40	..	..			F	16	26	0	..	..	
	F	0	7	0	..	..		" 27	e	9	54	33	..	..	Tremors.
" 21	P	11	25	36	..	..			f	11	39	0	..	..	
	S	11	29	56	..	..		" 28	Pe	3	54	3	..	..	
	L	11	32	16	..	..			M	3	57	33	..	..	
	F	11	52	0	..	..			F	4	7	0	..	..	
" 27	P	5	35	26	..	..	Feeble shock.	" 29	P	12	59	37	..	..	Feeble shock.
	F	6	26	0	..	..			S	13	7	17	..	..	
Dec. 2	P	8	23	11	..	..	Slight shock.		L	13	18	12	..	..	
	S	8	30	51	..	..			F	14	19	0	..	..	
	Le	8	42	11	..	..		" 30	e	12	44	59	..	..	Tremors.
	F	9	3	0	..	..			f	13	4	0	..	..	
" 4	Pe	11	23	42	..	..		" "	P	13	42	31	..	..	Feeble shock.
	L	11	26	42	..	..			M	13	45	23	..	..	
	F	11	37	0	..	..			F	13	53	0	..	..	
" 5	P	19	50	4	..	..	Feeble shock.	" 31	P	16	55	40	..	..	
	S	19	54	16	..	..			S	16	57	5	..	..	
	F	20	14	0	..	..			L	16	57	40	..	..	
" 14	P	17	20	9	..	..	Slight shock.		M	16	59	48	7	7	
	S	17	28	9	..	..			F	17	20	0	..	..	
	Le	17	40	34	..	..									