International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Seismological Institute

ISTANBUL
WWSSS

No: 1-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) January 1 - January 7 , 1965

Lat. = 41° 02' 30" N. Long. = 28° 59' 34" E.

h = 60 m. ca. Bed-rock = Gray-wack

A = +.66170 B= +.36654 C = +.65407

1	e L	SZ	16 46
1	e L	SZ	19 59
2	e Sg	BNE	20 06 02
2	e P	BZ	20 57 43
	e	BZ	52
	e S	BNE	59 10
	e L	SZ	59.8
2	e Pn	BZ	23 13 43.1 C
	i Pb	BZ	47
	i Pg	BZ	14 04
	i PgPg	BZ	15 12½
	i S(g)	BZNE	15 18

Δ = 600 Km. ca.

3	i Sg	BN	04 37 01
3	e(P)	BZ	13 52 18
3	i(Pg)	BZN	15 50 16
	i Sg	BZN	31

ADDITIONAL

No:52-65 December 1965

31	e(Sg)	BZ	08 49 27
31	i Pb	BZ	10 45 45
	i Pg	BZ	48
	i Sn	BNZ	46 23
	i Sb	BN	33
	i Sg	BZ	40
	Rg	BZ	53
31	i Pg	BZ	16 10 40
	i Sg	BZNE	57
4	e(Sg)	BZ	12 53 31
5	i P	BZ	05 03 04
	i(S)	BZNE	51
5	e L	SZ	17 51

A.S. Kesili

Printed January 8, 1965

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Seismological Institute

ISTANBUL
No/ 2-66

W E E K L Y S E I S M O G R A M R E A D I N G S
(IST) January 7 - January 14, 1966

7	i Sg	BNE	15 26 52	
7	e Sg	BZNE	15 48 47	
7	e Sg	BZNE	16 18 05	
7	i Sg	BE	17 14 32	
7	e P	BZ	17 23(00)	
	i S	BNE	43	
7	e L	SZ	21 15	
7	i Sg	BNE	21 37 32	
8	e P	BZ	13 33(44)	
	e S	BNE	34 38	
8	e S	BNE	13 37 47	
8	e Sg	BZNE	17 03 17	
9	e L	SZ	03 53	
9	i P	BZ	04 20 50	
	i S	BNE	21 25	
9	i Pg	BZ	14 21 07	D
	i Sg	BZNE	23	
9	i Sg	BZNE	14 22 36	
9	i Sg	BZNE	14 23 47	
9	i Pg	BZ	15 38 51.6	C
	i Sg	BZNE	39 02	
9	i Pg	BZ	22 30 15	
	i Sg	BNE	32	
11	i P	BZ	01 25 58	
	i S	BNE	26 52	
11	i P	BZ SZ	14 28 44	C
	i S	SN	34 48	
13	i Pn	BZ	01 44 53	D
	iiPg	BZ	45 02.0	D
	i Sb	BZNE	35	
	i Sg	SZ	42	
		Δ = 305 Km.		
13	e P	SZ	10 43 28	

Printed January 14, 1966

A. S. Kesili

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Seismological Institute

ISTANBUL
No: 3-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) January 14 - January 21, 1966

14	e(L)	SZ	17 55	
		Near.		
14	i(P)	BZ	18 41 17	
	e L	SZ	43	
15	i Pg	BZ	05 16 19.0	D
	iiSg	BNE	30	
15	i P	BZ	05 57 55	C
	i S	BZNE	58 22	
15	e P	SZ	12 12(05)	
15	i P	BZ	18 09 18	
	e(S)	BZ	11 14	
15	e L	SZ	20 26	
15	e P	BZ	23 21 05	
	i S	BZNE	42	
15	i P	BZ	23 50 18	
	i S	BZNE	54	
16	e L	SZ	09 51	
16	e P	BZ	18 54 07	
	e(S)	BZ	55 49	
16	e P	BZ	20 16 57	
	i	BZ	17 20	
	i	BZN	18 52	
17	i Sg	BNE	07 46 08	
17	i P	BZ	08 41 18	
	i S	BNE	42 30	
17	e P	BZ	10 57(17)	
	i S	BZE	58 36	
17	i P	BZ	18 08 46	
17	i P	BZ	20 06 28	D
18	e L	SZ	01 56	
18	i P	BZN	03 05 07	CS
18	i S	BNE	04 34 07	
18	i P	BZ	20 21 41	
	i S	BNE	22 34	
19	i Pg	BZ	15 59 02.4	
	i Sg	BNE	18	
19	i(Sg)	BZNE	19 35 44	
19	i Pg	BZ	20 09 20	
	i Sg	BZNE	36½	
20	i P	BZ	00 40 02.0	D
	i	BE	16	
	i S(n)	BZNE	44	
	i S(g)	BZNE, SN	41 11	
20	e L	SZ	08 11	
20	e L	SZ	09 04	
20	e L	SZ	15 32	
20	e(L)	SZ	16 08	
20	e L	SZN	22 54	
21	e L	SN	01 04	

A. S. Kesili

Printed January 21, 1966

TECHNICAL UNIVERSITY OF ISTANBUL
Seismological Institute

International Seismological Centre

ISTANBUL
No: 04-66

W E E K L Y S E I S M O G R A M R E A D I N G S
(IST) January 21 - January 28, 1966

21	e P	BZ	10 53 53		
	e S	BNE	54 40		
21	e L	SZ	12 54		
		Near. ?			
22	i Pb	BZ	00 24 35.3	D	
	i	SZNE	35	CNW	
	iiPg	BZNE	46.8	DSE	
	i Sb	BN	25 34		
	i Sg	BE	38		
		Δ = 410			
22	i P(g)	BZ	01 19 03		
	i S	BNE	52		
22	e L	SZNE	05 05		
		Near.			
22	e Sg	BNE	10 37 34		
22	e P	BZ	10 58(30)		
	i S	BZNE	59 28		
22	e P	BZ,SZ	14 39 33	C	
	e S	SN	49 58		
23	e	SZ	01 24		
	e L	SZ	47		
23	i Pg	BZ	19 28 19		
	i Sg	BE	39		
24	i(P)	BZ	02 21 51	C	
24	i Pg	BZ	04 58 27		
	i Sg	BZNE	45		
24	e L	SZ	15 46		
25	i Pg	BZNE	05 09 57.2	DSE	
	iiSg	BZNE	10 13		
25	i Pg	BZ	10 39 21.3	D	
	iiSg	BZNE	38		
25	i(Sg)	BZ	11 30 24		
25	i(Sg)	BZ	12 27 55		
25	i(Sg)	BZ	13 43 20		
25	i(Sg)	BZ	14 31 50		
25	i(Sg)	BZ	15 45 19		
25	i Pg	BZ	23 31 28		
	ii	BE	34		
	i Sg	BZNE	48		
26	i Sg	BZNE	00 03 15		
26	i Pg	BZ	06 25 57.4	D	
	i	BZNE	57.7	CNE	
	i Sg	BNE	26 13½		
26	e P	SZ,BZ	13 32(00)		
	e L	SZ	34		
26	e P	BZ	21 12 15		
	e S	BN	13 06		
27	i Sg	BZNE	09 46 27		
27	i P	BZ	10 50 46		
	i	BZ	59		
	i S(n)	BNE	51 32		
	i S	BNE	53		
28	e P(KP)	BZ	06 01 4(2)		

A.S. Kesili

Printed January 29,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Seismological Institute

ISTANBUL
No:05-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) January 28-31 -- February 4, 1966

28	i Sg	BN	15 49 50	
28	i Sg	BN	19 10 06	
30	e P	BZ	07 48(01)	
	i S	BNE	55	
31	i(Sg)	BZ	09 30 27	
31	i(Sg)	BZNE	10 19 12	
31	e L	SZ	15 00	
FEBRUARY				
3	e(P)	BZ	04 28 07	
	e(S)	BNE	26	
3	i P	BZ	12 10 39	C
3	i P	BZ	12 22 17	
	i S	BNE	33	
	i	BZ	34	
3	i P	BZ	14 30 09	
	i S	BNE	26	
3	e(P)	BZ	17 23 09	
3	e	BZ	17 32 55	
3	e	BZ	19 03 02	
4	e	SZ	05 23	
4	e(L)	SZ	06 40	

A.S. Kesili

Printed Feb. 4, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Seismological Institute

ISTANBUL
NO/06-66

W E E K L Y S E I S M O G R A M R E A D I N G S

February 4 - February 11, 1966

4	e P	BZ	04 40(13)	
	e(S)	BZ	42 20	
4	e PKP	BZ,SZ	10 58(10)	
	i PKS	SZ	11 01 28	
	i PP	SZ	02 57	
4	i Sg	BNE	12 44 53	
4	e L	SZ	17 12	
5	i Pn	BZNE	02 03 13.8	
	i	SZNE	16	C
	i	BZ	18	C
5	i P	BZ	02 12 35	
5	i Pn	BZ	02 59 25.0	
	i Px	BZ	35	
	i Pb	BZ	41	
	i Pg	BZ	49	
	i Sn	BZN	03 00 32	
	i(Sg)	BNE	01 11	
5	i P	BZ,SZ	15 22 55.3	C
	i S	SN	31 12	
5	eiPn	BZ	18 14 02½	
	i S		33	
5	eiP	BZ	16 27 49	CD
	i	SZ	49	C
5	e Pn	BZ	23 07 16	
	i	BZ	18	
	i S	BN	08 05	
7	i P	SZ	04 33 02	C
	i	BZ,SZ	05	D
	e Pa	SNE	34 33	
	i S	SN	38 39	
7	i P	BZ,SZ	23 13 26.5	C
	i S	SN	18 57	
8	i Pn	BZ	13 17 32.7	D
	ii	BZ	18 06	D
	ii	BZ	09	
	i(Sn)	BZNE	27	
8	i Pn	BZ	20 08 51	D
	ii	BZ	59	
	iiS	BZNE	09 39	
8	i(P)	BZ	21 10 04	
	e(Sn)	BZ	43	
9	e(P)	BZ	01 31 27	
9	e Pn	BZ	04 08 15	
	i	BZ	19	
	e(S)	BNE	58	
9	e Pn	BZ	05 37 14	
	i	BZ	18	
	i S	BZNE	57	
9	i Pn	BZ	11 02 35	C?
	i S	BZ	03 21	
9	e(P)	BZ	13 17 26	
9	e L	SZ	15 07	
9	e L	SZ	16 13	
9	e L	SZ	20 50	
10	e L	SZ	02 43	
10	e P	SZ	05 41 48	C
	e S	SNE	52(20)	
10	e Pn	BZ	13 24(10)	
	e L	SZ	25.8	
10	e PKP	SZ	14 34 32	
	i PP	SZ	38 36	
	i(SKKS)	SN	45 25	
	e	SZ	47 04	
11	i Pg	BZ	04 25 40.2	D
	i Sg	BN	56	
11	e Pn	BZ	05 42(17)	
11	e Pn	BZ	06 52(19)	

A.S. Kesili

Printed Feb. 11,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Seismological Institute

ISTANBUL
No:07-66

W E E K L Y S E I S M O G R A M R E A D I N G S
(IST) February 11 - February 18 ,1966

12	i Pn	BZ	08 20 51.2	C
	ii(Pg)	BZNE	58.6	CNE
	i Sn	BZNE	21 27	
	i(Sb)	BZNE	38.5	
	i(Sg)	BE	48	
		Δ = 360 Km.		
12	e(P)	BZ	11 58 52	
12	e P(n)	BZ	13 38(02)	
13	iiPn	BZNE,SZ	05 04 54.8	CNE
	i S(n)	BZ	06 15	
13	iiP	BZ,SZ	10 55 01	C
	e S	SE	11 03 22	
13	e	SZ	19 16	
	e L	SZ	22	
14	i Pg	BZ	05 07 03.3	D
	i Sg	BE	21	
14	i	BZ	11 09 28	
	i Sg	BZNE	33	
14	i P(b)	BZ	16 54 17	C
	i S	BZNE	45	
14	i Pn	BZ	17 59 25	C?
	i	BZN	51	
	e(S)	SE	18 01 30	
14	e	SZ	20 19	
	e L	SZ	20	
	Aftershock of the precedent.			

16	i PKP	SZ,BZ	03 37 50	C
	i PP	SZ	40 47	
	i PKS	SZ	41 23	
	i PKS	SNE	36	
	e PPP	SN	43 51	
	i SKKS	BNE,SN	47 30	
	i SKKKS	SN	54	
	i SKSP	SZN	50 45	
	i PS	SZ	51 08	
	e SS	SN	59 20	
		Δ = 15.500 Km.		
16	i Pg	BZ	14 45 38	
	i Sg	BZNE	47	
17	e L	SZ	08 41	
		Near.		
17	i P	BZ,SZ	12 00 41	D
	e S	SENZ	11(07)	
17	i(P)	BZ	20 58 10	D

A. S. Kesili

Printed February 18, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Seismological Institute

ISTANBUL
No:08-66

W E E K L Y S E I S M O G R A M R E A D I N G S
(IST) February 18 - February 25, 1966

18	e L	SZ	13 20
19	e Pn	BZ	10 24 20
	e L	SZ	26
19	e	BZ	12 57 15
19	i S(g)	BZNE	18 53 01
19	e Pg	BZ	20 32 33
	i Sg	BZNE	33 06
19	e Pn	BZ	21 22(17)
	e S	BNE	23 06
20	e Pn	BZ	02 32 48
	e S	BZNE	33 35
20	i Pg	BZ	13 19 08.2
	i Sg	BNE	20
	i	BE	21½
20	i Pn	BZ	16 30 51
	i S	BNE	31 38
21	e(S)	SN	00 47 23
21	e(P)	BZ	13 30 35
21	e P(b)	BZ	20 32 27
	e(S)	BZNE	33 40
22	e P	SZ	05 17 37
	i PKP	BZ	21 21½ D
		T= .9 sec. A=5.0 mm.	
		M = 25 K	
	i PP	SZ	22 50
	i PS	SZNE	32 34
	e PKKP	BZ	31 54
		Δ = 13.300 Km.	
22	e Pn	BZ	13 05(53)
	e S	BN	06 40
22	e S	BZE	13 51 23
24	e L	SZ	21(53)
24	e Pg	BZ	23 20 26
	e Sg	BNE	47

A. S. Kesili

Printed Feb. 25, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:09-66

W E E K L Y S E I S M O G R A M R E A D I N G S
(IST) February 25-28 - March 4, 1966

25	e PKP	BZ,SZ	23 10 31	
26	e P	BZ	00 46 05	
	e	BZ	49 12	
26	e Sg	BZNE	10 35 33	
26	e Pn	BZ	10 51 12	
	e S	BNE	58	
26	e(Sg)	BZ	11 08 47	
26	e(Sg)	BZNE	11 41 28	
26	i Sg	BZNE	13 36 33	
26	e(Sg)	BZ	14 57 56	
26	i Pg	BZNE	15 18 32.5	CNE
	iiSg	BZNE	42.5	
26	e P	BZ	20 55 14	
	e(L)	SZ	21 04	
27	e(S)	BZNE	00 51 43	
27	i S	BZNE	03 29 39	
27	i S(g)	BZNE	05 36 22	
27	e L	SZ	17 10	
28	i P	BZ,SZ	02 13 32	D
	e	BZ	16 07	
	i S	SNE	22 54	
28	i P	BZ,SZ	13 47 41	C
28	e P	BZ	19 21(18)	
28	e(P)	BZ	22 08 13	

MARCH

1	i P(n)	BZ	14 00 15	
	i S	BZNE	50	
1	e Sg	BZNE	18 08 04	
1	e P(n)	BZ	18 35 15	
	e Sg		29	
1	i Sg	BZNE	20 20 52	
2	e Pg	BZ	01 11 46	
	e Sg	BNE	12 01	
2	e Pn	BZ,SZN	02 40 16	
2	e L	SZ	12 34	
3	i P	BZ,SZN	03 37 27.8	CS
	e S	SN	47 20	
3	i Pb	BZNE	06 00 05.6	CNE
	i Sb	BZNE	15	
	i Sg	BZNE	20	
	i	BZNE	22½	
3	e L	SZ	23 42	
		Near.		

A.S. Kesili

Printed March 4, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
INSTITUTE OF PHYSICS OF THE EARTH
Seismology Division

ISTANBUL
No:10-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) March 4 - March 11 , 1966

5	e(PKP)	SZ	00 18 46	
	e	SZ	22 56	
5	e Pn	BZ	13 03 12	
	e S	BNE	04 00	
5	e P(n)	BZ	14 12 11	
	i S	BNE	45	
5	e(S)	SZ	21 08 14	
	e L	SZ	22	
6	e P	BZ,SZ	02 18 47	D
	i	SZ	50	
6	i P	BZ,SZNE	02 23 45.7	DSE
	e S	SZ	29 56	
	e(S)	SNE	30 10	
7	i Pn	BZNE	01 18 33.3	CW
	M=25K	A = 17 mm.	T=1.0 sec	
	i	BZ	37	
		A = 34.5	T=1.4 sec.	
	i PnPn	BZ	42.5	
	i PgPg	BZN	19 22.5	
	i	SN	20 23	
	i Sn	BZ,SZN	33	
	i	SN	21 00	
	i(Li/Sb)	BN	05	
	i Lg1	BZ	23	
	i SgSg	BN	33.5	
	i Lg2	BZNE	40	
	i SgSgSg	BNE	53	

To 01 16(00)

Extensive property damage at Varto (MUŞ) and Hınıs(ERZURUM)
39°.2 N. ,41°.5 E.
Felt widely throughout eastern Anatolia.
According unofficial reports 15 killed, 900 houses destr.

7	e L	SZ	10 04	
7	e P	BZ,SZ	21 39 48	
	e S	SE	48 28	
	e PS	SZ	38	
	e SS	SE	52 48	
	eiLQ	SE	55 22	
8	e P	BZ,SZ	00 37 53	
8	e P	BZ,SZ	01 32 55	
	e	BZ,SZ	35 27	
8	e P	SZ	02 55(38)	
8	e P	BZ,SZ	05 54 22	C?
8	e LQ	SZ	11 20	
8	e(LR)	SZ	11 35	
8	e L	SZ	13 15	
8	i Pg	BZ	18 16 21.3	D
	i Sg	BZNE	37	
8	i Pn	BZ	18 53 22	
	i	BNE	54 25	
	e	BN	55 50	
8	e Pg	BZ	20 12 44	
	i Sg	BNE	13 02	
8	e(L)	SZ	21 14	
9	iiPg	BZNE	02 48 16.1	
			CNW	
	ii(Sg)	BNE	19½	
9	i Sg	BZNE	12 30 24	
9	e(L)	SZ	17 08	
9	i Pg	BZ	22 43 32	
	i Sg	BZNE	50	
9	i P	BZ	23 26 21.3	D
10	e	SZ	04 24	
10	i P	BZ,SZ	04 37 58.0	D
10	e Pn	BZ	11 21(17)	

Felt: Erzurum(Varto-Hınıs)

10	e Pn	BZ	21 04 25	D
	e	BNE	05 12½	
	e	BZ	17	
11	i Pg	BZ	02 29 35	D
	i S	BNE	47	
	ii(S(g)	BZE	50	

A.S. Kesili
Printed March 11, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:11-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) March 11 - March 18, 1966

11	i Sg	BZNE	17 59 45	
11	e Pn	BZ	20 03 37	
	e L	SZNE	06	
12	i P	BZNE,SZNE	16 43 10.2CSW	
	M=25K T=1.4 A=15.0			
	e(S)	BNE	52 57	
12	iiP	BZNE,SZNE	16 43 17.7CSW	
	M= 25K T=1.7 A=88.0			
	eiS	BNE	53 05	
	i PS	BNE	23	
	i PKPPKP	BZ	17 10 24	
	i	BZ	34	
	e PKPPKS	BZ	14 53	
	e P'P'P'	BZ	30 20	
12	e Pg	BZ	17 42 02	
	i Sg	BNE	17	
12	e(P)	BZ	18 11 25	
12	i P(n)	BZ	22 11 34½	D
	i S	BZNE	58	
13	e(L)	SZ	18 10	
13	e L	SZ	18 39	
14	e L	SZ	03 56	
14	i(P)	BZ	14 10 13	C
	e M	SE	13	
15	e Pb	BZ	09 00 54	
	i Pg	BZ	01 01	
	e Sn	BZ	21	
	e Li	BZ	33	
	i Sb	BZ	38	
	i Sg	BZ	47	
	Δ = 375 Km.			
15	i Pb	BZ	17 30 32	
	e Sn	BZ	59	
	i Li	BZ	31 10	
	e Sb	BZN	18	
	i Sg	BZN	25	
	i SgSg	BZ	28	
	Δ = 375 Km.			
15	i Sg	BZNE	23 14 53	
15	e	SZ	10 47	
	e L	SZ	48.5	
	Near.			
16	i Pg	BZE	16 26 10.0CW	
	i	BZ	10.7D	
	i Sg	BZNE	24.0	
	i Sb	BZE	25.7	
17	i PKP	BZ,SZ	16 09 06	D
	ii	BZ	06.7C	
	i	BZ	11.5	
	M= 25 K T= 1.2 A= 39.0			
	i PP	SZ	11 46	
	e pPP	SZ	12 07	
	i SKP	SZ	34	
	i PKS	SZ	40	
	i pPKS	SZ	13 01	
	e PPP	SZ	14 40	
	e pPPP	SZ	15 02	
	e sPPP	SZ	17	
	i SKS	SZ	16 06	
	e(SPP)	SZ	23(10)	

h about 100 Kms.

Δ = 15.500 Km.

Printed March 18,1966

A. S. Kesili

All communications should be addressed to:

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division
Teşvikiye - ISTANBUL , Turkey

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
INSTITUTE OF PHYSICS OF THE EARTH
Seismology Division

ISTANBUL
No:12-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) March 18 - March 25, 1966

18	e Pg	BZ	10 02 29
	i Sg	BZNE	03 02
19	e L	SZ	15 03
19	e L	SZ	15 38
19	e	SZ	17 29.9
	e	SZ	33 43
	e L	SZ	58
20	eiPKP	BZ,SZ	01 50 25½ D
	M= 25K	T=1.9sec.	A= 11.5
	i	BZ	39
		T=1.6	A= 41.o
20	e Pg	BZ	03 20 36
	e Sg	BZNE	21 07
20	i P	BZ	05 56 54.2 C
	i	BZ	58 14
20	e(PKP)	SZ	09 24 12
20	e L	SZ	19 19
20	e L	SZ	22 10
21	e L	SZ	01 52
		Near.	
21	i Sg	BZNE	21 48 13
22	i Sg	BNE	05 30 53
22	e P	BZ,SZ	08 22 10
	e S	SN	32(33)
22	i P	SZ	08 30 06 D
	i	BZ	08
	i	BZ	13½ D
	i(S)	SE	38 46
23	iiP	BZ,SZNE	00 16 26.8 CSW
	i PcP	SZ	42
	i pP	BZ,SZ	52
	i sP	SZ	17 01
	i PP	SZ	19 24

CONT'

	e pPP	SZ	00 19 43
	e PPP	SZ	21 02
	e PPPP	SZ	22 36
	iiS	SNE	26 14
	e SKS	SZ	21
	e PS	SZ	46
	e SPP	SZ	27 05
	e PPS	SZ	(22)

Δ = 8.500 Km.
h about 100 Km.

23	e	BZ	10 01 10
	e(S)	BN	02 42
23	i Sg	BZNE	10 54 32
23	i Pg	BZ	13 L2 10.4
	i Sg	BZNE	25.8
23	e L	SZ	18 05
24	e Sg	BZNE	03 29 09
24	i P	BZ	04 24 27 D
24	i P	BZ	07 44 29
24	e L	SZ	09 40
24	e(S)	BZNE	12 14 00
24	e S	BZNE	16 28 37
24	e S	BZNE	17 23 53

A. S. Kesili

Printed March 25, 1966

All communications should be addressed to:

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division
Tesvikiye-ISTANBUL . Turkey

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:13-66

WEEKLY SEISMOGRAM READINGS
(IST) March 25 - March 31, 1966

25	i(Sg)	BNE	15 56 25
		Seismic?	
25	i Pg	BZ	23 09 06.0
	i Sg	BZNE	33
25	e Pg	BZNE	23 14 11
	i Sg	BZNE	34
25	i Pn	BZ	23 17 53.8
26	e P	BZ	15 29 35
	i S	BNE	38 15
26	e L	SZ	18 46
27	e P	BZ	14 31 23
	e	BZ	30
	e S	BNE	32 18
27	e S	BNE	14 46 41
27	e L	SZ	19 41
27	e S	BNE	22 26 10
28	e P	BZ	00 00 26
	e S	BZNE	01 24
28	e P	BZ	01 16 50
	e S	BZNE	17 46
28	e L	SZ	04 07
28	e L	SZ	15 48
28	e L	SZ	18 29
28	e	BZ	23 49 21
	e L	SZN	49.8
29	i(Pn)	BZ	00 09 41
	i	BZ	10 05
	e S(n)	BZNE	33
	i Sb	BNE	11 03
	i Sg	BZ	18
		Δ = (600 Km.)	
29	e P	SZ	02 30(34)
	i SKS	SN	40 55
	e PPS	SZ	42 27
		Δ = 9.700 Km.	
29	e P	SZ	06 22(31)
	e S	SN	31 12
29	e Pn	BZ	07 26 20
	e Pg	BZ	28
	e(Sn)	BZ	58
	e Sb	BNE	27 18
	i Sg	BNE	26
29	e Pg	BZ	08 40 04
	e Sg	BNE	21
29	e S(g)	BNE	15 19 00
29	e(Sg)	BZNE	18 44 09
29	i Pb	BZ	23 23 15½
	i Pg	BZ	19.70
	i(Sn)	BZ	38
	i Sb	BZNE	51
	i Sg	BNE	59
30	e P	SZ	04 25 26
	e PP	SZ	26 34
	e S	SN	30 46
	e SS	SZN	33 30
	e LQ	SN	33 43
	e LR	SZN	38
		Δ = 3600 Km.	
30	e P	SZ	12 52 47
	e S	SNE	13 03 38
30	e Pn	BZ	17 30 11
	e S(n)	BZNe	31 11
31	e(P)	SZ	05 25 04
	e	SZN	28 51

A.S. Kesili

Printed March 31, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:14-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) March 31 - April 8, 1966

31	e P	BZ	23 44 16	
	e	BZ	25	
	e	BZ	53	
APRIL				
1	e P(n)	BZ	00 22 50	
	i P(g)	BZ	55	
	i Sg	BZNE	23 35	
1	i(P)	BZ	02 49 18	
1	i(P)	BZ	03 03 29	
1	e P	SZ	03 47(07)	
	e(S)	SØN	57.6	
1	i P(n)	BZ	12 42 23	
	i S	BZNE	43 08	
1	e P	BZ	12 59 54	
	e S	BNE	13 00 34	
1	e Pn	BZ	13 16 39	
2	e L	SZ	01 58	
		Near.		
2	e L	SZ	02 41	
2	e Pg	BZ	12 31 29	
	e	BN	32 10	
	e Sg	BZE	15	
2	e L	SZ	23 35	
		Near.		
3	i P	BZ,SZ	04 55 48	C
	e S	SN	05 06.4	
3	i Pn	BZ	11 38 00.3	
	e(Sn)	SE	39 15	
4	e Pn	BZ	00 27 14	
	i Pb	BZ	16	
	i Pg	BZ	24	
	e Sn	BZ	44	
	i Sg	BZNE	28 05	
		Δ = 330 Km.		
4	e P	BZ	06 52 36	
	e(S)	SN	07 00 55	
4	i Pb	BZ	10 46 45	C
	i Pg	BZ	52½	C
	i(Li)	BZNE	47 16½	
	i Sb	BZNE	27	
	i Sg	BZNE	31	
4	e Pg	BZ	12 03 06	
	i Sg	BZNE	45	
5	e	SZ	08 10	
	e L	SZ	11	
5	e L	SZ	09 35	
5	e Sg	BZNE	20 05 46	
6	e L	SZ	02 13	
6	e	SZ	03 23 13	
	e	SN	25 08	
	e LQ	SN	42	
	e LR	SZ	49	
6	i Pg	BZ	05 21 31	
	i Sg	BZNE	22 02	
6	i Sg	BZNE	05 36 07	
6	i Pg	BZ	09 47 22	
	i Sg	BNE	51	
6	i(Sg)	BZNE	20 24 06	
6	e L	SZ	20 29	
7	i Pn	BZ	00 41 40	
	i	BZN	54	
	e	BZ	57	
	e S	BNE	42 54	
		Δ = (470 Km.)		
7	e	BZ	02 23 24	
7	i Pn	BZ	03 27 28	D
	e(Sn)	BNE	28 31	
	e	BNE	52	
		Δ = (590 Km.)		
7	e P	BZ	05 55(20)	
	e(S)	BNE	56 12	
7	i(Sg)	BZNE	08 26 47	
7	i P	BZ	09 54 34	C
	i	BZ	47	
7	i Pg	BZ	16 22 18	
	i Sg	BZE	36	
7	i(Sg)	BZNE	18 33 19	
8	i P	BZ	00 05 44	C
	e	BZ	52	
8	i P	BZ,SZ	01 58 39	C
	e S	SN	02 08(25)	
8	e(P)	BZ	03 47 17	
8	i P	BZ,SZ	06 00 37	C
	e(S)	SE	07 07	

A. S. Kesili

Printed April 7, 1966

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

International Seismological Centre From the ISC collection scanned by SISMOS

ISTANBUL
No:15-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) April 8 - April5, 1966

8	e L	SZ	10 10	
8	e PKP	BZ,SZ	11 30 03	
8	e P(n)	BZ	13 48 09	
	e	BZ	49 13	
	e(Li)	BZE	22	
	e(Sb)	BZ	37	
8	e P	BZ,SZ	14 27 31	D?
8	e	BZNE	15 22 20	
8	i Pg	BZ	15 35 38	D
	ii Sg	BN	44.8	
8	e P	BZ,SZ	22 23 20	
	e(S)	SE	33 40	
8	e P(n)	BZ	22 54 22	
	i	BZ	23	D
	e S	BNE	55 14	
9	e L	SZ	00 56	
9	e(P)	BZ	02 55 53	
	e	SZ	58 55	
	e	BZ	59 14	
	e	SE	03 09 10	
9	e Pg	BZ	04 38 46	
	i Sg	BNE	39 02	
9	e Pg	BZ	05 52 24	
	i Sg	BNE	40	
9	e M	SZ	16 11	
9	e(P)	BZ	20 14 30	
	e	SZ	31.9	
10	i Pg	BZ	08 01 45.2	
	i	BZ	49	
	i Sg	BZNE	50	
	i Sb	BZNE	56	
		Δ = 40 Km.		
10	e P	SZ	17 56(02)	
	e S	SN	18 05 54	
11	e(P)	BZ	14 11 35	
11	e P	BZ	16 49 20	
11	e L	SZ	16 51	
11	e L	SZ	18 11	
11	e P	BZ,SZ	23 12 46	
	e S	SNE	23 05	
12	i Pg	BZ	10 00 32	
	i Sg	BNE	53	
12	i Pg	BZ	21 10 46	
	i Sg	BNE	11 05½	
12	e(P)	SZ	23 53 11	
	e PKP	BZ	56(31)	
	e	SZ	58 04	
	e	SZ	00 08 06	
13	e	SZ	03 55 34	
	e	SZ	04 05 40	
13	i	BZ	04 46 44	
13	i Sg	BNE	16 16 39	
13	e(Sg)	BNE	18 46 29	
13	e Sg	BZNE	20 46 45	
13	e Sg	BZNE	20 49 20	
13	e Sg	BZNE	21 09 19	
14	e Sg	BZNE	02 13 19	
14	e(Pn)	BZNE	04 04 24	
14	i Sg	BZNE	04 41 29	
14	i Sg	BZNE	05 50 02	
14	e Sg	BZNE	11 59 18	
14	i Sg	BZNE	13 27 10	
14	i Pn	BZN	18 53 38	CN
	e S	BE	56 13	
14	e L	SZ	21 19	
		Near. ?		
15	e Sg	BZNE	04 43 06	

A.S.Kesili

Printed April 20,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:16-66

W E E K L Y S E I S M O G R A M R E A D I N G S
(IST) April 15 - April 22, 1966

15	i Sg	BZNE	10 58 51	
15	i Sg	BZNE	16 28 49	
16	i P	BZ	01 39 35.8	C
	e SKS	SNE	49 52	
	i S	SNE	50 10	
16	e	BZ	10 52	
	e L	SZ	59	
16	e P	BZ,SZ	14 50 56	
16	i P	BZ,SZ	15 42 21	C
16	i P(b)	BZ	20 07 40½	
	i(S)	BNE	08 15	
17	e P	BZ	07 37(43)	
	i S	BNE	38 39	
18	e P	BZ	10 00 54	
	e S	BN	02 01	
19	e P	BZ	05 32 41	
	e S	BNE	33 22	
19	e P	BZ	12 28(51)	
	e S	BE	29 32	
19	e Sg	BZNE	21 34 03	
20	e L	SZ	02 59	
20	e L	SZ	05(28)	
20	i Sg	BZNE	12 18 16	
20	i Sg	BZN	14 48 15	
20	e(P)	BZ,SZ	16 39 47	
	e(S)	SZ	43 50	
20	i(P)	BZ,SZ	16 45 29	C
20	e S(b)	BZNE	18 40 48	
20	i P(b)	BZ	18 42 32	
	i S(b)	BZE	43 20	
20	e(Sb)	BZ	21 44 41	
21	e P(b)	BZ	01 00 13	
	e Sb	BNE	01 02	
21	e P(b)	BZ	01 40 04	
	e S(b)	BZNE	48	
21	i P(b)	BZ	02 36 53	
	i Sb	BZE	37 40	
21	i Pg	BZ	02 43 06	
	i Sg	BZNE	22	
21	e P	BZ	03 06 36	
	e S	BNE	07 23	
21	i P	BZ	04 04 55	D
	i	BZN	06 15	
21	i P	BZ	06 47 20	
	i S	BNE	48 35	
21	e P	BZ,SZ	15 57 41	C
	e S	SN	16 07 58	
21	e P	SZ	17 49 08	
	e S	SN	59(22)	
21	e(P)	BZ	17 58(01)	
22	e P	SZ	03 27(06)	
	e S	SN	37(02)	

A.S. Kesili

Printed April 22, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
INSTITUTE OF PHYSICS OF THE EARTH
Seismology Division

ISTANBUL
No:17-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) April 22 - April 29 , 1966

22	NO TIME MARKS	from	08 48
25		till	08 04
22	e P	BZ	23 39(38)
	Time interpolated.		
23	e P	BZ	00 21(44)
	Time interpolated.		
25	e Sg	BZNE	09 24 07
25	e P	BZ	11 00 45
26	e Pg	BZ	03 18 02
	e Sg	BNE	22
26	e Pg	BZ	05 18(19)
	e(Sg)	BNE	58
26	e L	SZ	05 46
	Near.		
27	e(Pg)	BZNE	09 41 33
	e Sg	BZNE	45
27	i Pg	BZ	09 42 36.6 D
	i Sg	BZNE	52
27	e(Pg)	BZ	12 37 26
	i Sg	BN	44
27	i Pn	BZNE, SZNE	19 51 28c($)W
	i	BZ	52 10
	i(PgPg)	BZ	22
	i Sn	SN	53 36
	i SgSg	BZ	50
	i Lg2	BN	54 51
	Δ = 1300 Km. ca.		
27	i P	BZ	21 47 14 C?
28	i P	BZ,SZ	01 35 18 C
	i	BZ	36 46
28	e(P)	BZ	01 56 34
28	e P	BZ	11 49 05½
28	e Sg	BZNE	12 27 53
28	e Pg	BZ	14 18 05
	e Sg	BZE	45
28	i Sg	BZNE	15 18 03
28	i Sg	BNE	17 58 46
28	e P	BZ,SZ	17 16(09)
28	e P	BZ	17 33 23
28	e(Sg)	BZE	19 34 18
28	e(Sg)	BZE	19 34 50
29	i Sg	BZNE	01 08 20
29	e Sg	BZNE	01 43 12
29	i P	BZ	01 59 18.0D
29	i P	BZ	03 33 11.5D

A.S. Kesili

Printed May, 6, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
INSTITUTE OF PHYSICS OF THE EARTH
Seismology Division

ISTANBUL
No:18-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) April 29-30--May 6, 1966

29	i(Sg)	BZNE	10 11 26	
29	e Sg	BZNE	13 43 31	
29	i Pg	BZ	19 19 11.0	C
	i	BNE	20	
	i Sg	BZNE	24	
30	i Pg	BZ	09 21 52	
	i Sg	BNE	22 10	
30	i P	BZ,SZ	13 47 39	D?
MAY				
1	e Sg	BZNE	10 32 39	
1	e Sg	BZNE	14 37 39	
1	e P	SZ	16 37 26	
	e(PP)	SZ	41 42	
	e(PS)	SZ	50 12	
2	e P	SZ	10 12 43	C
2	e(Sg)	BZNE	11 13 16	
2	i Sg	BZNE	11 44 05	
2	e(S)	BZ,SZN	13 57 37	
2	e S	SN	14 00 55	
2	i Sg	BZNE	15 55 48	
2	i Sg	BZNE	16 04 44	
2	i P(b)	BZ	19 52 51	
	e S	BNE	53 46	
2	e L	SZ	20 46	
		Near.		
2	i P	BZ,SZ	23 15 00.6	C
	e S	SN	17(04)	
3	e L	SZ	20 40	
		Near.		
3	e L	SZ	20 49	
		Near.		
4	e Pn	BZ	06 38 30	D
	e(Sn)	SNE	39 03	
4	i(Sg)	BZNE	09 12 21	
4	i Sg	BNE	11 28 33	
4	e(Pb)	BZ	15 02 08	
	e Sg	BZNE	51	
4	i Sg	BNE	18 00 48	
4	i Pn	BZ,SZ	21 49 51.3	C
	iiPb	BZ	50 02.5	D
	iiSn	SE	43	
	iiSn	SZNE	44	
	iiLi	BZNE	48	
		Δ = 450 Km. ca.		
4	i Pg	BZ	21 53 36.5	
	ii	BZ	40.5	
	i Li	BNE	54 18	
	i Sb	BZNE	25	
5	i Pg	BZ	06 12 29	
	i Li	BZ	13 07	
	i Sb	BNE	15	
5	e(Sb)	BNE	06 33 08	
5	i P(g)	BZ	06 35 58	
	i Sb	BZNE	36 20	
5	e L	SZ	13 11	
		Near.		
5	e(P)	BZ	13 52 25	
	e(S)	BZ	54	
5	e Sg	BZNE	14 22 04	
5	e P	BZ,SZ	14 33 09	C
	i	BZ,SZNE	13	CSW
	i S	BN	42 59	
5	i P	BZ,SZ	16 00 09	C
	i(P)	SZ	01 38	C
	e(S)	SE	06 20	
6	i P	BZ	00 18 16.8	
6	e P	BZ,SZ	02 46 39½	D?

A. S. Kesili

Printed May 6, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:19-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) May 6 - May 13, 1966

6	e Sg	BZNE	18 50 52	
6	i P	BZ	19 01 52.9	D
	i Pg	BZ	55.3	C
	i Sg	BZNE	02 13	
6	i Pn	BZ	20 06 51	D
	i Pg	BZ	52.7	DE
	i Sn	BZ	07 03	
	i Sg	BZN	13	
6	i(Pg)	BZ	20 21 40	
	i Sg	BNE	53	
6	i Pg	BZ	22 46 48.0	
	i Sg	BNE	47 08	
6	e Sg	BE	22 47 36	
7	i Pg	BZE	03 32 30	
	i Sg	BZNE	49	
7	e Sg	BZNE	10 06 33	
7	e Sg	BZN	11 12 46	
7	i P	BZN,SZN	13 09 09.6	CN
	i	BZ	10,3	D
	i	BZ	10.9	D
	i(sP)	BZ	17.6	
	ii	BZ	21.0	D

Damage in Aydın at İncirliova

37°8 N. 27°5 E.

7	e P	BZ	14 19 08	
	ii	BZ	10.3	
	i S	BZNE	32	
7	e Sg	BZNE	16 38 32	
7	i P	BZ	17 16 34.5	C
	e S	BZNE	17 16.5	
7	e Sg	BZNE	19 00 43	
7	i Pg	BZ	20 33 12	
	e(Sg)	BZNE	30	
7	i Pg	BZ	20 43 35.5	
	i Sg	BZNE	44 20	
7	i Pn	BZ	20 50 26.2	
7	i P(g)	BZ	21 26 40	
	i S(g)	BZNE	57	
7	i Pn	BZ	22 10 26.7	
	i(sP)	BZ	33	
	i S	BZNE	11 24	
7	e P	BZ	23 49 44	
	e S	BNE	50 28	
8	i Pg	BZ	02 23 37.0	C
	i Sg	BNE	24 20	
8	i Sg	BNE	03 24 38	
8	e Sg	BNE	03 25 13	
8	i P	BZ	03 50 20	
8	e(P)	BZ	06 28 22	
8	i P(g)	BZ	09 10 20	
	i S	BNE	11 04	
8	i P(g)	BZ	09 32 01	
	e Sg	BNE	(45)	
8	i P	BZ	13 00 20.8	C
	e S	BE	01 06	
8	e Sg	BE	14 33 47	
8	i Sg	BZE	19 33 07	
9	i Pn	BZ,SZNE	00 44 36.6	DSE
	e Sn	SE	45(54)	
9	iiPn	BZNE	03 52 12.5	DSE
		SZNE		
	ii(Sn)	BZ	43.2	
9	e(Pn)	BZ,SZ	04 37 13	
9	i Pn	BZ	06 10 22.8	C
9	e L	SZ	10 35	
		Near.		
9	e L	SZ	13 07	
		Near.		
9	e L	SZ	16 56	
		Near.		
9	e L	SZ	21 35	
9	e L	SZ	22 07	
10	i Pg	BZ	01 37 15	
	i Sg	BZNE	31	
10	e P	BZ	02 50(07)	
	e L	SZ	52.6	
10	e P	BZ	18 45 51	
	i	BZ	54	
	e S	BN	46 52	

CONT'

International Seismological Centre From the ISC collection scanned by SISMOS

WEEKLY SEISMOGRAM READINGS ISTANBUL No:19-66
May 6 - 13 , 1966

10	i P	BZ	21 12 44.0	D
	i	BZ	52	C?
	e	BNE	14 43	
11	e P	BZ	01 24 51	
	e(S)	BE	26 27	
11	e P	~~NX~~BZ	02 00 33	
11	e Sg	BZNE	09 02 38	
11	e Sg	BZNE	09 03 45	
11	i P	BZ,SZ	14 29 41	C
11	e P	BZ	14 38 44	
11	e P	BZ	15 07 47	
	e	BZ	52	
11	i Pg	BZ	16 39 21.3	C
	i Sg	BNE	42	
11	i P	BZ	21 51 40	C?
	i	BZ	50	
	e S	SNE	22 01 36	
12	e Pn	BZ	20 31 52.8	
	i P	BZ	57.3	
	i	BZ	32 05.6	
	i Pg	BZNE	07.9(C)NE	
	i	BNE	31	
	i Sg	BZNE	57.8	

Δ = 395 Km. ca.

Printed May 14, 1966

A. S. Kesili

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:20-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) May 13 - May 20, 1966

13	e L	SZ Near.	10 20
13	e L	SZ Near.	13 10
13	e P	BZ	13 13(31)
14	i Pg i Sg	BZ BZNE	11 00 41.5 01 07
14	e Sg	BZE	13 11 44
14	i Pg i Sg	BZ BZNE	15 25 22.2 C 41
14	e L	SZ	17 39
14	e Sg	BZE	18 42 24
14	e Sg	BZE	19 00 31
14	e Sg	BZE	22 04 03
14	e P	BZ	23 02(18)
15	e Sg	BZE	03 41 47
15	i Pg i Sg	BZ BNE	04 14 52.3 C 15 11
15	i Pg i Sg	BZ BNE	04 17 40.8 C 58
15	i Pg i Sg	BZ BNE	05 47 19.0 C 39.4
15	i Sg	BZE	08 20 07
15	i(P)	BZ	08 31 10
15	i Sg	BZNE	09 05 50
15	i P i	BZ BZ	10 12 36.7 58.5
15	i P e S	BZ,SZ SE	14 58 40 C(S) 15 09 08
15	i Sg	BN	19 19 51
16	i Pg i Sg	BZ BZNE	14 29 37.3 42
16	e P	BZ	17 32(14)
16	i P i Pg i(Sg)	BZ BZ BZNE	21 13 54.9D 59.6D 14 27
17	Q'ake losts during the changing of the paper (07-12--07-18)		
17	i Pg e Sg	BZ BNE	10 24 36.6C (55)
17	i Pg i S	BZ BNE	13 59 30 14 00 13
18	e L	SZ	08 18
18	i Pg i Sg	BZ BNE	21 01 54.2C 02 05
19	i P	BZ,SZ	07 18 59.5C
19	i Sg	BZNE	12 29 40
19	i Sg	BNE	12 59 46
19	i Pg i Sg	BZ BNE	17 09 01 20
19	e Sg	BZE	17 12 33
19	i Pg i Sg	BZ BNE	17 17 56 18 12
19	i Sg	BZE	18 44 37
19	i Sg	BZE	19 36 29
19	e Sg	BZE	21 29 51
20	i Pg i Sg	BZ BZNE	03 05 21.3C 36

A.S. Kesili

Printed May 24 , 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:21-66

W E E K L Y S E I S M O G R A M R E A D I N G S
(IST) May 20- May 27 , 1966

20	e P	BZ,SZ	09 21(31)	
	e	SZ	23 18	
	e	SZ	46	
20	e P	BZE	09 31(43)	
	e	SZ	32 37	
20	e Sg	BZE	14 02 23	
20	e Sg	BZ	14 46 52	
20	i P	BZ,SZ	18 14 40	C
21	e L	SZ	00 44	
21	i Pg	BZ	02 55 27	
	i Sg	BNE	47	
21	e P	BZ	03 25(40)	
21	e P	BZ	22 15(45)	
21	e P	BZ	23 29(11)	
22	i Pn	BZ,SZ	07 38 05.7	CN
	i Pg	BZ,SZ	12.0	DS
	i S	BE,SE	43.8	
	Slight damage at Akhisar			
22	e L	SZ	08 34	
22	i P	BZ	11 17 20.3	C
22	e L	SZ	20 20	
		Near.		
22	e Sg	BE	22 27 33	
22	e Sg	BE	22 35 49	
22	e Sg	BE	22 41 30	
22	i Sg	BE	23 38 44	
23	e P	BZ,SZ	08 52 17	
23	e L	SZ	12 39	
23	i Sg	BE	13 04 59	
23	e PKP	SZ	14 39(33)	
	e PP	SZ	40 28	
	e PPPP	SZ	44 18	
	e PS	SZ	49 26	
	e PPS	SZ	50 18	
23	i Sg	BE	16 35 00	
23	i Sg	BE	19 23 00	
24	e Pn	BZ	09 41 03	
	e(Sn)	SE	42 36	
24	e Pn	BZ	11 11 03.8	
24	e Pg	BZ	12 08 19	
	iiSg	BNE	37	
24	e L	SZ	14 50	
		Near		
24	e P	BZ	17 45 15	
24	e L	SZ	21 11	
24	i Pg	BZ	23 19 39	C?
	i Sg	BNE	55	
24	i Sg	BNE	23 50 02	
25	i Pg	BZ	07 58 35	D
	iiSg	BNE	50	
25	e Pn	BZ	09 08 40	
	i(Sn)	SE	10 43	
25	i PKP	BZ,SZNE	13 40 30.9	CNW
25	iiSg	BNE	22 05 11.7	
26	e Sg	BZE	10 42 25½	
26	e Sg	BZNE	11 05 32	
26	e Sg	BZE	12 45 26	
26	e Sg	BZE	16 04 31	
26	e(P)	BZ	18 49 32	
26	e Sg	BZNE	19 39 40	
26	e Sg	BZE	23 04 32	
26	e(P)	BZ	23 11 18	
26	e Sg	BZNE	23 44 17	
27	e(Sg)	BZE	01 35 18	
27	e Sg	BZE	03 17 20	

A.S. Kesili

Printed June 22, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:22-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) May 27-31 -- June 3, 1966

27	e(S)	BZ	16 45 14		1	e P	BZ	04 02 12	
27	e P	BZ	19 10 11	C		e(S)	BZNE,SZNE	03 45	
	e	BZ	19	D		Damage in Bitlis			
27	e Sg	BZE	19 20(22)		1	e(Sg)	BZNE	04 15 16	
27	e(Sg)	BZE	20 27 33		1	e(P)	BZ	04 37 33	
27	i Sg	BZE	20 47 09		1	e Sg	BZE	04 40 36	
27	e P	BZ	22 21 24		1	e(P)	BZ	04 43 32	
27	e(P)	BZ	22 38 24		1	e(Sg)	BZ	04 49 52	
27	e(S)	BZNE	23 18 05		1	e P	BZ	05 13 49	
28	i P	BZ,SZ	00 15 47	C		i Sg	BNE	14 19	
	e S	SE	25 33		1	e P	BZ,SZ	12 07 23	
28	i Pg	BZ	02 28 31.7			i	BZ,SZ	44	C
	iiSg	BzNE	50.7		1	e L	SZ	23 12	
29	i P	BZ,SZ	14 03 24.4	D		Near.			
29	i Sg	BZNE	22 32 10		2	i P	BZ,SZ	03 40 20	D
29	i Pg	BZ	23 22 00.8			i	BZ	43 35	C
	i Sg	BNE	35				SZ		D
31	i P(g)	BZ	09 19 42		2	e Sg	BE	14 20 07	
	i	BZN	46		2	e Sg	BZ	16 35 22	
	i(S)	BZ	20 13		2	e Sg	BNE	22 30 16	
31	i Pg	BZ	12 21 32.4	D	2	i Pn	BZ	22 52 09.7	D
	i Sg	BNE	48			i Pg	BZN	18	CS
31	e Sg	BZE	18 41 58			e Sn	SE	54	
31	e Sg	BZE	20 02 53		2	e(Sg)	BZ	23 00 07	
JUNE					2	e Pg *	BZ	23 00(23)	
1	i Sg	BNE	01 29 23			e Sg	BNE	43	
1	e Sg	BZE	01 59 08						
1	e Sg	BNE	02 41 09						
1	e L	SZ	03 25						
		Near.							

A.S. Kesili

Printed June 22,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of The Earth
Seismology Division

ISTANBUL
No:23-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) June 3 - June 10, 1966

4	i Pg	BZ	00 27 34	
	i Sg	BNE	49½	
4	e Sg	BE	02 01 13	
4	e Sg	BE	02 16 07	
4	e P	BZE	05 18 09	
4	e Pn	BZ	06 18 48	
	e(S)	BNE	20 12	
4	e(Pg)	BZE	10 56 30	
	e Sg	BN	57 03	
5	e P	BZ,SZ	00 00 23	C
	i S	SN	10 20	
5	i Pn	BZ	09 14 38.0	D
	i	BZNE,SZN	40	CNW
	i Pg	BZNE	42.6	DES
5	i Sg	BNE	09 20 15	
5	e Pn	BZ	09 27(21)	
	i Pg	BZNE	24.7	CNE
	i S	BZNE	51.5	
5	i P	BZ	09 36 19	D
	i Pg	BZ	20.3	CNW
	i Sg	BE	47	
5	e Sg	BZNE	12 33 04	
5	i Pg	BZ	13 56 29.7	C
	i Sg	BNE	57	
5	e Sg	BNE	14 46 16	
5	i Pg	BZ	17 27 43	C
	i Sg	BNE	28 09	
5	e P	BZ	20 53(41)	
5	e Sg	BZNE	20 57 09	
6	i Pg	BZ	07 41 23	
	i Sg	BNE	51	
6	iiP	BZNE	07 52 31.8	CSW
	i	BZ	53 18	
	i(S)	BZNE	57 36	
	i(sP)	SZ	53 40	D
	e	BZ	08 24 41	
	e	BZ	28 35	
6	e P	BZ	14 37 57	
		BNE	38 25	
	i S	BNE	37	
6	e	BZNE	16 56 00	
	i S	BZNE	11	
6	e Sg	BNE	18 25 52	
6	i PKP	SZ	21 00 04	C
7	e PKP	SZ	01 18(52)	
7	i P	BZ	04 47 28	
	i Pg	BZ	32	C
	i S	BZNE	59	
7	i Pg	BZ	06 10 53	
	i Sg	BNE	11 20	
7	i Pg	BZ	06 23 26½	C
	i Sg	BNE	53	
7	i Pg	BZ	06 53 50.7	D
	iiSg	BNE	54 06	
7	i Pg	BZ	06 56 24.7	C
	i Sg	BNE	51	
7	e Pn	BZ	09 34(10)	
	e(S)	BN	35 20	
7	e Sg	BE	09 42 03	
7	i Sg	BZNE	12 46 23	
7	i P	BZ,SZ	14 13 07	C
	i	BZ,SZ	17 09	
7	i Sg	BZNE	15 15 33	
7	e Sg	BZ	16 33 17	
7	i Sg	BZNE	18 47 26	
7	e Sg	BNE	18 49 53	
7	e P	BZ	22 31 23	
7	i Sg	BNE	23 49 55	
7	i Sg	BNE	23 50 41	
8	e Sg	BZNE	01 03 06	
8	e Sg	BE	01 56 04	
8	e Sg	BE	01 56 23	
8	e Sg	BE	04 17 48	
8	e SG	BZE	08 28 40	
8	i Pg	BZ	12 38 52	D
	i Sg	BZNE	39 07	
8	i Sg	BE	16 17 41	
8	i Sg	BNE	20 03 45	
8	i P	BZ,SZ	20 08 35	
9	e P	BZ	00 22 55½	
9	i Sg	BNE	00 39 02	
9	e P	BZ	12 05(26)	
	i Sg	BNE	06 05	
9	e P	BZ	15 51 20½	
	e S	BZ,SZN	16 01 13	
9	i Sg	BZE	16 24 05	
9	e P	BZ,SZ	22 29(08)	
	e(S)	SE	39 39	

A.S. Kesili
Printed June 22, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:24-66

WEEKLY SEISMOGRAM READINGS
(IST) June 10 - June 17 , 1966

10	iiPg	BZ	00 08 05.6	CNE
	iiSg	BE	17	
10	e Pn	BZ	09 13 11	
	i P	BZ	16	D
	ii	BZNE	58.1(C)	SE
	i	BN	14 50	
10	e P	BZ	16 34(13)	
	e S	BNE	35 12	
10	i Sg	BZNE	18 35 04	
10	e Sg	BZE	21 07 55	
10	e P	BZ	21 26 44	
	e Sg	BZNE	27 44	
10	e Sg	BZNE	22 23 22	
10	e(P)	BZ	22 24 06	
10	i P	BZ,SZ	22 50 44	D?
10	i Pg	BZ	23 42 00.8	D
	iiSg	BZNE	15	
11	e P	BZ	03 12 52	
11	i Pn	BZ	10 23 27	
11	e Pn	BZ	12 06 49	
11	e L	SZ	18 55	
12	iiPg	BZNE	15 14 40.6	CNE
	iiSg	BZNE	51.5	
12	e Pg	BZ	23 25 47	
	i Sg	BNE	26 10.5	
12	e Sg	BN	23 59 43	
13	e P	BZ	00 58 28	
13	e L	SZ	01 16	
13	e Pg	BZ	03 48(30)	
	i Sg	BZNE	54	
13	e Pn	BZ	05 00 10.6	C
	iiPg	BZNE	12.3	CNW
	i Sg	BE	46.8	
	Felt at Alaşehir and Sarıgöl			
13	e(P)	BZ	07 52 50	
	e P	SZ	53 01	
13	i P	BZ	11 34 18	C
13	e L	SZ	11 49	
		Near.		
13	e L	SZ	13 39	
		Near.		
13	e L	SZ	14 28	
13	e L	SZ	16 10	
13	i PKP	BZ,SZ	18 27 26	C
	e	SZ	28 23	
	e	BZ,SZ	29 53	
	i	SZN	58	C
	e	BZ	30 34	
	i	SZNE	36	C
14	e Pn	BZ	02 48(05)	
	e P	BZ,SZ	38	
	(Felt at Siirt and Van) ?			
14	e Sg	BZE	18 57 55	
14	e Sg	BZE	18 58 30	
14	e Sg	BZE	18 59 19	
14	e Sg	BZE	18 59 41	
15	e P	SZ	01 15 34	
	e PKP	BZ,SZ	18 49	
15	e PKP	BZ	01 52 01	
	e	BZ	54 09	
15	e Sg	BZE	02 49 20	
15	i Pg	BZ	05 04 27½	
	i Sg	BZNE	42	
	Δ = 125 Km.			
15	e	BZ,SZ	06 34 55	
15	e	BZ	11 14 55½	
	e Sg	BZE	15 24	
15	i Sg	BZNE	22 03 29	
16	i Pg	BZ	11 34 58.1	D
	i Sg	BNE	35 35	
16	i(P)	BZ	15 07 54.5	
16	e L	SZ	17 22	
16	e L	SZ	18 30	
16	e(L)	SZ	23 10	
		Near.		
17	e L	SZ	02 04	
		Near.		

A.S. Kesili
Printed June 22,1966

TECHNICAL UNIVERSITY OF ISTANBUL
Institute Of Physics of the Earth
Seismology Division

International Seismological Centre From the ISC collection scanned by SISMOS

ISTANBUL
No:25-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) June 17 - June 24, 1966

17	e Pg	BZ	17 44 19	
	i Sg	BNE	43	
17	e Pg	BZ	21 11 25	
	i Sg	BNE	50	
17	e Sg	BNE	21 16 54	
18	i Pg	BZ	05 29 16.7	CNW
	iiSg	BNE	25.5	
18	e Sg	BZE	20 53 38	
19	i Pn	BZ,SZ	17 56 14.1	N
	i Pg	BZNE,SZ	22.8	DS
	i Sb	BNE,SE	58	
	i Sg	BNE	57 03	
		Δ = 310 Km.		
		Slight damage at Menemen		
		38° 36'N., 27° 04' E.		
19	e Sg	BNE	19 47 56	
19	e Sg	BNE	19 50 37	
19	i Pg	BZNE	20 16 30.5	CNW
	i Sg	BZNE	39.5	
19	e Pb	BZ	21 11 04.7	
	e Pg	BZ	09.7	
	i Sg	BNE	.42	
		Δ = 310 Km.		
19	e Sg	BE	21 34 37	
19	e Pg	BZ	21 48 16	
	e Sg	BE	(56)	
20	e Pg	BZ	09 55 04.5	
	i Sg	BZNE	20	
20	e(Sg)	BZ	10 51 51	
20	e Pg	BZ	13 03(28)	
	i Sg	BZNE	51	
20	e Pg	BZ	14 22 48	
	i Sg	BZNE	23 21	
20	e Sg	BZ	14 52 53	
20	e L	SZ	20 55	
		Near.		
21	e PKP	SZ	01 04 47	
	e	SZ	05 52	
21	e Pg	BZ	04 37 51	
	e Sg	BNE	38 28	
21	e P	BZE	11 29 02.7	DW
	i	BZN	02.9	CN
	i Sg	BZNE	31.3	
21	i Pg	BZ	11 37 15.8	
	i Sg	BNE	44	
21	i Pg	BZ	12 17 00.7	D
	i Sg	BE	27.5	
21	i Sg	BZNE	13 04 08	
21	e Pg	BZ	16 47 10	
	i Sg	BNE	47½	
21	e(P)	BZ	18 44 25	
21	e(P)	BZ	19 34 46	
21	e Pg	BZ	20 06 55	
	e(S)	BNE	07 30	
21	i P	BZ	23 18 28.8	D
22	i Pg	BZ	03 26 14.8	C
	i Sg	BNE	43	
22	e(P)	BZ	03 29 24	
22	i Pg	BZ	07 44 25	C
	i Sg	BZNE	30	
22	i Sg	BZNE	08 13 53	
22	i Sg	BZE	08 41 47	
22	e Sg	BZE	09 19 03	
22	e Sg	BZE	09 32 54	
22	e Sg	BZE	10 27 18	
22	i Sg	BNE	17 15 58	
22	e Pg	BZ	17 35 36	
	i Sg	BZNE	36 11	
22	e PKP	BZ,SZ	20 41 49	
	e	BZ,SZ	43 39	
	e P'P'	BZ	58 49	
	e	BZ	21 06 27	
23	i Sg	BNE	03 39 35	
23	i Pg	BZNE	05 49 37.3	CNW
	i Sg	BNE	46	
23	e Sg	BZNE	12 03 13	
23	e Sg	BZNE	12 48 23	
23	e(P)	BZ	18 17(55)	
	e(S)	BNE	19 23	
23	e	BZ	21 04 44	
	e(S)	BNE	05 27	
23	i Pg	BZ	22 07 42	
	i Sg	BZNE	57	
24	i Sg	BZNE	01 32 03	
24	i Sg	BZNE	05 50 01	

A.S. Kesili

Printed June 24, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:26-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) June 24-30--July 1 ,1966

24	e Sg	BZNE	11 15 30	
24	i Pg	BZ	13 44 31	
	i Sg	BNE	45 03	
24	i Pn	BZ	22 35 58	D
25	e P	BZ,SZ	01 58 53	C
	e	BZ	02 02 08	
	e S	SNE	09 17	
25	e Sg	BZNE	02 26 42	
25	e Pn	BZ	06 21 40	
	i	BZ	43	
	i S	BZ	22 18	
	i	BZ	23	
25	i Pg	BZ	18 48 36.7	C
	i Sg	BZNE	53	
26	i Pg	BZ	05 41 57.1	
	i	BNE	42 14	
	i Sg	BZNE	16	
26	i Sg	BZNE	05 11 30	
26	e P	BZ	08 48 24	
	i	BZ	24.8	C
	i Pg	BZ	25.2	C
	i Sg	BZNE	41	
26	i Sg	BNE	08 50 10	
26	i Sg	BNE	08 50 32	
26	i Pg	BZ	10 05 07	
	i Sg	BNE	23	
26	i Pg	BZ	10 08 33	
	i Sg	BZN	49	
26	i(P)	BZ	18 12 24	D
27	i Sg	BN	00 15 17	
27	i PKP	BZ	10 49 08	C
	ii	BZ,SZ	09	C
27	e(P)	BZ	10 57 49	
27	e PKP	BZ	11 07 17	C
	i	SZ	18	C
	i	BZ	19	C
	i	SZ	21	C
27	e Sg	BZNE	19 59 52	
27	i P	BZ	22 07 15½	
27	e(P)	BZ	22 10 53	
28	i Pn	BZ	00 02 46.2	C
28	e Sg	BZNE	03 23 02	
28	i(P)	BZ	03 37 40	D
28	e P	SZ	04 40	
	e(S)	SE	50 38	
28	e Sg	BZE	15 16 06	
28	e Pn	BZ	17 01 44	C
	i Pb	BZ	52	
	i Pg	BZ	54	
	i Sb	BZNE	02 26½	
	i Sg	BZN	31	
		Δ = 300 Km.		
		Felt: İzmir		
28	i Pb	BZ	18 03 27½	C
	i Sb	BZNE	04 04	
	i Sg	BZNE	10	
		Δ = 300 Km.		
29	e Pn	BZ	01 51 10	
	e PgPg	BZNE	31	
	i Sn	BZNE	52 18	
	e SgSg	BZE	58	
	i SgSgSg	BN	53 09	
		Δ = 640 Km.		
29	e Sg	BZE	20 28 31	
29	e L	SZ	20 45	
29	e P	BZ,SZ	22 06 10	C
	e	BZ,SZ	08 42	
30	e L	SZ	01 16	
		Near.		
30	e Sg	BZE	02 20 46	
30	i Sg	BZ	02 48 42	
30	e Pg	BZ	04 07 04	
	i Sg	BZNE	24	
30	e P(b)	BZ	19 23 19	
	e S	BN	24 41	
30	i(P)	BZ	22 28 28	D
	e	BZ	32 18	
JULY				
1	i P	BZ,SZNE	06 02 18	CSW
	ipP	SZ	44	D
	i S	SE	11 55	
		A.S. Kesili		

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:27-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) July 1 - July 8 , 1966

1	i Pg	BZ	12 59 17	
	i	BZ	19	
	i Sg	BE	46	
1	e L	SZ	17 49	
1	i Pg	BZN	18 00 05.7	CN
	i Sg	BE	11	
1	e L	SZ	19 47	
2	i Pg	BZN	04 17 08.0	CN
	i Sg	BE	13.8	
2	e Sg	BZNE	14 55 02	
2	e Sg	BNE	20 00 43	
2	i Pg1	BZ	23 42 34.7	C
	i Pg2	BZ	43	
	i Sg1	BN	55	
	i Sg2	BZNE	43 03	
3	e(P)	SZ	04 29 32	C
3	e P	BZ	16 00(57)	
	e S	BZE	01 39	
4	e L	SZ	03 36	
4	i Pg	BZ	09 58 56	
	i Sg	BZNE	59 16	
4	e Sg	BZE	10 17 25	
4	i P	BZ,SZ	12 23 11	D
	e S	SZE	29 23	
4	e Sg	BZE	17 01 54	
4	i P	BZ,SZ	18 46 09	D
	e S	SZN	56 39	
5	e P	BZ,SZ	02 34(42)	
	e S	SN	44(46)	
5	i(P)	BZ	03 41 59	C
5	e P	BZ,SZ	05 16(50)	
5	e Sg	BZE	07 48 17	
5	i Sg	BNE	09 50 20	
5	e Sg	BZNE	10 17 00	
5	e(Sg)	BZ	11 19 57	
5	e	BZ	11 38 26	
5	e Sg	BN	11 47 36	
5	i Sg	BNE	15 13 20	
5	i Sg	BZN	17 33 20	
5	e Sg	BNE	19 03 32	
5i	i P	BZ	19 56 14.2	C
	i Pg	BZNE	15.3	DSE
	iiSg	BNE	29.8	
	i Sb	BZ	31	
		Δ = 115 Km.		
5	e Sg	BZE	20 56 18	
5	e Sg	BZNE	21 56 06	
5	e	BZ	22 03 03	
6	e	SZ	00 56	
	e L	SZ	01 08	
6	e Sg	BZE	00 58 02	
6	i Pg	BZ	00 59 22.9	C
	i Sg	BNE	40	
	i Sb	BNE	42	
6	i Sg	BNE	01 14 33	
6	e(P)	BZ	03 05 53	
6	e Sg	BZNE	03 16 08	
6	e Pn	BZ	04 27 08	
	e L	SZ	31	
6	e(Sg)	BZ	04 59 55	
6	e Sg	BZNE	05 40 19	
6	e Sg	BNE	05 4L 34	
6	e Sg	BZE	13 43 27	
6	i P	BZ	14 06 44	
6	i Sg	BNE	18 01 25	
6	e(P)	BZ	19 04 16	
	e	BZ	20	
6	e Sg	BNE	19 54 43	
6	e Sg	BNE	20 15 27	
6	e P	BZ	20 33 58	
7	i Sg	BNE	01 13 26	
7	i Sg	BNE	01 56 15	
7	i Pg	BZE	14 16 09.0	DE
	i Sg	BZN	26	
7	e(P)	BZ	23 41 48	
8	i Pg	BZ	04 25 18	
	i Sg	BNE	44	

A. S. Kesili

Printed July 8 , 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:28-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) July 8 - July 14 , 1966

8	i Pg	BZ	14 13 40		13	i(Sg)	BZE	00 53 35		
	i Sg	BNE	14 13							
8	e Sg	BZNE	22 10 08		13	i Pg	BZE	11 32 18.1	DW	
						i Sg	BZNE	46.5		
9	i Pg	BZ	04 59 40.3	D						
	i	BZNE	41.1	DNE	13	NO RECORD on BZ from 12 07				
	i Sg	BE	05 00 09							
		Δ = 230 Km.								
9	e Pg	BZ	20 55 40							
	i Sg	BZNE	56 13							
10	e(L)	SZ	11 12							
10	i P	BZ,SZ	16 24 44	C						
11	i P	BZNE	20 34 37½	DSE						
	i	BZ	38½	D						
	i S	BE	35 05							
11	i P	BZ	23 05 48							
12	e Pn	BZ	00 06 32	D?						
	e(S)	BZNE	09 27							
	i	SN	38							
		Foreshock.								
12	i P	BZ	02 58 16.6	D						
	i	SZN	16	CN						
	e(S)	SE	03 00 13							
		Damage at Varto (MUŞ)								
		12 killed , 15 injured								
		39° 10'N. , 41° 28'E.								
12	i P(b)	BZ	06 39 00.7							
	i Pg	BZ	08							
	i Sb	BNE	49							
	i Sg	BZNE	57							
		Δ = 395 Km.								
12	iiPn	BZ,SZN	18 54 52.5	CS						
	i(Pa)	SZN	55 03	DN						
	i	BZE,SZNE	56 06							

A. S. Kesili

Printed July 14,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:29-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) July 14 - July 21 , 1966

15	i Pn	BZ	23 51 43	C
	i Pg	BZ	52 04.5	
	e PgPgPg	BZ	32	
	e Sn	BZNE	46	
	e SgSgSg	BZN	53 36	
		Δ = 600 Km.		
16	i Sg	BZNE	00 10 25	
16	e(Sg)	BZ	10 11 51	
16	e Sg	BZN	11 10 27	
16	e Sg	BZE	11 53 35	
16	i Sg	BZNE	13 01 52	
16	i Sg	BZNE	15 10 13	
16	e Pn	BZ	16 29(32)	
16	e L	SZ	20 01	
		Near.		
17	e L	SZ	03 48	
17	e Sg	BZE	11 32 01	
17	i(Pg)	BZ	13 36 27	
	e Sg	BZNE	37 01	
17	i P(n)	BZ	19 41 14.6	
	e S	BZNE	42 08	
17	i Pg	BZ	20 03 28	D
	i Sb	BNE	42	
	i Sg	BZNE	44	
17	i Sg	BNE	23 37 20	
18	e(P)	SZ	02 02(49)	
	e(S)	SZ	09 16	
	e	SN	12	
	e L	SZ	16	
18	e P	SZ	10 06(24)	
	e L	SZ	18	
18	e Sg	BZNE	14 41 22	
18	e L	SZ	19 55	
18	i P(g)	BZ	21 19 07	
	i	BZN	10	
	i Sg	BZNE	22	
18	i Pg	BZ	21 31 42	
	i Sg	BZNE	54	
18	i Pg	BZ	21 38 21	D
	i	BZ	21½	D
	i Sg	BZNE	33	
18	e L	SZ	23 51	
19	e L	SZ	01 44	
19	e P	BZ	01 52 43	
	e S	SE	02 02 29	
19	e Pb	BZ	02 34 05	
	i	BZ	10	
	i Pg	BZ	12	CSW
	i	BNE	37	
	i	BNE	46	
	i	BZ	53	
19	i(Pn)	BZ	02 38 18	
	i	BZNE	53	
19	i P	BZ	02 53 19	
	i(S)	BNE	58	
19	i P	BZ,SZ	19 33 08	C
	e S	SNE	43(33)	
20	i P	BNE	10 01 11	SW
	i Sg	BZNE	28	
20	e Pg	BZ	10 06 19	
	i Sg	BNE	36	
20	e Pn	BZ	10 17 40	
	e(S)	BN	18 45	
20	e L	SZ	11 28	
20	e L	SZ	14 27	
20	e L	SZ	21 09	

A. S. Kesili

Printed July 21, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:30-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) July 21 - July 28 , 1966

21	e P	BZ	18 48 49	C
	i	BZ	53	D
21	e(P)	BZ	21 04 05	
22	i P	BZ	03 47 40	D
	e	BZ,SZ	49 14	
22	i P	BZ,SZ	10 29 57	C
	e S	SN	40 22	
23	e L	SZ	04 27	
23	e L	SZ	05 31	
		Near.		
23	TIME CORRECTION DOUBTFUL between 10 07 and			
26			07 43	
26	i Pg	BZ	20 22 03	
	i Sg	BZNE	22	
26	e(P)	BZ	22 59 31	
	e	BZ	46	
27	e(P)	SZ	05 08 13	
27	i Pn	BZ,SZ	14 53 10,2	C
	i	BZ	17	D
	i S	SZNE	56 39	
27	i Pn	BZ	15 34 34	
27	e Pn	BZ	18 10 40	
27	e L	SZ	21 21	
28	e Pn	BZ	01 39(25)	
28	e(Pn)	BZ	02 03 54	
28	e L	SZ	02 41	

A. S. Kesili

Printed July 28, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:31-66

WEEKLY SEISMOGRAM READINGS

(IST) July 28 - 31 -- August 4 , 1966

29	e L	SZ Near.	08 34		
29	e L	SZ	12 49		
29	i Sg	BZNE	16 51 24		
29	e Sg	BZNE	21 05 56		
29	i Pg	BZ	21 19 57		
	i Sg	BZNE	20 17		
30	i(Sg)	BZNE	02 20 06		
30	e L	SZ Near.	05 25		
31	e L	SZ Near.	04 25		
AUGUST					
1	e	BZ	08 28 48		
	e(S)	BZN	29 43		
1	i Pg	BZ	10 20 05	C	
	i	BZ	05½	D	
	i Sb	BN	19		
	i Sb	BZE	22		
1	i Sg	BZNE	10 23 15		
1	i Sg	BZNE	11 50 25		
1	i Sg	BZNE	12 48 36		
1	e Sg	BZNE	14 13 08		
1	i Pg	BZ	16 42 50		
	i Sg	BNE	43 03		
1	i P	BZ,SZ	19 16 38	C	
	e S	SNE	22 07		
1	e P	BZ,SZ	20 37 39	C	
	e S	SNE	43 08		
1	i P	BZ,SZ	21 09 40	C	
1	i Pg	BZ	22 58 24		
	i Sg	BNE	40		
1	i Pg	BZNE	23 43 58½	DSW	
	i Sg	BZNE	44 14		
1	i Pg	BZ	23 45 31		
	i Sg	BZNE	48		
1	i Pg	BZ	23 47 46		
	i Sg	BZNE	48 02		
2	i Pg	BZ	00 12 02		
	i Sg	BZNE	18		
2	i Sg	BZNE	02 37 28		
2	i Sg	BZNE	05 12 14		
2	TIME CORRECTION DOUBTFUL from 13 05 till				
3			07 50		
3	i Sg	BZNE	17 42 04		
3	i Pg	BZ	18 36 22		D
	i Sg	BZNE	39		
3	e Sg	BZNE	20 42 19		
3	e Sg	BZE	21 17 35		
3	i Pg	BZ	21 31 02		
	i Sg	BZNE	17		

A. S. Kesili

Printed August 4, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:32-66

WEEKLY SEISMOGRAM READINGS

(IST) August 4 - August 11 , 1966

4	i(Sg)	BZNE	09 55 38	
4	e Sg	BZNE	13 32 13	
4	i Sg	BZNE	14 36 04	
5	i Sg	BNE	00 19 12	
5	i Sg	BNE	01 04 11	
5	i P	BZ,SZ	01 10 42	
5	i	BZN	04 04 54	
5	i	BZ	04 06 14	
5	i P	BZ	04 52 08	
	e	SZ	54 28	
5	i Sg	BZNE	09 38 18	
5	e Pg	BZ	11 06 54	
	e(Sg)	BNE	07 29	
5	e(Sg)	BZNE	12 32 15	
5	i P	BZ	16 18 17.6	C
	ii	BZ	27	D
	i S	BNE	46.5	
	i Sg	BZ	51	
5	e	BZ	17 49 46	
	e(S)	BZN	51 36	
5	i(Sg)	BZNE	16 25 18	
5	i(Pg)	BZ	17 28 35	
	i Sg	BNE	51	
5	i P	BZ	21 23 02	
	i S	BNE	24 02	
5	e S	BZNE	22 42 10	
6	e Pn	BZ	02 32 59½	
6	e(P)	BZ	04 05 30	
6	e	BZNE	05 54(14)	
6	e Pn	BZ	18 34 03	
	e Sn	BNE	35 12	
6	e L	SZ	20 16	
6	e(P)	BZ	21 45 40	
	e L	SZ	50	
7	i P	BZNE	02 25 48	DNW
	i S	SZE,BE	36 24	
7	i Pg	BZ	12 03 19	
	i Sg	BZNE	47	
7	e P	BZ	14 32(30)	
7	e(P)	BZ	17 50 04	
	e	BZ	54 16	
	e	SN	18 00 52	
	e	SZ	04 05	
7	i Sg	BNE	20 42 53	
7	e Pg	BZ	21 43 02	
	i Sg	BNE	29	
7	i Sg	BZNE	22 58 07	
8	e(P)	SZ	08 21 --	
8	e L	SZ Near.	11 47	
8	i Pg	BZ	20 44 46	
	i Sg	BNE	45 03	
9	i	BZ	00 26 31	
	i	BZ	27 59	
	e L	SZ	31	
9	i(Pn)	BZ	03 35 57	C
9	i Pg	BZ	12 09 12.3	C
	i	BZ	13.0	D
	i Sg	BNE	29	
10	i Pg	BZ	02 05 05.3	D
	i Sg	BNE	21	
10	i Pg	BZ	03 22 22.4	DES
	i Sg	BNE	37	
10	i P	SZ	05 20 46	D
	i	BZ	51	
10	e L	SZ	12 53	
10	i(Pn)	BZ	15 24 24	
10	e L	SZ	22 26	
11	i(Pn)	BZ	00 25 25	
11	e Pn	BZ	04 35(47)	
11	e P	SZ	05 32 27	
	e	BZ	33	
	e	SZ	36 12	

Printed August 16, 1966

A. S. Kesili

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:33-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) August 11, August 18, 1966

11	e L	SZ	11 25	
11	e L	SZ	22 03	
11	e PKP	SZ	23 45 24	
	e	BZ	33½	
	e	SZ	49 15	
	i	BZ	51 37	
12	e	BZ	01 19 29	
12	e P	BZ,SZ	04 19 23	
12	e L	SZ Near.	16 01	
12	e L	SZ Near.	16 31	
12	e L	SZ	20 16	
12	i P	BZ	20 29 41	C
12	i Pg	BZ	04 57 00.4	C
	i	BNE	22	
	i Sg	BZ	23	
13	e L	SZ Near.	15 29	
14	e L	SZ	06 03	
14	e L	SZ Near.	15 52	
15	e(P)	BZ	02 23 42	
15	i P	BZ	02 58 00.0	
	e S	SE	03 08 35	
15	i Pg	BZ	03 27 48	
	i Sg	BNE	28 02.5	
15	i P	BZ,SZ	10 29 25	
	e S	SE	36 30	
15	i P	BZ,SZ	13 48 27	C?
	e S	SE	58(35)	
15	i(Sg)	BZ	15 13 32	
15	i Sg	BZE	17 40 28	
16	i P	BZ,SZE	02 22 35	CW
16	e Pn	BZ	03 30 36	
16	e Pn	BZ	03 55 25	
	i	BZ	28	D
16	i Pg	BZ	09 32 01.6	
	i Sg	BNE	42	
16	e Sg	BZNE	09 41 27	
16	e Sg	BZE	13 01 35	
16	e Sg	BZNE	13 18 36	
16	e	SZ	13 51	
16	e L	SZ	14 07	
16	e L	SZ	14 48	
16	e Sg	BZNE	18 15 48	
16	e Sg	BZNE	18 29 18	
16	e L	SZ	18 46	
16	e P(KP)	BZ,SZ	20 05 07	
16	e P	BZ	21 02 45.4	
	i	BZ	46.0	D
	i S	BZNE	03 30	
17	i(Sg)	BZE	01 58 10	
17	i Sg	BZNE	02 44 18	
17	i	BZNE	03 29 55	
17	e P	SZ	21 10 58	
	e S	SZN	21 17	
17	e L	SZ Near.	23 35	
18	e P	BZ	03 20 23	
	e S	BNE	21 28	
18	e P	BZ	05 49(36)	
	i S	BNE	50 11	

Printed August 18,1966

A. S. Kesili

If you want to receive our new Erzurum station's WEEKLY, please write us.

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:34-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) August 18 - August 25, 1966

18	i P	SZ	10 46 04	C
	e	SZ	50 17	
18	i P	BZ,SZ	14 47 16	C
	i	BZ,SZ	51 10	
18	e L	SZ	20 39	
		Near.		
19	e L	SZ	03(55)	
19	i Pg	BZ	12 21 3[illegible]	
	i Sg	BZNE	5[illegible]	
19	iiPn	BZNE,SZNE	1224 3[illegible]	

VARTO (39° 10 N., 41° 28 E)
completely destroyed.

VARTO	2235	killed ,	2000 injured
HINIS	148	" ,	457 "
KARLIOVA	32	" ,	180 "
ÇAT	10	" ,	1 "
TEKMAN	7	" ,	37 "

T o t a l 2632 killed

Felt in E. Anatolia

19	i Pn	BZ	13 17 30	D
19	i P	BZ	13 36 50	
19	i P	BZ	14 06 18	
19	i P	BZ	14 20 16	C
19	e P	BZ	18 43 52	
20	i P	SZ	09 44 40	D
	i	SZ	46 57	
	i	SZN	53 34	
20	i Pn	BZE,SZ	12 01 27.3	DE
	i	BZ	03 58.5	
	i	BN	04 01	
	i	BZNE	39	

25 killed at VARTO

20	e L	SZ	15 1[illegible]	
20	e	BZ	15 1[illegible] 42	
	e L	SZ	23	
20	e L	SZ	16 4[illegible]	
20	i(P[illegible])	BZ	17 5[illegible] 17	
	i	BZE	5[illegible] 21	
	e L	SZ	59	
20	e L	SZ	18 35	
20	e L	SZ	18 39	
20	i Pn	BZ	19 10 14.6	
	i S	BN	12 30	
20	i P	BZ,SZ	23 14 47	C
	i	SZ	15 06	C
20	i Sg	BNE	23 26 57	
21	i(Pn)	BZ	00 17 31	D
	e L	SZNE	20	
21	iiP	BZNE		
		SZNE	01 31 07.4	CNE
	i(S)	SNE	26	
21	i Pg	BZ	01 42 30	
	i Sg	BNE	48	
21	i Pg	BZ	02 05 40	
	i Sg	BZNE	58	
21	e L	SZ	02 31	
21	e L	SZ	03 42	
21	e L	SZ	04 12	
21	i P	BZ,SZ	05 13 21	C
	e S	SNE	23 45	
21	e L	SZ	11 55	
21	e L	SZ	13 36	
21	e L	SZ	15 23	
21	e L	SZ	16 37	
21	e L	SZ	20 08	
21	e L	SZ	21 19	
21	e L	SZ	22 41	
22	e L	SZ	04 25	
22	e L	SZ	10 21	
22	e L	SZ	10 37	
22	e L	SZ	13 3L	
22	e L	SZ	14 17	
22	i P	BZ,SZ	18 01 38	C
	i	SZ	41	D
	i	SZ	05 00	D

CONT'

International Seismological Centre From the ISC collection scanned by SISMOS

WEEKLY SEISMOGRAM READINGS ISTANBUL No:34-66

22	e Pg	BZ	18 54 40	
	i Sg	BNE	55 07	
22	i Pg	BZ	19 54 33	
	i Sg	BZNE	52	
22	e	BZ	20 37 33	
22	e P	BZ	20 38 32	
	e L	SZ	41	
22	e(Sg)	BE	20 40 45	
22	e L	SZ	22 07	
22	e L	SZ	22 37	
23	i Pn	BZE	01 38 02	CW
23	e Pg	BZ	07 24(51)	
	i Sg	BZNE	25 30	
23	i Sg	BZE	10 52 50	
23	i Sg	BZE	10 53 41	
23	e S	BZNE	16 44(49)	
23	i Sg	BZNE	17 00 45	
23	i P	BZ	18 34 12	
	e S	SNE	44 02	
23	e Sg	BZE	19 36 11	
23	e Sg	BZNE	21 48 45	
23	e Sg	BZE	22 47 15	
23	e Sg	BE	22 47 32	
24	e Sg	BZE	01 44 55	
24	e Sg	BZE	02 19 22	
24	e Pn	BZ	03 37(28)	
24	e L	SZ	04 18	
24	e Sg	BZNE	04 31 21	

A. S. Kesili

Printed August 25,1966

TO ALL CONCERNED:

If you want to receive our new ERZURUM station's WEEKLY , please **write us.**

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:35-66

WEEKLY SEISMOGRAM READINGS

(IST) August 25 -31 - September 1, 1966

25	e L	SZ Near.	23 04
26	e L	SZ	00 19
26	e L	SZ	02 13
26	e PKP	SZ	09 26 16
28	e Pn	BZ	04 20 09
	e S	BE	22 23
28	e L	SZ	04 52
28	e(S)	BZN	08 33 16
28	e L	SZ	10 31
28	e L	SZ Near.	12 05
28	e	SZ	22 48
	e L	SZ	23(26)
29	e L	SZ Near.	13 42
30	e P	BZ,SZ	20 32 48
	e	SZ	35 24
	e(S)	SZ	42 46
31	e L	SZ	00 25
31	e	SZ	18 22.5
	e L	SZ	28
	e M	SZ	35.8
31	e L	SZ	20 59
SEPTEMBER			
1	e L	SZ Near.	01 58

A. S. Kesili

Printed September 1st , 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:36-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) September 1 ,- September 8, 1966

1	i Pg	BZ	08 37 08	
	i Sg	BN	34	
1	i P	BZ	12 36 54.7	
	e(S)	BZNE	38 38	
1	i Pn	BZ,SZNE	14 24 32.4	CN
	i(S)	SNE	26 03	
1	e L	SZ	18 38	
1	e L	SZ	21 47	
2	e L	SZ	01 45	
2	e(L)	SZ	08 58	
2	e L	SZ	23 03	
		Near.		
3	e L	SZ	17 18	
	e M	SZ	26	
4	i P	BZ	01 30 43.3	D
	ii	BZ	43.7	CES
	i S	BNE	31 38	
4	e L	SZ	23 02	
6	i Pg	BZ	01 39 28	
	i Sg	BZNE	55	
6	e(P)	BZ	12 43 28	
6	i Sg	BZNE	15 17 13	
6	e(Sg)	BZ	18 30 12	
6	i P	BZ	22 41 57	

A. S. Kesili

Printed September 8, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:37-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) September 8, September 16 , 1966

8	i Pg	BZ	11 15 22	
	i Sg	BNE	43	
8	i Pg	BZ	13 30 39.7	D
	i Sg	BNE	55	
8	i P	BZ,SZNE	21 29 08	CSW
	ii	SZ	33 00	D
	ii	BZ	07	D
	e(S)	SN	39 39	
9	e L	SZ	19 22	
9	e L	SZ	20 58	
10	i(P)	BZ	10 12 10	
	e L	SZ	15	
10	i P	BZ	10 56 28.6	D?
10	e L	SZ	15 20	
11	i(Pg)	BZ	14 20 23	
	i Sg	BZNE	21 03	
11	i Sg	BZNE	15 11 41	
11	i P	BZ	20 44 04	
	iiS	BZNE	51	
12	i P	BZ,SZ	11 49 06	D
	i	SZE	07½	DE
	i	SZ	52 23	D
12	i(P)	BZ	16 17 48	D
12	e L	SZ	17 18	
13	e(P)	SZ	01 10 13	
	e	SZ	13 24	
13	e L	SZ	02 18	
13	i(P)	BZ	17 30 23	
13	i Pn	BZ	20 26 03.5	
	i(S)	SN	28 52	
14	e	SZ	00 13.7	
14	i(P)	BZ	17 19 38	
	i	BZ	46	
	i S	SNE	20 19	
14	e P	SZ	23 33 16	
	i	SZ	37 50	C
	i	SE	45 44	
15	e(P)	SZ	04 26 50	
	e	SZ	30 44	
15	e L	SZ	05 31	
15	e L	SZ Near.	11 35	
15	e P	SZ	12 06(32)	
	e	SZ	11 05	
	i	SN	17 03	
	i	SE	18 04	
	i	SZ	20 56	
15	i P	BZ,SZ	17 22 37	C
	i	SZ	25 40	D
	i	BZ	42	C
	i S	SN	32 25	
	i	SE	28	
15	i(P)	BZ	22 35 30	
	e L	SZ	36	
16	e L	SZ	03 34	

A. S. Kesili

Printed September 16, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:38-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) September 16 - September 23,1966

17	i Sg	BZNE	08 38 04	
17	e Sg	BZNE	11 30 51	
17	e L	SZ	19 48	
x		Near.		
17	e(Sg)	BZE	21 24 53	
x				
17	e P	BZ,SZ	20 37(17)	
18	i P(b)	BZN	05 41 15.4	CS
	i Pg	BZNE	16.2	CWN
	i Sg	BE	31.1	
18	e L	SZ	14 52	
18	e L	SZ	16 08	
18	iiP	BZNE		
		SZNE	20 49 14.7	CW
	i S	BN,SE	53 43	
	i PcP	BZ	56 29	
		Δ = 2900 Km.		
19	e L	SZ	02 09	
		Near.		
19	i P	BNE	06 18 56	
	i	BN	58	
	i(Sb)	BNE	19 21	
19	i Pg	BZ	22 21 11.2	C
	i Sg	BZNE	31	
19	i Pg	BZ	23 51 14.7	C
	i Sg	BZNE	35	
19	i	BZ	23 58 44	
20	i Pg	BZ	04 25 32.6	CSW
	i Sg	BNE	46	
20	e L	SZ	18 55	
21	e L	SZ	16 38	
		Near.		
21	e Pg	BZ	23 44 14	
	i	BE	34	
	i	BZE	38	
	e Sg	BN	41	
	i(Sg)	BZ	43	
22	e L	SZ	01 31	
22	e(L)	SZ	18 28	
22	e L	SZ	18 45	
22	e(P)	BZ	20 15 44	
	i	BZ	47	
	i	BZ	54	
	i	BZ	57	
	i	BE	16 26	
	i	BE	52	
22	e L	SZ	21 55	
22	e L	SZ	23 00	
22	e L	SZ	23 15	
23	i P	SZ	01 41 54	C
	e S	SN	52 05	

A. S. Kesili

Printed September 25, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of The Earth
Seismology Division

ISTANBUL
No:39-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) September 23 - September 30, 1966

23	e L	SZ	18 54	
23	e(P)	BZ	20 43 14	
23	e Sg	BZNE	21 59 03	
23	i Pg	BZNE	22 14 02.3	D
	i Sg	BE	34	
23	e(P)	BZ	23 49 28	
24	i(P)	BZ	01 49 39	
24	i P	BZ,SZ	10 06 09	C
	i S	SE	10 45	
24	i P	BZ	20 22 45	D
	e S	BNE	23 52	
25	e Pb	BZ	03 11 23	
	i Pg	BZNE	32	
	i	BE	53	
	i Sb	BN	12 21	
	i	BZE	22	
	i Sg	BE	29	
	Δ = (485 Km.)			
25	e	SN	06 28 20	
	e(S)	SZE	29 57	
25	e L	SZ	21 00	
26	i(P)	BZ	04 34 40	
26	i P	BZ	05 20 15	D
		SZ	15	C
	i S	SN	27 44	
26	i(Pg)	BZ	06 47 48	
	e Sg	BNE	48 34	
26	e(Sg)	BZNE	09 30(25)	
26	i(Pg)	BZ	09 58 08	
	e(Sg)	BZNE	59 00	
26	i Pg	BZ	10 11 39.6	C
	i Sg	BNE	56	
26	e Sg	BZE	18 10 22	
27	i Sg	BZNE	02 54 19	
27	e P	BZ	10 56(44)	
	e S	BNE	58 03	
27	e Sg	BZNE	18 29 32	
27	e Pg	BZ	21 16 21	
	e Sg	BN	17 06	
28	i P	BZ,SZNE	14 10 18.8	DNE
	i	BZ	22.5	D
	T=1.1 sec. A=16.0 mm. M=25 K			
	i	BZ	25	C
	i PcP	BZ,SZ	11 07	
	e PP	SZ	12 36	
	e PPP	SZ	13 59	
	e PPPP	SZ	14 13	
	e PcS	SZ	15 10	
	i S	SNE	18 29	
	Δ = 6500 Km.			
28	i Pb	BZ	18 19 27	C
	i Pg	BZ	37	
	i Sb	BZNE	20 30	
	i Sg	BZN	41	
	Δ = 510 Km.			
	Felt: Kırşehir			
29	i P	BZ,SZ	03 03 41.3	D
29	i Pb	BZ	04 45 25.5	C
	iiPg	BZNE	33.9	DE
	i Sb	BZNE	46 13	
	Δ = 370 Km.			
29	i Pg	BZ	05 22 43	
	i	BZ	44.2	DSE
	i Sb	BZNE	23 23	
29	e Sg	BZNE	11 15 32	
29	i(P)	BZ	15 07 55	D
29	e(L)	SZN	17 59	

A. S. Kesili

Printed September 30, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:40-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) September 30 - October 7, 1966

30	e Pg	BZ	10 05 03	
	e Sg	BNE	51	
OCTOBER				
1	i Pg	BZ	12 07 39.7	C
	i	BZE	40.3	DE
	e Sg	BZ	08 19	
2	e L	SZ	03 02	
2	e P	SZ	07 36 12	C
2	iiPn	BZNE		
		SZNE	11 22 58.1	DNW
	i sP	SZ	23 31	C
	i Sn	BZNE,SNE	54	
	Δ = 530 Km. ca.			
	h = 150 Km. ca.			
2	i Pg	BZ	17 26 10,4	D
	i Sg	BZNE	24.5	
2	i Pg	BZ	20 30 55	C
	i Sg	BNE	31 14	
2	e(P)	BZ	20 46 39	
3	e(P)	BZ	17 08 45	
	e L	SZ	17	
3	i(P)	BZ	20 36 09	
	e(S)	BZNE	37 05	
3	e(Sg)	BE	20 50 47	
3	e(Sg)	BE	20 52 34	
3	i Pn	BZ	23 39 53.6	
	i(Pg)	BZ	40 11	
	i Sn	BE	43	
	i Li	BE	53	
	i Lg1	BE	58	
	i Lg2	BE	41 02	
	i Sg	BN	05	
	Δ = (440 Km.)			
4	i Pg	BZ	03 35 49.3	
	i	BNE	36 03	
	i Sg	BNE	05	
4	e	BZNE	16 45 43	
4	e	BZNE	17 04 08	
5	e	BZE	03 35 40	
5	e P	BZ,SZ	08 42 21	
	e(S)	SZN	51 36	
5	i P	BZ	11 16 53.9	C
	iiPg	BZ	54.8	C
	ii	BZNE	17 09.9	
	iiSg	BZ	12.6	
5	e P(g)	BZ	21 47 12	
	i(Sn)	BN	43	
	e Sb	BN	48 10	
	e Sg	BN	22	
	Δ = (570 Km.)			
6	e(P)	BZ	07 51 15	
6	e L	SZ	14 39	
6	i Sg	BN	23 47 40	

A. S. Kesili

Printed October 7, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:41-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) October 7 - October 14, 1966

7	NO RECORD on LP from 07 07 till 8.X 07 02			
7	e P	BZ	16 14 22.7	
	e	BZ	17 46	
7	e(Pg)	BZ	22 43 00	
	e	BN	18	
	e Sg	BZNE	22	
8	i P	BZ	00 32 01	C?
8	e L	SZ	10 37	
8	e L	SZ	18 26	
9	e(L)	SZNE	06 22	
9	i P	BZ	06 54 38	
	e S	SZNE	59 29	
9	e L	SZ	09 04	
9	e	SZ	10 40	
	e L	SZ	45	
10	i Pg	BZ	04 47 02.8	C
	i Sg	BZNE	18	
10	i P	BZ	09 57 28	
	e S	BN	58 16	
10	e P	BZ	20 55 36	
	e	BZ	45	
	e S	BNE	56 28	
	e	BZ	30	
11	e P	BZ	00 18(10)	
11	e L	SZ	01 23	
11	e P	BZ	02 57(40)	
	e S	BNE	58 23	
11	e(P)	SZ	06 45 12	
11	e P	SZ	21 00(38)	
12	e P	SZ	00 25 20	
12	e P	SZ	04 42 --	
12	e L	SZ	21 02	
13	i P	BZ	01 25 30.0	
	e S	BN	26 37	
13	i Sg	BZNE	03 42 06	
13	e Sg	BZNE	17 23 13	
13	e(P)	SZ	18 56 55	C
13	e(P)	BZNE	22 38 13	
	e(S)	BZNE	39 02	
14	i P	BZ,SZ	01 13 01	D
	i	SZ	04	C
	i	BZ		D
14	e P	BZ,SZ	02 52(14)	
14	e L	SZ	03 47	
14	e(P)	BZ	05 15 20	

A. S. Kesili

Printed October 14,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:42-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) October 14 - October 21 , 1966

15	iiPn	BZNE SZNE	07 00 30.9	DNW	
15	i Pg	BZNE	16 28 22.2	D	
	i Sg	BNE	38.5		
16	i Pg	BE	16 21 15.3		
	i Sg	BNE	35		
17	i Pg	BNE	06 31 40	NW	
	i Sg	BNE	57		
17	e P	SZ	10 35(12)		
17	i(Sg)	BZNE	16 34 39		
17	i P	BZ	18 38 45	D?	
17	• P	BZ	21 56 25		
	ii	SZ	26	C	
	i	SZE	28	E	
	e(PKP)	BZ	22 00 14		
	i	SZ	46	D	
18	e P	BZ	04 32 02.6		
	i Pg	BZ	03.2		
	i Sg	BNE	19		
18	i Pg	BZNE	10 02 35.3	CNW	
	i Sg	BZNE	51.6		
18	e Sg	BNE	21 31(22)		
19	i P	BZ	04 04 54.2	C	
	i	BZ	06 14	D?	
19	e P	BZ,SZ	08 11 28		
	i	SZ	32	C	
	i	BZ,SZ	43	C	
19	e L	SZ	18 06		
	Near.				
19	e L	SZ	18 33		
19	e L	sz	20 15		
19	e Pg	BZ	23 18 12		
	i Sg	BNE	29		
20	e P	BZ,SZ	01 01(09)		
20	e	BZ,SZ	05 03 07		
	Near.				
20	i P	BZ	07 53 49.0	C	
	iiPg	BZ	49.7	C	
	i S	BE	54 20.8		
21	e(P)	BZE	03 04 26		

A. S. Kesili

Printed October 21,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:43-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) October 21- October 28, 1966

21	i Sg	BZNE	12 34 45
21	i P	BZ	14 10 43.7 D
	i Pg	BZ	44.3 D
	i Sg	BZNE	11 02.3
21	e Pn	BZ	16 18 23
	i	BZ	30
	i(Sn)	BE	19 25
21	e(P)	BZ	23 51(24)
22	i P	BZ	03 13 04.5 C
	i	BZ	28
22	i Pn	BZ	05 39 31.0 C
	i Pg	BZNE	47
	i Sn	BN	40 20
	i Sb	BNE	41
	i Sg	BZNE	47
22	e P	BZ	09 37(18)
22	e L	SZ	13 25
23	i P	BZ,SZ	07 21 19
23	i(P)	BZ	12 14 23 C
23	e L	SZ	12 56
23	e L	SZ	16 27
24	e L	SZ	14 37
24	e(S)	SZ	18 40 01
25	i Pg	BZNE	
		SZNE	01 29 06.2CWWN
25	i Sg	BZE	01 49 23
25	i(P)	BZ	10 13 44
	e L	SZ	24
25	e L	SZ	18 49
25	i Sg	BN	18 53 27
26	i P(g)	BZNE	03 50 15.9CNW
	i	BNE	22
	i(Sg)	BZNE	29
26	i P	BZ	19 32 59.7 D
	i	BZ	33 24.8 D
27	i P	BZNE	
		SZNE	06 04 51.2CSE
	i(PcP)	SZN	06 08
	i(PcS)	SN	10 28
27	i P	BZ	14 34 21
	i	SZ	22 D
	i(PP)	BZ,SZN	38 11
	i S	SN	45 06

A. S. Kesili

Printed October 28,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTAN BUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No: 44-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) October 28-31 - November 3,1966

28	e(S)	BZNE	15 46 26	1	e S	SZNE	22 27 07	
28	e P(g)	BZNE	20 26 49	3	i Pg	BZNE	01 58 55,8	
29	e L	SZNE	01 35		e Sg	BNE	11,8	
29	i P(g)	BZNE	02 41 03,3	3	i Pg	BZ	04 28 36,5	
		SZNE			i Sg	BNE	45	
	e S		43 09					
29	e Pn	BZ	04 13 20	3	e Pn	BZNE SZNE	13 18 35,8	
	e Sg	SZNE	14 23		i Pg	BZ	47	
29	e P	SZ	12 16(22)		i Sg	BZNE SZNE	19 27	
	e S	SZNE	17 22					
30	e Pg	SZ	02 13(12)	3	e P	BZ,SZNE	16 36 56	
	e Sg	SZNE	14 21		e S	SZNE	47 06	
31	e Pn	BZNE	10 33 27					
	e S(n)	BZNE	30					
31	e P(b)	BZNE	12 36 37,2					
	e S(b)	BZNE	40,2					
31	i Sg	BNE	13 35 11,6					

Zeki Uz

Printed November 4,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:45-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) November 3 - November 11,1966

5	e(L)	SZNE	02 51	
5	e P	SZN	13 04 58	D?
6	e L	SZ	08 49	
6	e L	SZ Near.	18 56	
7	e M	SZ	14 10	
7	e L	SZ	18 52	
8	e L	SZ Near.	03 24	
8	i Pg i Sg	BZ BZNE	04 39 02.0 18	
8	i Sg	BZNE	17 22 45	
9	e L	SZ Near.	15 15	
10	i Pg i Sg	BZ BZNE	12 26 57.8 27 33	

A. S. Kesili

Printed November 11, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:46-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) November 11,- November 18, 1966

11	e	BZ	14 26 18		
11	i	BZE	14 28 52		
	i	BZE	29 25		
11	i P	BZ,SZ	15 43 41	C	
	i	BZ	52		
	i(S)	SN	54 07		
	i	SN	21		
12	i Pg	BZ	01 10 33.9	C	
	i Sg	BNE	51.5		
12	i Pg	BZ	09 51 40.7	D?	
	i Sg	BZE	52 04.1		
		Δ = 195 Km.			
	Felt: Eskişehir				
12	i P	BZ,SZ	13 01 45	C	
	i S	SNE	11 44		
12	e P	SZ	19 04 07	D	
	i(PKP)	BZ,SZ	20	C	
	i	BZ,SZ	45	D?	
	i	SZ	06 57		
13	i P	SZ	03 03 52	C	
13	e L	SZ	12 20		
13	e L	SZ	15 06		
		Near.			
13	e L	SZ	22 59		
		Near.			
14	i P	BZ	21 43 32		
	i S	BZNE	44 12		
15	e L	SZ	00 52		
15	e P	BZ	14 17 46		
	i	BNE	18 21		
	i S	BZNE	28		

A. S. Kesili

Printed November 18, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:47-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) November 18 - November 24, 1966

18	e(P)	SZ	09 34(35)
18	e(P)	SZ	18 55(29)
	e L	SZ	19 03
18	e L	SZ	20 14
19	i P	BZ	07 14 30.3 C?
19	e	SZ	18 49
	e L	SZ	19 16
20	e(L)	(SZ	10 26
20	e(P)	SZ	17 07(42)
20	e L	SZ	20 11
20	e L	SZ	22 24
		Near.	
21	e P	BZ	03 48(09)
	e(S)	SN	49 06
21	i Pg	BZ	10 39 43.3 CN
	i	BZ	43.4 C
	i Sg	BNE	44.2
		Explosion ?	
21	i P	BZ	11 08 30
	i S	BNE	09 30
21	i P	BZ	12 31 28
21	e L	SZ	14 02
		Near.	
21	e P	BZ	23 02(23)
	e S	BZNE	03 14
22	e	BZ	06 40 51
	e	SZ	42 31 D
	e	BZ	32
22	e L	SZ	12 56
23	e P	BZ,SZ	02 41(05)
23	e L	SZ	20 09
		Near.	
24	e L	SZ	16 05
24	e	SZ	17 05
	e L	SZ	46
25	e L	SZ	04 27

A. S. Kesili

Printed November 25,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:48-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) November 25-30-- December 2, 1966

26	e L	SZ	03 23	
27	e L	SZ	03 20	
27	e L	SZ	13 35	
27	e P	BZ,SZ	20 20(16)	
	e S	SZN	29 10	
28	e	SZ	07 59	
	e L	SZ	08 15	
29	i Pg	ZNE	11 11 03.7	CEN
	i	ZNE	04.3	
	i(Sg)	ZNE	05.6	
		Explosion ?		
29	i(P)	BZ	21 45 50	
29	i P	SZ	22 36 31	C
	i	SZ	39 57	D
30	i	BZNE	00 41 53	
30	e(P)	SZ	02 24.8	
30	i(P)	BZ	09 48 03.8	
	i S	BZNE,SZNE	49 05	
30	e	SZ	13 18	
	e L	SZ	21	

DECEMBER

1	e L	SZ	03 35	
		Near.		
1	i P	BZ,SZ	05 16 03.5	C
	i	BZ,SZ	18 36	
	i	BZ,SZ	19 24	C
2	e Pn	SZ,BZ	03 13(03)	
		Near.		
2	i P	BZ	06 01 32	
	i Pg	BZ	33.6	C
	i Sg	BZNE	51	

A. S. Kesili

Printed December 2nd , 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL.
No:49-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) December 2 - December 9, 1966

3	i P	BZ	14 32 21.5
	ii	BZ	21.7 C
3	i Pg	BZNE	22 03 31.8 CNW
	i Sg	BZNE	41
4	e L	SZ Near.	18 21
4	e L	SZ Near.	19 25
5	i(Sg)	BZNE	20 05 05
5	i P	BZ	22 45 40.1 D?
	i	BZ	40.2 D
	i	BZ	42.5 D
	i S	BZNE	44.6
6	i P	BZ	01 41 11.3 C
	i Pg	BZ	13.2
	i Sb	BE	31
	i Sg	BNE	33.5
	i	BZN	35
6	e(L)	SZ	21 39
6	e M	SZ	22 20
7	i Pn	BZ	11 02 34.5
7	e(P)	BZ	17 29 54
	e	SZ	30 05
	e	SZ	40 05
	e L	SZ	53
8	i P	BZ	11 33 12.½
	e(S)	BN	35 27

A.S. Kesili

Printed December 9, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:50-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) December 9 - December 16, 1966

9	e L	SZ	17 26
10	e P	SZ	20 10(03)
	i	SN	16 35
11	e P	SZ	13 20 23 C
	e	SZ	24 36
	e	SE	31 02
11	i Pn	BZNE	
		SZNE	17 09 27.0DNE
	i S	SNE	10 16
		Deep	

Felt widely KASTAMONU,ANKARA, SAMSUN,ÇANKIRI,BOLU,ADAPAZARI

11	i(P)	SZ	18 27 38
	e	SNE	37 14
14	i Pn	BZNE,	
		SZNE	14 51 13.2DNE
	i	BZ	40
	i	BZ	45.5
	i	BZ	53
	i Sn	SNE,BNE	52 09
		Deep	
14	e M	SZ	19 30 22
		Near.	
14	e M	SZ	20 33 32
		Near.	

14	e(P)	SZ	21 22 24
	i(PKP)	SZ	27 12
	i(PP)	SZ	25
	e PS	SZ	36 33
	e SS	SZ	42 47
		Δ=(12.500 Km.)	
14	i Pg	BZNE	22 54 38.7CSW
	i(Pn)	BZ	43.0
	i Sg	BZNE	44.1
		Δ = 38 Km.	
15	e M	SZ	02 25 42
		Near.	
16	i Pg	BZ	02 32 11.3D
	i	BZ	12.2C
	ii	BZNE	12.5DSSE
	i Sg	BZNE	26.4

A. S. Kesili

Printed December 16,1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:51-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) December 16 - December 23, 1966

ERRATUM

No:50-66 (IST)

10 December eP 2010(03)
11 December eP 1320 23 C
11 December iPn 1709 27.0
11 December i(P)1827 38

should read

9 December eP 2010(03)
10 December eP 1320 23 C
10 December iPn 1709 27.0
10 December i(P)1827 38

respectively.

16	i P	BZ,SZ	21 00 19.7	C
17	e L	SZ	06 17	
18	e L	SZ	01 03	
18	i Pn	BZ	07 43 49.6	
	e(S)	SE,BN	45 10	
18	i P(n)	BZ	10 48 40.7	
	i	BZNE	45.5	CE(N)
	i(S)	BNE	49 35	
19	i	BZ	00 35 08	
19	e L	SZ	01 04	
19	e L	SZ Near.	22 58	
20	e L	SZ	03 18	
20	e L	SZ	08 47	

20 NO TIME CORRECTION between 08 43 and 14 24

20	e L	SZ	16 18	
20	e P	BZ,SZ	18 52 13	
	e S	SNE	19 02 18	
21	i P	SZ	09 10 54	D
	i	SZ	13 56	
	i	SZ	14 01	
21	e L	SZ	13 48	
21	e L	SZ	22 14	

A. S. Kesili

Printed December 23, 1966

International Seismological Centre From the ISC collection scanned by SISMOS

TECHNICAL UNIVERSITY OF ISTANBUL
Institute of Physics of the Earth
Seismology Division

ISTANBUL
No:52-66

W E E K L Y S E I S M O G R A M R E A D I N G S

(IST) December 23 - December 30,1966

23	e P	SZ	16 05 17	
	i(PKP)	BZ	09 01	
	i	BZ,SZ	10 08	
	i(PP)	BZ,SZ	14	
	i(PS)	SZ	19 41	
24	e(L)	SZ	22 56	
25	e L	SZ	05 59	
25	NO TIME CORR.		from 07 03 till	
27				
27	e P	SZ	21 45 58	C
28	e P	SZ	08 32 50	C
	i(PKP)	BZ	36 45	
29	e L	SZ	02 48	
29	e Pn	BZNE	06 31 14	DSE
29	e P	BZ,SZ	12 16 08	
29	e L	SZ	21 55	
29	e P	BZ,SZ	22 36 03	
30	e P	BZNE, SZNE	01 57 31.7	CWWS
	e S	BN,SZN	49	

A. S. Kesili

Printed December 30,1966